GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: May 3, 1999, 16:58:15 ; Search time 46.08 Seconds
                (without alignments)
                5189.123 Million cell updates/sec

Title:
Perfect score: 1271
Sequence: 1 CTGCTTCCACCAGCAAAGA..........GTTNCCTNTNTCTNAAGGAC 1271

Scoring table: US-09-037-460-1

Searched: OLIGO_NUC

Database :   240622 seqs, 94065609 residues
    N_Geneseq_34:*

    Word = 30

SUMMARIES

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

Result   Query   Match Length DB   ID   Description
No.   Score   Match
------   -----   ----------------   --   -----------
·1   1220   96.0   1271   1   T34991   Vascular IBP-like

ALIGNMENTS

RESULT 1
ID   T34991 standard; cDNA; 1271 BP.
AC   T34991;
DT   06-NOV-1996 (first entry)
DE   Vascular IBP-like growth factor cDNA.
KW   Vascular IBP-like growth factor; VIGF;
KW   insulin-like growth factor binding protein; agonist; antagonist;
KW   muscle wastage; osteoporosis; implant fixation; wound healing;
KW   therapy; diagnosis; ss.
OS   Homo sapiens.
FH   Key   Location/Qualifiers
FT   cds   58..612
FT   /*tag= a
FT   signal_peptide   58..120
FT   /*tag= b
FT   mat_peptide   121..609
FT   /*tag= c
FT   misc_difference   653
FT   /*tag= d
FT   /note= "base 653 is given as y in the
FT   specification"
FT   misc_difference   1096
FT   /*tag= e
FT   /note= "base 1096 is given as r in the
FT   specification"
FT   misc_difference   1212
FT   /*tag= f
FT   /note= "base 1212 is given as n in the
FT   specification"
FT   misc_difference   1225
FT   /*tag= g
FT   /note= "base 1225 is given as y in the
FT   specification"
FT   misc_difference   1235
FT   /*tag= h
FT   /note= "base 1255 is given as n in the
FT   specification"
FT   misc_difference   1259
FT   /*tag= i
FT   /note= "base 1259 is given as n in the
FT   specification"
FT   misc_difference   1261
FT   /*tag= j
FT   /note= "base 1261 is given as n in the
FT   specification"
FT   misc_difference   1265
FT   /*tag= k
FT   /note= "base 1265 is given as n in the
FT   specification"
DR   WO9617931-A1.
PN   13-JUN-1996.
PF   09-DEC-1994; U14388.
PF   09-DEC-1994; WO-U14388.
PA   (HUMA-) HUMAN GENOME SCI INC.
PI   Hastings GA, Rosen CA;
DR   WPI; 96-287176/29.
DR   P-PSDB; R98994.
PS   Claim 1; Page 42-43; 61pp; English.
CC   A cDNA clone (T34991) codes for human vascular insulin-like
CC   growth factor binding protein-like growth factor (R98994),
CC   or VIGF, a protein structurally related to the IBP and CCN
CC   families. It was discovered in a cDNA library derived from human
CC   umbilical vein endothelial cells. The cDNA can be used for
CC   prodn. of recombinant VIGF, e.g. by expression in E. coli, CHO
CC   or insect host cells. It is also useful therapeutically e.g.
CC   to treat muscle wasting diseases or osteoporosis, or to design
CC   probes for the detection of diseases associated with under- or
CC   over-expression of VIGF.
SQ   Sequence   1271 BP;   360 A;   246 C;   337 G;   320 T;

Query Match   96.0%; Score 1220; DB 1; Length 1271;
Best Local Similarity   99.8%;   Pred. No. 0;
Matches 1270; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy   1 CTGCTTCCACCAGCAAAGACCACGACTGGAGAGCCAGCCAGCCAGCTGGAAAACATG 60
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 CTGCTTCCACCAGCAAAGACCACGACTGGAGAGCCAGCCAGCCAGCTGGAAAACATG 60

Qy   61 AAGAGCGTCTTGCTTGCTGACCACAGCTCCTCGTTGGCACCTGGTTGGCCCGCCTGAGC 120
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 AAGAGCGTCTTGCTTGCTGACCACAGCTCCTCGTTGGCACCTGGTTGGCCCGCCTGAGC 120

Qy 121 AATAATTATTATGCGGTGAGACTGCCCTCAACACACTGTGACAGCAGTGAGTCAAAAGCAGCCCG 180
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121 AATAATTATTATGCGGTGAGACTGCCCTCAACACACTGTGACAGCAGTGAGTCAAAAGCAGCCCG 180

Qy 181 CGCTGCAAAGAAGAGCAGTGCTCGACGACTGTGGCCGAGTGTGCGCCTGCAGGGCGG 240
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 CGCTGCAAAGAAGAGCAGTGCTCGACGACTGTGGCCGAGTGTGCGCCTGCAGGGCGG 240

Qy 241 GGAGAAAACTTGCTACCGGCACAGCTCAGGCATGGAGGCGAAGTGTGGCCCGGGGCTG 300
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 GGAGAAAACTTGCTACCGGCACAGCTCAGGCATGGAGGCGAAGTGTGGCCCGGGGCTG 300

Qy 301 AGGTGTCAGCCTTCTAAATGGGGAGGAATCCTTTGGTGAAGAGAGTTTGGTATCTGCAAAGAC 360
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 AGGTGTCAGCCTTCTAAATGGGGAGGAATCCTTTGGTGAAGAGAGTTTGGTATCTGCAAAGAC 360

Qy 361 TGTCCCTACGGCACCTTCGGGGATGGATTGCAGAGAGACCTGCAACTGCCAGTCAGCCATC 420
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 TGTCCCTACGGCACCTTCGGGGATGGATTGCAGAGAGACCTGCAACTGCCAGTCAGCCATC 420

Qy 421 TGTGACAGGGGGACGGGAAAATGCCTGAAAATTCCCCTTCTTCCAATATTCAGTACCAAG 480
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||

```
Db  421 TGTGACAGGGGGACGGGGAAAATCCCTGAAATTCCCTTCTTCCAAATATTCAGTAACCAAG 480

Qy  481 TCTTCCAACAGATTTGTTTTCTCTCACGGACATGACATGACATGGCAATGGCAATATT 540
        |||||||| ||||||||||||||||||||||||||||||||||||||||||||||
Db  481 TCTTCCAACAGATTTGTTTTCTCTCACGGAGCATGACACTGGAATGGCAATATT 540

Qy  541 GTGAGAGAAGAAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGGTAATGAGGAAATGGTTA 600
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  541 GTGAGAGAAGAAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGGTAATGAGGAAATGGTTA 600

Qy  601 AATCCACGCTGATCCCGGCTGTGATTTCTGAGAGAAGGCCTCTATTTTCGTGAYTGTTCAA 660
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  601 AATCCACGCTGATCCCGGCTGTGATTTCTGAGAGAAGGCCTCTATTTTCGTGAYTGTTCAA 660

Qy  661 CACACAGCCAACATTTTAGGAACTTTCTAGATTATAGCATAAGGACATGTAATTTTTGAA 720
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  661 CACACAGCCAACATTTTAGGAACTTTCTAGATTATAGCATAAGGACATGTAATTTTTGAA 720

Qy  721 GACCAAAATGTGATGCATGGGTGGATCCAGAAAACAAAAAGTAGGATACTTACAAATCCATAA 780
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  721 GACCAAAATGTGATGCATGGGTGGATCCAGAAAACAAAAAGTAGGATACTTACAAATCCATAA 780

Qy  781 CATCCATATGACTGAACACTTGTATGTGTTTGTTAAATATTCGGAATGCATGTAGATTTGT 840
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  781 CATCCATATGACTGAACACTTGTATGTGTTTGTTAAATATTCGGAATGCATGTAGATTTGT 840

Qy  841 TAAATGTGTGTATAGTAACACTGAAGAACTAAAAATGCAAATTTAGGTAAATCTTACATG 900
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  841 TAAATGTGTGTATAGTAACACTGAAGAACTAAAAATGCAAATTTAGGTAAATCTTACATG 900

Qy  901 GAGACAGGTCAACCAAAGAGGGAGCTAGGCAAAAGCTGAAGACCGCAGTGAGTCAAATTAG 960
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  901 GAGACAGGTCAACCAAAGAGGGAGCTAGGCAAAAGCTGAAGACCGCAGTGAGTCAAATTAG 960

Qy  961 TTCTTTGACTTTGATTGTACATTAATTGTGGGATAATGGAATGAAGACTTAAGAGCAGGAGA 1020
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db  961 TTCTTTGACTTTGATTGTACATTAATTGTGGGATAATGGAATGAAGACTTAAGAGCAGGAGA 1020

Qy 1021 AGATGGGGGAGGGGTGGGAGTGGGAAAATAAAATATTTAGCCCTTCCTTGGTAGTTAGCTT 1080
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1021 AGATGGGGGAGGGGTGGGAGTGGGAAAATAAAATATTTAGCCCTTCCTTGGTAGTTAGCTT 1080

Qy 1081 CTCTAGAATTTAATTRTGCTTTTTTTTTTTTTTTTGGGCTTGGAAAAGTCAAAATAAA 1140
        ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1081 CTCTAGAATTTAATTRTGCTTTTTTTTTTTTTTTTGGGCTTTGGAAAAGTCAAAATAAA 1140

Qy 1141 ACAAACCAGAAAAACCCTGAAGGAAGTAAGAGTGTTTGAAGCTTATGGAAATTTGAGTAACA 1200
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1141 ACAAACCAGAAAAACCCTGAAGGAAGTAAGAGTGTTTGAAGCTTATGGAAATTTGAGTAACA 1200

Qy 1201 AACAGCTTTGANCTGAGAGCAATTYCAAAAGCTGCTGTCGATGTAGCCCCCGGGTTNCCTNT 1260
        |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1201 AACAGCTTTGANCTGAGAGCAATTYCAAAAGCTGCTGTCGATGTAGCCCCCGGGTTNCCTNT 1260

Qy 1261 NTCTNAAGGAC 1271
        |||||||||||
Db 1261 NTCTNAAGGAC 1271
```

OM nucleic - nucleic search, using sw model

Copyright (c) 1993 - 1998 Compugen Ltd.

GenCore version 4.5

Run on: May 3, 1999, 17:42:14 ; Search time 358.71 Seconds
            (without alignments)
            5404.963 Million cell updates/sec

Title: US-09-037-460-1
Perfect score: 1271
Sequence: 1 CTGCTTCCACCAGCGAAAGA.........GTTNCCNTNTNTCTNAAGGAC 1271

Scoring table: OLIGO_NUC

Searched: human.
                Homo sapiens

Database :   2002476 seqs, 762712212 residues

EST:*

1: em_est1:*
2: em_est2:*
3: em_est3:*
4: em_est4:*
5: em_est5:*
6: em_est6:*
7: em_est7:*
8: em_est8:*
9: em_est9:*
10: gb_est1:*
11: gb_est2:*
12: gb_est3:*
13: gb_est4:*
14: gb_est5:*
15: gb_est6:*
16: gb_est7:*
17: gb_est8:*
18: gb_est9:*
19: gb_est10:*
20: gb_est11:*
21: gb_est12:*
22: gb_est13:*
23: gb_est22:*
24: gb_est14:*
25: gb_est15:*
26: gb_est16:*
27: gb_est17:*
28: gb_est18:*
29: gb_est19:*
30: gb_est20:*
31: gb_est21:*
32: em_est10:*
33: em_est11:*
34: em_est12:*
35: em_est13:*
36: em_est14:*
37: em_est15:*
38: em_est16:*
39: em_est17:*
40: em_est18:*
41: em_est19:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	209	16.4	425	14	W46667	W46667 zc33e02.r1
2	48	3.8	351	17	AA296697	AA296697 EST112419

ALIGNMENTS

RESULT   1
W46667
LOCUS   W46667   425 bp   mRNA   EST   11-OCT-1996
DEFINITION   zc33e02.r1 Soares senescent fibroblasts NbHSF Homo sapiens cDNA
               clone 324122 5', mRNA sequence.
ACCESSION   W46667
NID   g1331295
KEYWORDS   EST.
SOURCE   human.
ORGANISM   Homo sapiens
               Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
               Vertebrata; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 425)
AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
               Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
               Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
               Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
               Wilson,R.
TITLE   The WashU-Merck EST Project
JOURNAL   Unpublished (1995)
COMMENT   Contact: Wilson RK
               WashU-Merck EST Project
               Washington University School of Medicine
               4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
               Tel: 314 286 1800
               Fax: 314 286 1810
               Email: estewatson.wustl.edu
               This clone is available royalty-free through LLNL ; contact the
               IMAGE Consortium (info@image.llnl.gov) for further information.
               Insert Length: 1322   Std Error: 0.00
               Seq primer: mob.REGA+ET
               High quality sequence stop: 395.

FEATURES   Location/Qualifiers
     source   1..425
                     /organism="Homo sapiens"
                     /note="Vector: pT7T3D (Pharmacia) with a modified
                     polylinker V_TYPE: phagemid; Site_1: Not I; Site_2: Eco
                     RI; TGTTACCAATCTGAAGTGGGAGCGCGGCGCGACATTTTTTTTTTTTTTTTTTT
                     3'), double-stranded cDNA was size selected, ligated to
                     Eco RI adapters (Pharmacia), digested with Not I and
                     cloned into the Not I and Eco RI sites of a modified pT7T3
                     vector (Pharmacia). Library went through one round of
                     normalization to a Cot = 5. Library constructed by Bento
                     Soares and M.Fatima Bonaldo."
                     /db_xref="taxon:9606"
                     /clone="324122"
                     /clone_lib="Soares senescent fibroblasts NbHSF"
                     /tissue_type="senescent fibroblast"
                     /lab_host="DH10B (ampicillin resistant)"
BASE COUNT   144 a   50 c   102 g   126 t   3 others
ORIGIN

mRNA
Query Match   16.4%; Score 209; DB 14; Length 425;
Best Local Similarity 100.0%; Pred. No. 6e-93;
Matches 209; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy   812 GTTAAAATATTCGAATGCAGTCAGTAGAATTGTGTTAAATGTGTGTGTATAGTAACACTGAAGAAC 871
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 GTTAAAATATTCGAATGCAGTCAGTAGAATTGTGTTAAATGTGTGTGTATAGTAACACTGAAGAAC 60

Qy   872 TAAAAATGCAATTAGGTAAATCTTACATGGAGACAGAGGTCACCAAAGAGAGGGAGCTAGGCA 931
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 TAAAAATGCAATTAGGTAAATCTTACATGGAGACAGAGGTCACCAAAGAGAGGGAGCTAGGCA 120

Qy   932 AAGCTGAAGACCGCAGTGAGTGAGTCAAATTAGTTCTTTGACTTTG----

```
Db   121  AAGCTGAAGACCGGAGTGAGTCAAATTAGTTCTTTGACTTGATGTACATTAATGTTGGG 180
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   992  ATAATGGAATGAAGAGACTTAAGACAGGAGA 1020
          ||||||||||||||||||||||||||||||
Db   181  ATAATGGAATGAAGAGACTTAAGACAGGAGA 209
```

RESULT 2
AA296697

LOCUS   AA296697   351 bp   mRNA   EST   18-APR-1997
DEFINITION EST112419 Aorta endothelial cells, TNF alpha-treated Homo sapiens
            cDNA 5' end similar to endothelial cell-specific secretory
            molecule, mRNA sequence.
ACCESSION   AA296697
NID   g1949189
KEYWORDS   EST.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Mammalia; Eutheria; Primates; Catarrhini; Hominidae;
            Homo.
REFERENCE   1 (bases 1 to 351)
  AUTHORS   Adams,M.D., Kerlavage,A.R., Fleischmann,R.D., Fuldner,R.A.,
            Bult,C.J., Lee,N.H., Kirkness,E.F., Weinstock,K.G., Gocayne,J.D.,
            White,O., Sutton,G., Blake,J.A., Brandon,R.C., Man-Wai,C.,
            Clayton,R.A., Cline,T.R., Cotton,M.D., Earle-Hughes,J., Fine,L.D.,
            Fitzgerald,L.M., Fitzhugh,W.M., Fritchman,J.L., Geoghagen,N.S.,
            Glodek,A., Gnehm,C.L., Hanna,M.C., Hedblom,E., Hinkle,P.S.Jr.,
            Kelley,J.M., Kelley,J.C., Liu,L.-I., Marmaros,S.M., Merrick,J.M.,
            Moreno-Palanques,R.F., McDonald,L.A., Nguyen,D.T., Pellegrino,S.M.,
            Phillips,C.A., Ryder,S.E., Scott,J.L., Saudek,D.M., Shirley,R.,
            Small,K.V., Spriggs,T.A., Utterback,T.R., Weidman,J.F., Li,Y.,
            Bednarik,D.P., Cao,L., Cepeda,M.A., Coleman,T.A., Collins,E.J.,
            Dimke,D., Feng,D.-F., Ferrie,A., Fischer,C., Hastings,G.A.,
            He,W.W., Hu,J.S., Greene,J.M., Gruber,J., Hudson,P., Kim,A.K.,
            Kozak,D.L., Kunsch,C., Hungjun,J., Li,H., Meissner,P.S., Olsen,H.,
            Raymond,L., Wei,Y.F., Wing,J., Xu,C., Yu,G.L., Ruben,S.M.,
            Dillon,P.J., Fannon,M.R., Rosen,C.A., Haseltine,W.A., Fields,C.,
            Fraser,C.M. and Venter,J.C.
  TITLE   Initial assessment of human gene diversity and expression patterns
            based upon 83 million nucleotides of cDNA sequence
  JOURNAL   Nature 377 (6547 Suppl), 3-174 (1995)
  MEDLINE   96026280
COMMENT   Contact: Kerlavage, AR
            Bioinformatics
            The Institute for Genomic Research
            9712 Medical Center Drive, Rockville, MD 20850 USA
            Tel: 301869056
            Fax: 301869423
            Email: arkerlav@igr.org
            For clone availability, additional sequence and expression
            information related to this EST, please check the TIGR Human Gene
            Index (http://www.tigr.org/tdb/hgi/hgi.html)
            Seq primer: M13 Reverse.
            Other_ESTs: THC154673
FEATURES   Location/Qualifiers
     source   1..351
                     /organism="Homo sapiens"
                     /note="Organ: aorta; Vector: pBluescript SK-; Site_1:
                     EcoRI; Site_2: XhoI"
                     /db_xref="ATCC (inhost):115698"
                     /db_xref="taxon:9606"
                     /clone_lib="Aorta endothelial cells, TNF alpha-treated"
                     /cell_type="endothelial cell"
                     /dev_stage="adult"
BASE COUNT   118 a   57 c   72 g   102 t   2 others
ORIGIN
     <1..>351
```

mRNA

Query Match    3.8%;    Score 48;    DB 17;   Length 351;
Best Local Similarity   100.0%;    Pred. No. 2e-13;

Qy   1123  GGGAAAAGTCAAAATTAAAACAACCAGAAAAACCCCTGAAGGAAGTAAGA 1170
           |||||||||||||||||||||||||||||||||||||||||||||||||
Db      1  GGGAAAAGTCAAAATAAAACAACCAGAAAAACCCCTGAAGGAAGTAAGA 48

Matches   48;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Search completed: May  3, 1999, 17:53:24
Job time: 670 sec

GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

OM protein - protein search, using sw model

Run on:           May 3, 1999, 16:05:31 ; Search time 12.08 seconds
                  (without alignments)
                  408.826 Million cell updates/sec

Title:            US-09-037-460-2
Perfect score:    184
Sequence:         1 MKSVLLLTLLVPAHLVAAW..........EVVKENAAGSPVWRKWLNPR 184

Scoring table:    OLIGO

Searched:         74019 seqs, 26840295 residues

Database :        SwissProt_36:*                    *Word = 30*

        Pred. No. is the number of results predicted by chance to have a
        score greater than or equal to the score of the result being printed,
        and is derived by analysis of the total score distribution.

                                    SUMMARIES

Result              Query
No.     Score   Match Length  DB   ID              Description
-----   -----   ------------  --   --------------  -----------

                                    ALIGNMENTS

                        *no matches*

Search completed: May 3, 1999, 16:57:31
Job time: 3120 sec

OM protein - protein search, using sw model

GenCore version 4.5
Copyright (c) 1993 - 1998  Compugen Ltd.

Run on:        May  3, 1999, 20:41:34 ; Search time 16.01 Seconds
                                       (without alignments)
                                       430.525 Million cell updates/sec

Title:
Perfect score:   184
Sequence:      1 MKSVLLLTILLVPAHLVAAW...........EVVKENAAGSPVMRKWLNPR 184

Scoring table:  OLIGO

Searched:      11673B seqs, 37460341 residues          Word = 30

Database :     PIR_58:*
                1:  pir1:*
                2:  pir2:*
                3:  pir3:*
                4:  pir4:*

               Pred. No. is the number of results predicted by chance to have a
               score greater than or equal to the score of the result being printed,
               and is derived by analysis of the total score distribution.

                                     SUMMARIES

Result         Query
No.    Score   Match Length DB  ID                      Description
------         ------------------                       -----------

no matches

                                     ALIGNMENTS

Search completed: May  3, 1999, 21:34:32
Job time: 3178 sec

THIS PAGE BLANK (USPTO)

OM protein - protein search, using sw model

```
                        GenCore version 4.5
                        Copyright (c) 1993 - 1998 Compugen Ltd.

Run on:        May 3, 1999, 17:54:24 ; Search time 47.06 Seconds
                        (without alignments)
                        17.585 Million cell updates/sec

Title:         US-09-037-460-2_COPY_55_69
Sequence:      1 RVCAAGRGETCYRTV 15
Perfect score: 78
Scoring table: PAM150
Searched:      180763 seqs, 55169189 residues

Database :     SPTREMBL_8:*
               1: sp_fungi:*
               2: sp_human:*
               3: sp_invertebrate:*
               4: sp_mammal:*
               5: sp_mhc:*
               6: sp_organelle:*
               7: sp_phage:*
               8: sp_plant:*
               9: sp_bacteria:*
              10: sp_rodent:*
              11: sp_virus:*
              12: sp_vertebrate:*
              13: sp_unclassified:*
              14: sp_archea:*
```

Pred. No. is the number of results predicted by chance to have a
Score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	78	100.0	184	2	Q15330	Q15330 homo sapien
2	66	84.6	184	10	P97682	P97682 rattus norv
3	41.5	53.2	313	11	P96847	041072 parameciun
4	41	52.6	440	3	041072	018003 caenorhabdi
5	40	51.3	303	2	075331	075331 homo sapien
6	39	50.0	218	9	P94354	P94354 bacillus su
7	38	48.7	139	11	Q88593	Q88593 theiler mur
8	37	47.4	92	11	Q38024	Q38024 potato viru
9	39	50.0	488	8	P93694	P93694 volvox cart
10	36.5	46.8	208	3	044335	044335 lumbricus t
11	40	51.3	1127	3	Q94248	Q94248 caenorhabdi
12	36	46.2	179	11	P89137	P89137 simian hemo
13	38	48.7	472	2	014522	014522 caenorhabdi
14	44	44.9	137	9	Q20876	Q20876 homo sapien
15	40	51.3	1420	9	052666	052666 caenorhabdi
16	39	50.0	1040	8	023347	023347 escherichia
17	33.5	42.9	82	12	Q99965	023347 arabidopsis
18	34	43.6	105	9	Q56672	Q99965 naja naja (
19	36	46.2	278	3	Q23311	Q56672 vibrio chol
20	33	42.3	70	11	087620	Q23311 caenorhabdi
21	38	48.7	716	3	044118	087620 simian immu
22	36	46.2	315	3	045842	044118 drosophila
23	36	46.2	127	8	004321	045842 caenorhabdi
24	34	43.6	130	3	077184	004321 arabidopsis
25	34	43.6	130	12	090230	077184 plasmodium
26	34	43.6	132	12	090230	090230 ambystoma m
27	36	46.2	345	3	094573	077183 plasmodium
28	32.5	41.7	69	11	068372	094573 haemonchus
29	34	43.6	145	9	005929	068372 hepatitis c
						005929 prochloroth
```

ALIGNMENTS

RESULT 1
Q15330

ID	Q15330	PRELIMINARY; PRT; 184 AA.
AC	Q15330;	
DT	01-NOV-1996 (TREMBLREL. 01, CREATED)	
DT	01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)	
DT	01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)	
DE	ESM-1 SECRETORY PROTEIN PRECURSOR.	
OS	HOMO SAPIENS (HUMAN).	
OC	EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;	
OC	CATARRHINI; HOMINIDAE; HOMO.	
RN	[1]	
RP	SEQUENCE FROM N.A.	
RX	MEDLINE; 96555375.	
RA	LASSALLE P.M., MOLET S., JANIN A., VANDER-HEYDEN J.E., TAVERNIER J.,	
RA	FIERS W., DEVOS R.E., TONNEL A.E.B.;	
RT	"ESM-1 is a novel human endothelial cell-specific molecule expressed	
RT	in lung and regulated by cytokines.";	
RL	J. BIOL. CHEM. 271:20458-20464(1996).	
DR	EMBL; X89426; E189266; -.	
PFAM; PF00219; IGFBP; 1.	
KW	SIGNAL.	
FT	SIGNAL	1	19	POTENTIAL.
FT	CHAIN	20	184	ESM-1 SECRETORY PROTEIN.
SQ	SEQUENCE 184 AA; 20095 MW; 08D109DF CRC32;	
```

Query Match 100.0%; Score 78; DB 2; Length 184;
Best Local Similarity 100.0%;
Matches 15; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 RVCAAGRGETCYRTV 15
       |||||||||||||||
Db 55 RVCAAGRGETCYRTV 69

RESULT 2
P97682

| | | |
|---|---|---|
| ID | P97682 | PRELIMINARY; PRT; 184 AA. |
| AC | P97682; | |
| DT | 01-MAY-1997 (TREMBLREL. 03, CREATED) | |
| DT | 01-MAY-1997 (TREMBLREL. 03, LAST SEQUENCE UPDATE) | |
| DT | 01-MAY-1997 (TREMBLREL. 03, LAST ANNOTATION UPDATE) | |
| DE | PG25. | |
| OS | RATTUS NORVEGICUS (RAT). | |
| OC | EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; RODENTIA; | |
| OC | SCIUROGNATHI; MURIDAE; MURINAE; RATTUS. | |
| RN | [1] | |
| RP | SEQUENCE FROM N.A. | |
| RA | WANG X., BROWNSTEIN M.J., YOUNG W.S.; | |
| RA | STRAIN=SPRAGUE DAWLEY; TISSUE=PINEAL GLAND; | |
| RL | SUBMITTED (DEC-1996) TO EMBL/GENBANK/DDBJ DATA BANKS. | |

Right-side alignment ID column (Description):

```
Q15330 homo sapien
043603 homo sapien
P96847 mycobacteri
Q91521 vipera ammo
064166 rattus norv
018506 strongyloid
058493 pyrococcus
022205 arabidopsis
087716 caulobacter
061662 mus musculu
064007 mus musculu
048399 arabidopsis
073855 naja sputat
073856 naja sputat
073857 naja sputat
073859 naja sputat
```

30	34	43.6	151	11	012669	012669 colobus mon
31	36	46.2	387	2	043603	043603 homo sapien
32	36	46.2	388	9	P96847	P96847 mycobacteri
33	33.5	42.9	122	12	Q91521	Q91521 vipera ammo
34	36	46.2	395	10	064166	064166 rattus norv
35	34	43.6	157	3	018506	018506 strongyloid
36	36	46.2	457	14	058493	058493 pyrococcus
37	37	47.4	728	10	061662	061662 mus musculu
38	35.5	45.5	293	10	064007	064007 mus musculu
39	37	47.4	367	8	087716	087716 caulobacter
40	35	44.9	301	8	022205	022205 arabidopsis
41	35	44.9	62	9	048399	048399 arabidopsis
42	31.5	40.4	62	11	073855	073855 naja sputat
43	31.5	40.4	62	11	073856	073856 naja sputat
44	31.5	40.4	62	11	073857	073857 naja sputat
45	31.5	40.4	62	11	073859	073859 naja sputat

DR   EMBL; U80818; G1750198; -.
SQ   SEQUENCE 184 AA; 20075 MW; 3457564C CRC32;

Qy 1 RVCAAGRGETCYRTV 15
      :||||| ||||||||
Db 55 QVCAAGPGETCYRTV 69

Query Match   84.6%; Score 66; DB 10; Length 184;
Best Local Similarity   86.7%; Pred. No. 0.00057;
Matches 13; Conservative   1; Mismatches   1; Indels   0; Gaps   0;

RESULT 3
ID   O41072   PRELIMINARY;   PRT;   313 AA.
AC   O41072;
DT   01-JAN-1998 (TREMBLREL. 05, CREATED)
DT   01-JAN-1998 (TREMBLREL. 05, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   A590L PROTEIN.
GN   A590L.
OS   PARAMECIUM BURSARIA CHLORELLA VIRUS 1 (PBCV-1).
OC   VIRUSES; DSDNA VIRUSES, NO RNA STAGE; PHYCODNAVIRIDAE; PHYCODNAVIRUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 98022962.
RA   LI Y., LU Z.Q., SUN L., ROPP S., KUTISH G.F., ROCK D.L., VAN ETTEN J.L.;
RT   "Analysis of 74 kb of DNA located at the right end of the 330-kb
RT   chlorella virus PBCV-1 genome.";
RL   VIROLOGY 237:360-377(1997).
DR   EMBL; U42580; G2447075; -.
SQ   SEQUENCE 313 AA; 37455 MW; C2AB37OD CRC32;

Qy   1 RVCAAGRGETCYRTV 15
       ||: || :|: ||| :
Db 161 HVCSC-RGDICYPNI 174

Query Match   53.2%; Score 41.5; DB 11; Length 313;
Best Local Similarity   46.7%; Pred. No. 10;
Matches   7; Conservative   4; Mismatches   3; Indels   1; Gaps   1;

RESULT 4
ID   O18003   PRELIMINARY;   PRT;   440 AA.
AC   O18003;
DT   01-JAN-1998 (TREMBLREL. 05, CREATED)
DT   01-JAN-1998 (TREMBLREL. 05, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
R17.3.
RN   [2]
RP   SEQUENCE FROM N.A.
RL   SUBMITTED (JAN-1998) TO EMBL/GENBANK/DDBJ DATA BANKS.
RA   BARLOW K.;
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 94150718.
RA   WILSON R., AINSCOUGH R., ANDERSON K., BAYNES C., BERKS M., BONFIELD J.,
RA   BURTON J., CONNELL M., COPSEY T., COOPER J., COULSON A., CRAXTON M.,
RA   DEAR S., DU Z., DURBIN R., FAVELLO A., FULTON L., GARDNER A., GREEN P.,
RA   HAWKINS T., HILLIER L., JIER M., JOHNSTON L., JONES M., KERSHAW J.,
RA   KIRSTEN J., LAISTER N., LATREILLE P., LIGHTNING J., LLOYD C.,
RA   MCMURRAY A., MORTIMORE B., O'CALLAGHAN M., PARSONS J., PERCY C.,
RA   RIFKEN L., ROOPRA A., SAUNDERS D., SHOWNKEEN R., SMALDON N., SMITH A.,
RA   SONNHAMMER E., STADEN R., SULSTON J., THIERRY-MIEG J., THOMAS K.,
RA   VAUDIN M., VAUGHAN K., WATERSTON R., WATSON A., WEINSTOCK L.,
RA   WILKINSON-SPROAT J., WOHLDMAN P.;
RT   "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.

RT   elegans.";
RL   NATURE 368:32-38(1994).
DR   EMBL; Z92809; E1186508; -.
DR   PROSITE; PS00524; SOMATOMEDIN_B; 1.
DR   PFAM; PF00090; tsp_1; 1.
SQ   SEQUENCE 440 AA; 50400 MW; 04D449FB CRC32;

Qy 1 RVCAAGRGETC 11
      :|: ||| :||
Db 25 RLCCAGRNNTC 35

Query Match   52.6%; Score 41; DB 3; Length 440;
Best Local Similarity   63.6%; Pred. No. 16;
Matches   7; Conservative   2; Mismatches   2; Indels   0; Gaps   0;

RESULT 5
ID   O75331   PRELIMINARY;   PRT;   303 AA.
AC   O75331;
DT   01-NOV-1998 (TREMBLREL. 08, CREATED)
DT   01-NOV-1998 (TREMBLREL. 08, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   CATHEPSIN Z PRECURSOR.
CTSZ.
GN   CTSZ.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA;
OC   PRIMATES; CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 98307916.
RC   TISSUE=PROSTATE;
RA   SANTAMARIA I., VELASCO G., PENDAS A.M., FUEYO A., LOPEZ-OTIN C.;
RT   "Cathepsin Z, a novel human cysteine proteinase with a short
RT   propeptide domain and a unique chromosomal location.";
RL   J. BIOL. CHEM. 273:16816-16823(1998).
DR   EMBL; AF032906; G3294548; -.
KW   SIGNAL.
FT   SIGNAL
FT   SIGNAL   1   20
FT   CHAIN   62   303   CATHEPSIN Z.
FT   SIGNAL   1   20   POTENTIAL.
SQ   SEQUENCE 303 AA; 33882 MW; 7485A4BA CRC32;

Qy 7 RGETCYRTV 15
      ||:|||| :
Db 29 RGQTCYRPL 37

Query Match   51.3%; Score 40; DB 2; Length 303;
Best Local Similarity   66.7%; Pred. No. 18;
Matches   6; Conservative   1; Mismatches   2; Indels   0; Gaps   0;

RESULT 6
ID   P94354   PRELIMINARY;   PRT;   218 AA.
AC   P94354;
DT   01-MAY-1997 (TREMBLREL. 03, CREATED)
DT   01-MAY-1997 (TREMBLREL. 03, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   HOMOLOGOUS TO MANY TRANSCRIPTIONAL ACTIVATOR PROTEINS.
GN   YXIL.
OS   BACILLUS SUBTILIS.
OC   BACTERIA; FIRMICUTES; BACILLUS/CLOSTRIDIUM GROUP; BACILLACEAE;
OC   BACILLUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BGSC 1A1;
RX   MEDLINE; 97124196.
RA   YOSHIDA K., SHINDO K., SANO H., SEKI S., FUJIMURA M., YANAI N.,
RA   MIWA Y., FUJITA Y.;
RT   "Sequencing of a 65 kb region of the Bacillus subtilis genome
RT   containing the 11c and cel loci, and creation of a 177 kb contig

RESULT 7

Qy   4 AAGRGETCYRTV 15
        ||:||::|:|||
Db 121 AAARGEAIFRTV 132

Query Match   50.0%; Score 39; DB 9; Length 218;
Best Local Similarity 66.7%; Pred. No. 20;
Matches   8; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

DB   Q88593
ID   Q88593   PRELIMINARY;   PRT; 139 AA.
AC   Q88593;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   PROTEASE (FRAGMENT).
OS   THEILER MURINE ENCEPHALOMYELITIS VIRUS.
OC   VIRUSES; SSRNA POSITIVE-STRAND VIRUSES, NO DNA STAGE; PICORNAVIRIDAE;
OC   CARDIOVIRUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 87061197.
RA   OZDEN S., TANGY F., CHAMORRO M., BRAHIC M.;
RT   "Theiler's virus genome is closely related to that of
RT   encephalomyocarditis virus;
RL   J. VIROL. 60:1163-1165(1986).
DR   EMBL; M14703; E12025; -.
KW   PROTEASE.
FT   NON_TER   1
SQ   SEQUENCE 139 AA; 15070 MW; 7309B868 CRC32;

RESULT 8

Qy   5 AGRGETCYR 13
        ::|:|:|||
Db   38 PARNDICYR 46

Query Match   48.7%; Score 38; DB 11; Length 139;
Best Local Similarity 55.6%; Pred. No. 20;
Matches   5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

DB   O38024
ID   O38024   PRELIMINARY;   PRT; 92 AA.
AC   O38024;
DT   01-JAN-1998 (TREMBLREL. 05, CREATED)
DT   01-JAN-1998 (TREMBLREL. 05, LAST SEQUENCE UPDATE)
DT   01-AUG-1998 (TREMBLREL. 07, LAST ANNOTATION UPDATE)
DE   HYPOTHETICAL 10.3 KD PROTEIN.
OS   POTATO VIRUS M (PVM).
OC   VIRUSES; SSRNA POSITIVE-STRAND VIRUSES, NO DNA STAGE; CARLAVIRUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=IDAHO;
RA   CAVILEER T.D., CORSINI D.L., BERGER P.H.;
RL   SUBMITTED (SEP-1997) TO EMBL/GENBANK/DDBJ DATA BANKS.
RL   EMBL; AF023877.; G2547199; -.
KW   HYPOTHETICAL PROTEIN.
SQ   SEQUENCE 92 AA; 10319 MW; 9C955295 CRC32;

RESULT 9

Qy   1 RVCAARGRGETCYR 13
        | |||| ||||
Db   50 RAIAAGRCHRCYR 62

Query Match   47.4%; Score 37; DB 8; Length 488;
Best Local Similarity 61.5%; Pred. No. 21;
Matches   8; Conservative 0; Mismatches 5; Indels 0; Gaps 0;

DB   P93694
ID   P93694   PRELIMINARY;   PRT; 488 AA.
AC   P93694;
DT   01-MAY-1997 (TREMBLREL. 03, CREATED)
DT   01-MAY-1997 (TREMBLREL. 03, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   PHEROPHORIN III (FRAGMENT).
OS   VOLVOX CARTERI.
OC   EUKARYOTA; VIRIDIPLANTAE; CHLOROPHYTA; CHLOROPHYCEAE; VOLVOCALES;
OC   VOLVOCACEAE; VOLVOX.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=HK10 (FEMALE);
RX   MEDLINE; 96073432.
RA   GODL K., HALLMANN A., RAPPEL A., SUMPER M.;
RT   "Pherophorins: a family of extracellular matrix glycoproteins from
RT   Volvox structurally related to the sex-inducing pheromone.";
RL   PLANTA 196:781-787(1995).
DR   EMBL; X82446; E305342; -.
FT   NON_TER   1
SQ   SEQUENCE 488 AA; 51465 MW; 71A5542F CRC32;

Query Match   50.0%; Score 39; DB 8; Length 488;

[left column:]

RESULT 7

Qy   1 AAARGEAIFRTV 132
        ||:||::|:|||

Query Match

DT   01-NOV-1996 (TREMBLREL.
DT   01-NOV-1996 (TREMBLREL.
DT   01-NOV-1998 (TREMBLREL.

RA   KUNST F., OGASAWARA N., MOSZER I., ALBERTINI A.M., ALLONI G.,
RA   AZEVEDO V., BERTERO M.G., BESSIERES P., BOLOTIN A., BORCHERT S.,
RA   BORRISS R., BOURSIER L., BRANS A., BRAUN M., BRIGNELL S.C., BRON S.,
RA   BROUILLET S., BRUSCHI C.V., CALDWELL B., CAPUANO V., CARTER N.M.,
RA   CHOI S.K., CODANI J.J., CONNERTON I.F., CUMMINGS N.J., DANIEL R.A.,
RA   DENIZOT F., DEVINE K.M., DUSTERHOFT A., EHRLICH S.D., EMERSON P.T.,
RA   ENTIAN K.D., ERRINGTON J., FABRET C., FERRARI E., FOULGER D., FRITZ C.,
RA   FUJITA M., FUJITA Y., FUMA S., GALIZZI A., GALLERON N., GHIM S.Y.,
RA   GLASER P., GOFFEAU A., GOLIGHTLY E.J., GRANDI G., GUISEPPI G.,
RA   GUY B.J., HAGA K., HAIECH J., HARWOOD C.R., HENAUT A., HILBERT H.,
RA   HOLSAPPEL S., HOSONO S., HULLO M.F., ITAYA M., JONES L., JORIS B.,
RA   KARAMATA D., KASAHARA Y., KLAERR-BLANCHARD M., KLEIN C., KOBAYASHI Y.,
RA   KOETTER P., KONINGSTEIN G., KROGH S., KUMANO M., KURITA K., LAPIDUS A.,
RA   LARDINOIS S., LAUBER J., LAZAREVIC V., LEE S.M., LEVINE A., LIU H.,
RA   MASUDA S., MAUEL C., MEDIGUE C., MEDINA N., MELLADO R.P., MIZUNO M.,
RA   MOESTL D., NAKAI S., NOBACK M., NOONE D., O'REILLY M., OGAWA K.,
RA   OGIWARA A., OUDEGA B., PARK S.H., PARRO V., POHL T.M., PORTETELLE D.,
RA   PORWOLLIK S., PRESCOTT A.M., PRESECAN E., PUJIC P., PURNELLE B.,
RA   RAPOPORT G., REY M., REYNOLDS S., RIEGER M., RIVOLTA C., ROCHA E.,
RA   ROCHE B., ROSE M., SADAIE Y., SATO T., SCANLAN E., SCHLEICH S.,
RA   SCHROETER R., SCOFFONE F., SEKIGUCHI J., SEKOWSKA A., SEROR S.J.,
RA   SERROR P., SHIN B.S., SOLDO B., SOROKIN A., TACCONI E., TAKAGI T.,
RA   TAKAHASHI H., TAKEMARU K., TAKEUCHI M., TAMAKOSHI A., TANAKA T.,
RA   TERPSTRA P., TOGNONI A., TOSATO V., UCHIYAMA S., VANDENBOL M.,
RA   VANNIER F., VASSAROTTI A., VIARI A., WAMBUTT R., WEDLER E., WEDLER H.,
RA   WEITZENEGGER T., WINTERS P., WIPAT A., YAMAMOTO H., YAMANE K.,
RA   YASUMOTO K., YATA K., YOSHIDA K., YOSHIKAWA H.F., ZUMSTEIN E.,
RA   YOSHIKAWA H., DANCHIN A.;
RT   "The complete genome sequence of the gram-positive bacterium Bacillus
RT   subtilis.";
RL   NATURE 390:249-256(1997).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   STRAIN=168;
RA   KUNST F., OGASAWARA N., YOSHIKAWA H., DANCHIN A.;
RL   SUBMITTED (NOV-1997) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; D83026; D1012380; -.
DR   EMBL; Z99123; E1186390; -.
DR   PROSITE; PS00622; HTH_LUXR_FAMILY; 1.
PFAM;   PF00072; response_reg; 1.
PFAM;   PF00196; GerE; 1.
SQ   SEQUENCE 218 AA; 24245 MW; 1D8B7BD8 CRC32;

RT   'covering the gut-sacXY region.';
RL   MICROBIOLOGY 142:3113-3123(1996).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=168;
RX   MEDLINE; 9804033.
RA   KUNST F., OGASAWARA N.

Best Local Similarity 50.0%; Conservative 7; Pred. No. 39; Mismatches 4; Indels 0; Gaps 0;
Matches 7;

```
Qy   2 VCAAGRGETCYRTV 15
        || :|| || || ::
Db  458 VCKGGIGEQCYVSI 471
```

RESULT 10
ID   O44335   PRELIMINARY;   PRT;   208 AA.
AC   O44335;
DT   01-JUN-1998 (TREMBLREL. 06, CREATED)
DT   01-JUN-1998 (TREMBLREL. 06, LAST SEQUENCE UPDATE)
DT   01-JUN-1998 (TREMBLREL. 06, LAST ANNOTATION UPDATE)
DE   CHEMOATTRACTIVE GLYCOPROTEIN ES20.
GN   ES20.
OS   LUMBRICUS TERRESTRIS (COMMON EARTHWORM).
OC   EUKARYOTA; METAZOA; ANNELIDA; CLITELLATA; OLIGOCHAETA; HAPLOTAXIDA;
OC   LUMBRICINA; LUMBRICIDAE; LUMBRICUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   WANG D., LIU W., HALPERN M., CHEN P.;
RL   J. BIOL. CHEM. 0:0-0(1997).
DR   EMBL; AF019234; G2738885; -.
SQ   SEQUENCE   208 AA;   22954 MW;   5C4365F6 CRC32;

Query Match   46.8%;   Score 36.5;   DB 3;   Length 208;
Best Local Similarity 36.8%; Conservative 5; Pred. No. 50; Mismatches 2; Indels 5; Gaps 1;
Matches 7;

```
Qy   2 VCAAG-----RGETCYRTV 15
        ||::|         ||:||: :
Db  17 VCPFGFTYLPAGESCYKVI 35
```

RESULT 11
ID   Q94248   PRELIMINARY;   PRT;   1127 AA.
AC   Q94248;
DT   01-FEB-1997 (TREMBLREL. 02, CREATED)
DT   01-FEB-1997 (TREMBLREL. 02, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   CODED FOR BY C. ELEGANS CDNA YK6G11.3.
DE   H03E18.1.
OS   CAENORHABDITIS ELEGANS.
OC   EUKARYOTA; METAZOA; NEMATODA; SECERNENTEA; RHABDITIA; RHABDITIDA;
OC   RHABDITINA; RHABDITOIDEA; RHABDITIDAE; PELODERINAE; CAENORHABDITIS.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 94150718.
RC   STRAIN=BRISTOL N2;
RA   WILSON R., AINSCOUGH R., ANDERSON K., BAYNES C., BERKS M., BONFIELD J.,
RA   BURTON J., CONNELL M., COPSEY T., COOPER J., COULSON A., CRAXTON M.,
RA   DEAR S., DU Z., DURBIN R., FAVELLO A., FULTON L., GARDNER A., GREEN P.,
RA   HAWKINS T., HILLIER L., JIER M., JOHNSTON L., JONES M., KERSHAW J.,
RA   KIRSTEN J., LAISTER N., LATREILLE P., LIGHTNING J., LLOYD C.,
RA   MCMURRAY A., MORTIMORE B., O'CALLAGHAN M., PARSONS J., PERCY C.,
RA   RIFKEN L., ROOPRA A., SAUNDERS D., SHOWNKEEN R., SMALDON N., SMITH A.,
RA   SONNHAMMER E., STADEN R., SULSTON J., THIERRY-MIEG J., THOMAS K.,
RA   VAUDIN M., VAUGHAN K., WATERSTON R., WATSON A., WEINSTOCK L.,
RA   WILKINSON-SPROAT J., WOHLDMAN P.;
RT   "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT   elegans.";
RL   NATURE 368:32-38(1994).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BRISTOL N2;
RA   WATERSTON R.;
RL   SUBMITTED (SEP-1996) TO EMBL/GENBANK/DDBJ DATA BANKS.
RN   [3]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BRISTOL N2;
RA   WATERSTON R.;
RL   SUBMITTED (AUG-1996) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; U67947; G1519650; -.
SQ   SEQUENCE   1127 AA;   124650 MW;   C6C909EA CRC32;

```
Qy   6 GRGETCYRTV 15
        |:| ||||:
Db  217 GKGPVCYRTI 226
```

RESULT 12
ID   P89137   PRELIMINARY;   PRT;   179 AA.
AC   P89137;
DT   01-MAY-1997 (TREMBLREL. 03, CREATED)
DT   01-MAY-1997 (TREMBLREL. 03, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   ORF 5.
OS   SIMIAN HEMORRHAGIC FEVER VIRUS.
OC   VIRUSES; SSRNA POSITIVE-STRAND VIRUSES, NO DNA STAGE.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 97361760.
RA   SMITH S.L., WANG X., GODENY E.K.;
RT   "Sequence of the 3' end of the simian hemorrhagic fever virus
RT   genome.";
RL   GENE 191:205-210(1997).
RC   STRAIN=LVR 42-0/M6941;
RA   ZENG L., GODENY E.K., METHVEN S.L., BRINTON M.A.;
RL   VIROLOGY 207:0-0(0).
DR   EMBL; U63121; G1762563; -.
SQ   SEQUENCE   179 AA;   19655 MW;   ED8A5791 CRC32;

Query Match   51.3%;   Score 40;   DB 11;   Length 179;
Best Local Similarity 60.0%; Conservative 6; Pred. No. 52; Mismatches 2; Indels 0; Gaps 0;
Matches 6;

```
Qy   3 CAAGRGETCYRTV 15
        ::| :|| :
Db  25 CSANQTHICFRNI 37
```

RESULT 13
ID   O14522   PRELIMINARY;   PRT;   472 AA.
AC   O14522;
DT   01-JAN-1998 (TREMBLREL. 05, CREATED)
DT   01-JAN-1998 (TREMBLREL. 05, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   KIAA0283 (EC 3.1.3.48) (FRAGMENT).
GN   KIAA0283.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC   CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=BRAIN;
RA   OHARA O., NAGASE T., ISHIKAWA K., NAKAJIMA D., OHIRA M., SEKI N.,
RA   NOMURA N.;
RL   SUBMITTED (AUG-1997) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; AB006621; D1023828; -.
DR   PROSITE; PS00383; TYR_PHOSPHATASE_1; 2.
DR   PFAM; PF00102; Y_phosphatase; 2.

```
KW   HYDROLASE.
FT   NON_TER
SQ   SEQUENCE   472 AA;  54092 MW;  039D0105 CRC32;

     Query Match
     Best Local Similarity   48.7%;
        40.0%;   Score 38;   DB 2;   Length 472;
     Matches   6;   Conservative   3;   Mismatches   6;   Indels   0;   Gaps   0;

Qy   1 RVCAAGRGETCYRTV 15
       |:|| |||| ||:|
Db   349 RICNMARPQDGYRIV 363
```

```
RESULT 14
ID   020876;   PRELIMINARY;   PRT;   137 AA.
AC   020876;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   COSMID F56D3.
GN   F56D3.2.
OS   CAENORHABDITIS ELEGANS.
OC   EUKARYOTA; METAZOA; NEMATODA; SECERNENTEA; RHABDITIA; RHABDITIDA;
OC   RHABDITINA; RHABDITOIDEA; RHABDITIDAE; PELODERINAE; CAENORHABDITIS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BRISTOL N2;
RX   MEDLINE; 94150718.
RA   WILSON R., AINSCOUGH R., ANDERSON K., BAYNES C., BERKS M., BONFIELD J.,
RA   BURTON J., CONNELL M., COPSEY T., COOPER J., COULSON A., CRAXTON M.,
RA   DEAR S., DU Z., DURBIN R., FAVELLO A., FULTON L., GARDNER A., GREEN P.,
RA   HAWKINS T., HILLIER L., JIER M., JOHNSTON L., JONES M., KERSHAW J.,
RA   KIRSTEN J., LAISTER N., LATREILLE P., LIGHTNING J., LLOYD C.,
RA   MCMURRAY A., MORTIMORE B., O'CALLAGHAN M., PARSONS J., PERCY C.,
RA   RIFKEN L., ROOPRA A., SAUNDERS D., SHOWNKEEN R., SMALDON N., SMITH A.,
RA   SONNHAMMER E., STADEN R., SULSTON J., THIERRY-MIEG J., THOMAS K.,
RA   VAUDIN M., VAUGHAN K., WATERSTON R., WATSON A., WEINSTOCK L.,
RA   WILKINSON-SPROAT J., WOHLDMAN P.;
RT   "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT   elegans.";
RL   NATURE 368:32-38(1994).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BRISTOL N2;
RA   WILCOX L.;
RL   SUBMITTED (JUN-1995) TO EMBL/GENBANK/DDBJ DATA BANKS.
RN   [3]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BRISTOL N2;
RA   WATERSTON R.;
RL   SUBMITTED (JUN-1995) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; U28942; G861331; -.
SQ   SEQUENCE   137 AA;  15158 MW;  A239ADFB CRC32;

     Query Match
     Best Local Similarity   44.9%;
        33.3%;   Score 35;   DB 3;   Length 137;
     Matches   5;   Conservative   6;   Mismatches   4;   Indels   0;   Gaps   0;

Qy   1 RVCAAGRGETCYRTV 15
       ||| : :: ::
Db   55 RVCSIRSFACFSSI 69
```

```
RESULT 15
ID   052666;   PRELIMINARY;   PRT;   1420 AA.
AC   052666;
DT   01-JUN-1998 (TREMBLREL. 06, CREATED)
DT   01-JUN-1998 (TREMBLREL. 06, LAST SEQUENCE UPDATE)
DT   01-AUG-1998 (TREMBLREL. 07, LAST ANNOTATION UPDATE)
DE   CORE PROTEIN.
OS   ESCHERICHIA COLI.
OC   BACTERIA; PROTEOBACTERIA; GAMMA SUBDIVISION; ENTEROBACTERIACEAE;
OC   ESCHERICHIA.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=EC45;
RA   WANG Y.-D., ZHAO S., HILL C.W.;
RL   SUBMITTED (JAN-1998) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; AF044501; G2920634; -.
SQ   SEQUENCE   1420 AA;  159215 MW;  76C21D24 CRC32;

     Query Match
     Best Local Similarity   51.3%;
        77.8%;   Score 40;   DB 9;   Length 1420;
     Matches   7;   Conservative   1;   Mismatches   1;   Indels   0;   Gaps   0;

Qy   5 AGRGETCYR 13
       |||  :|||
Db   364 AGRPESCYR 372
```

Search completed: May 3, 1999, 17:54:25
Job time: 645 sec

OM protein - protein search, using sw model

GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

Run on: May 3, 1999, 16:05:43 ; Search time 18.06 Seconds
                  (without alignments)
                  22.293 Million cell updates/sec

Scoring table: PAM150
Sequence: 1 RVCAAGRGETCYRTV 15
Perfect score: 78
Title:
Searched: 74019 seqs, 26840295 residues
Database :   SwissProt_36:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Match Length	DB	ID		Description
1	40	51.3	115	1	H2AL_HUMAN	P98176	homo sapien
2	42	53.8	607	1	ALBU_HORSE	P35747	equus cabal
3	39	50.0	218	1	YXJL_BACSU	P55184	bacillus su
4	36	46.2	83	1	NPAB_LOCMI	P10776	locusta mig
5	33.5	42.9	60	1	CX6_NAJAT	P80245	naja atra (
6	31	39.7	25	1	CXOB_CONMA	P05485	conus magus
7	33.5	42.9	81	1	CX8_NAJAT	P49123	naja atra (
8	33.5	42.9	81	1	CXN_NAJAT	P49124	naja atra (
9	38	48.7	81	1	HGF_HUMAN	P14210	homo sapien
10	30	38.5	19	1	HMD_METWO	P32441	methanobate
11	29.5	37.8	17	1	TAC1_TACGI	P23684	tachypleus
12	29.5	37.8	17	1	TAC3_TACGI	P28686	tachypleus
13	36	46.2	353	1	NOV_CHICK	P42642	gallus gall
14	36	46.2	351	1	NOV_COTJA	Q64299	coturnix co
15	36	46.2	354	1	NOV_MOUSE	P48745	mus musculu
16	35	44.9	357	1	RS6_BRAFL	O01727	homo sapien
17	33.5	42.9	244	1	RS6_BRAFL	O01727	branchiosto
18	33.5	42.9	138	1	PA2A_VIPAA	P00626	vipera ammo
19	33.5	42.9	138	1	PA2B_VIPAA	P11424	vipera ammo
20	33.5	42.9	138	1	PA2C_VIPAA	P11407	vipera ammo
21	37	47.4	721	1	YHC6_CAEEL	Q23316	caenorhabdi
22	37	47.4	728	1	HGF_MOUSE	Q08048	mus musculu
23*	37	47.4	728	1	HGF_RAT	P17945	rattus norv
24	37	47.4	728	1	HGF_RAT	P17945	rattus norv
25	31.5	40.4	60	1	CX1_NAJNA	P01447	naja naja (
26	31.5	40.4	60	1	CX2_NAJKA	P01445	naja naja k
27	31.5	40.4	60	1	CX2_NAJOX	P01441	naja oxiana
28	31.5	40.4	60	1	CX3_NAJNA	P01446	naja naja (
29	31.5	40.4	60	1	CX3_NAJKA	P24780	naja naja k
30	31.5	40.4	60	1	CX5_NAJAT	P07525	naja atra (
31	31.5	40.4	60	1	CX5T_NAJAT	P24779	naja naja (
32	36	46.2	472	1	VTDB_MOUSE	P21614	mus musculu
33	36	46.2	559	1	UROT_MOUSE	P11214	mus musculu
34	34	43.6	232	1	YFJ0_YEAST	P43600	saccharomyc
35	35	46.2	608	1	ALBU_RAT	P02770	rattus norv
36	32	41.0	98	1	GAS1_ARATH	P46689	arabidopsis
37	31.5	40.4	81	1	CX1B_NAJAT	Q98956	naja atra (
38	31.5	40.4	81	1	CX1C_NAJAT	Q98957	naja atra (
39	31.5	40.4	81	1	CX1D_NAJAT	Q98958	naja atra (
40	31.5	40.4	81	1	CX1_NAJAT	P01449	naja atra (
41	31.5	40.4	81	1	CX1_NAJSP	O02454	naja sputat
42	31.5	40.4	81	1	CX2_NAJAT	P01442	naja atra (
43	31.5	40.4	81	1	CX3A_NAJAT	Q98959	naja atra (
44	31.5	40.4	81	1	CX3B_NAJAT	Q98960	naja atra (
45	31.5	40.4	81	1	CX3D_NAJAT	Q98961	naja atra (

ALIGNMENTS

RESULT 1
H2AL_HUMAN
ID   H2AL_HUMAN   STANDARD;   PRT;   115 AA.
AC   P98176;
DT   01-OCT-1996 (REL. 34, CREATED)
DT   01-OCT-1996 (REL. 34, LAST SEQUENCE UPDATE)
DT   01-OCT-1996 (REL. 34, LAST ANNOTATION UPDATE)
DE   HYPOTHETICAL 12.7 KD HISTONE H2A RELATED PROTEIN.
OS   HOMO SAPIENS (HUMAN)
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; PRIMATES.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 96133299.
RA   NAYLOR J.A., BUCK D., GREEN P.M., WILLIAMSON H., BENTLEY D.,
RA   GIANNELLI F.;
RL   HUM. MOL. GENET. 4:1217-1224(1995).
CC   -!- SIMILARITY: TO HISTONE H2A.
DR   EMBL; X86012; G976083; -.
DR   PROSITE; PS00046; HISTONE_H2A; FALSE_NEG.
KW   HYPOTHETICAL PROTEIN; HISTONE H2A.
SQ   SEQUENCE   115 AA; 12697 MW; 729A09E6 CRC32;

Query Match 51.3%; Score 40; DB 1; Length 115;
Best Local Similarity 75.0%; Pred. No. 2.7;
Matches 9; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy   4 AAGRGETCYRTV 15
          |:||| || ||
Db   13 AGGRGRTCSRTV 24

RESULT 2
ALBU_HORSE
ID   ALBU_HORSE   STANDARD;   PRT;   607 AA.
AC   P35747;
DT   01-JUN-1994 (REL. 29, CREATED)
DT   01-JUN-1994 (REL. 29, LAST SEQUENCE UPDATE)
DT   01-FEB-1996 (REL. 33, LAST ANNOTATION UPDATE)
DE   SERUM ALBUMIN PRECURSOR.
OS   EQUUS CABALLUS (HORSE).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; PERISSODACTYLA.
RN   [1]
RP   SEQUENCE FROM N.A. AND X-RAY CRYSTALLOGRAPHY (2.7 ANGSTROMS).
RC   TISSUE=LIVER;
RX   MEDLINE; 93345495.
RA   HO J.X., HOLOWACHUK E.W., NORTON E.J., TWIGG P.D., CARTER D.C.;
RL   EUR. J. BIOCHEM. 215:205-212(1993).
CC   -!- FUNCTION: SERUM ALBUMIN, THE MAIN PROTEIN OF PLASMA, HAS A GOOD
CC   BINDING CAPACITY FOR WATER, CA++, NA+, K+, FATTY ACIDS, HORMONES,
CC   BILIRUBIN AND DRUGS. ITS MAIN FUNCTION IS THE REGULATION OF THE
CC   COLLOIDAL OSMOTIC PRESSURE OF BLOOD.
CC   -!- SUBCELLULAR LOCATION: EXTRACELLULAR.
CC   -!- TISSUE SPECIFICITY: PLASMA.
CC   -!- DOMAIN: COMPOSED OF THREE HOMOLOGOUS DOMAINS.
CC   -!- SIMILARITY: BELONGS TO THE ALB/AFP/VDB FAMILY.
DR   EMBL; X74045; G399672; -.
DR   PIR; S34053; ABHOS.
DR   PROSITE; PS00212; ALBUMIN; 3.
KW   PLASMA; METAL-BINDING; LIPID-BINDING; ALBUMIN; REPEAT; SIGNAL;
KW   COPPER.
FT   SIGNAL   1   18   BY SIMILARITY.
FT   PROPEP   19   24   BY SIMILARITY.

FT   CHAIN   25   607   SERUM ALBUMIN.
FT   REPEAT   28   202   1.
FT   REPEAT   221   393   2.
FT   REPEAT   412   591   3.
FT   METAL   27   27   COPPER (BY SIMILARITY).
FT   DISULFID   77   86
FT   DISULFID   99   115
FT   DISULFID   114   125
FT   DISULFID   147   192
FT   DISULFID   191   200
FT   DISULFID   223   269
FT   DISULFID   268   276
FT   DISULFID   288   302
FT   DISULFID   301   312
FT   DISULFID   339   384
FT   DISULFID   383   392
FT   DISULFID   415   461
FT   DISULFID   460   471
FT   DISULFID   484   500
FT   DISULFID   499   510
FT   DISULFID   537   582
FT   DISULFID   581   590
SQ   SEQUENCE   607 AA; 68598 MW; 040EBFB8 CRC32;

Qy   1 RVCAAGRGETCYRIV 15
         :||| :|||||
Db 382 KCCAEADPPACYRIV 396

RESULT 3
ID   YXJL_BACSU   STANDARD;   PRT;   218 AA.
AC   P55184;
DT   01-OCT-1996 (REL. 34, CREATED)
DT   01-OCT-1996 (REL. 34, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   HYPOTHETICAL TRANSCRIPTIONAL REGULATOR IN GALE-PEPT INTERGENIC REGION.
GN   YXJL.
OS   BACILLUS SUBTILIS.
OC   PROKARYOTA; FIRMICUTES; ENDOSPORE-FORMING RODS AND COCCI; BACILLACEAE.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=168;
RA   SCHROEGEL O., KRISPIN O., ALLMANSBERGER R.;
RL   FEMS MICROBIOL. LETT. 145:341-348(1996).
CC   -!- FUNCTION: PROBABLE MEMBER OF THE TWO-COMPONENT REGULATORY SYSTEM
CC   YXJM/YXJL.
CC   -!- PTM: PHOSPHORYLATED BY YXJM (PROBABLE).
CC   -!- SIMILARITY: THE N-TERMINAL REGION IS SIMILAR TO THAT OF OTHER
CC   REGULATORY COMPONENTS OF SENSORY TRANSDUCTION SYSTEMS.
CC   -!- SIMILARITY: BELONGS TO THE LUXR/UHPA FAMILY OF TRANSCRIPTIONAL
CC   REGULATORS.
DR   EMBL; X99339; E253894; -.
DR   SUBTILIST; BG11895; YXJL.
DR   PROSITE; PS00622; HTH_LUXR_FAMILY; 1.
KW   TRANSCRIPTION REGULATION; DNA-BINDING.
KW   HYPOTHETICAL PROTEIN; SENSORY TRANSDUCTION; PHOSPHORYLATION;
FT   DOMAIN   1   ?   RECEIVER DOMAIN.
FT   MOD_RES   58   58   PHOSPHORYLATION (BY SIMILARITY).
FT   DNA_BIND   174   193   H-T-H MOTIF (POTENTIAL).
SQ   SEQUENCE   218 AA; 24259 MW; 91CAF541 CRC32;

Query Match
Best Local Similarity   66.7%;   Score 39;   DB 1;   Length 218;
Matches   8;   Conservative   3;   Mismatches   3;   Indels   1;   Gaps   0;

Qy   4 AARGRETCYRIV 15
         ||| : |:||
Db 121 AAARGEAIFRIV 132

RESULT 4
ID   NPAB_LOCMI   STANDARD;   PRT;   83 AA.
AC   P10776;
DT   01-JUL-1989 (REL. 11, CREATED)
DT   01-JUL-1993 (REL. 26, LAST SEQUENCE UPDATE)
DT   01-JUL-1993 (REL. 26, LAST ANNOTATION UPDATE)
DE   NEUROPARSIN A (NPA) (CONTAINS: NEUROPARSIN B (NPB)).
OS   LOCUSTA MIGRATORIA (MIGRATORY LOCUST).
OC   EUKARYOTA; METAZOA; ARTHROPODA; INSECTA; ORTHOPTERA.
RN   [1]
RP   SEQUENCE.
RA   GIRARDIE J., HUET J.C., PERNOLLET J.C.;
RL   INSECT BIOCHEM. 20:659-666(1990).
RN   [2]
RP   SEQUENCE OF 6-83.
RA   GIRARDIE J., GIRARDIE A., HUET J.-C., PERNOLLET J.-C.;
RL   FEBS LETT. 245:4-8(1989).
CC   -!- FUNCTION: NEUROSPARSINS ARE MULTIFUNCTIONAL NEUROHORMONES: THEY
CC   INHIBIT THE EFFECTS OF JUVENILE HORMONE, STIMULATE FLUID
CC   REABSORPTION OF ISOLATED RECTA AND INDUCES AN INCREASE IN
CC   HEMOLYMPH LIPID AND TREHALOSE LEVELS.
CC   -!- SUBUNIT: HOMODIMER, DISULFIDE-LINKED.
DR   PIR; A60361; A60361.
DR   MEDLINE; 89171328.
KW   HORMONE; NEUROPEPTIDE.
FT   PEPTIDE   1   83   NEUROPARSIN A.
FT   PEPTIDE   6   83   NEUROPARSIN B.
SQ   SEQUENCE   83 AA;   8765 MW; 8E99E0B8 CRC32;

Query Match
Best Local Similarity   54.5%;   Score 36;   DB 1;   Length 83;
Matches   6;   Conservative   2;   Mismatches   3;   Indels   0;   Gaps   0;

Qy   1 RVCAAGRGETC 11
         ||:|| ||:|
Db 31 RVCAKGPGDKC 41

RESULT 5
ID   CX6_NAJAT   STANDARD;   PRT;   60 AA.
AC   P80245;
DT   01-FEB-1994 (REL. 28, CREATED)
DT   01-FEB-1994 (REL. 28, LAST SEQUENCE UPDATE)
DT   01-FEB-1995 (REL. 31, LAST ANNOTATION UPDATE)
DE   CYTOTOXIN 6 (CARDIOTOXIN 6) (CTX6).
OS   NAJA ATRA (CHINESE COBRA).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; REPTILIA;
OC   LEPIDOSAURIA; SERPENTES.
RN   [1]
RP   SEQUENCE.
RC   TISSUE=VENOM;
RA   HUNG C.C., WU S.-H., CHIOU S.-H.;
RX   MEDLINE; 94251167.
RL   BIOCHEM. MOL. BIOL. INT. 31:1031-1040(1993).
KW   VENOM; CYTOTOXIN; CARDIOTOXIN; MULTIGENE FAMILY.
DR   PROSITE; PS00272; SNAKE_TOXIN; 1.
DR   HSSP; P01444; 2CRS.
FT   DISULFID   3   21   BY SIMILARITY.
FT   DISULFID   14   38   BY SIMILARITY.
FT   DISULFID   42   53   BY SIMILARITY.
FT   DISULFID   54   59   BY SIMILARITY.
SQ   SEQUENCE   60 AA;   6689 MW; 5F6A8F9C CRC32;

Query Match
Best Local Similarity   42.9%;   Score 33.5;   DB 1;   Length 60;

```
Best Local Similarity  46.2%;  Pred. No. 19;
Matches    6;  Conservative  4;  Mismatches  2;  Indels  1;  Gaps  1;

Qy    1 RVCAAGRGETCYR 13
        ||||: :||
Db   12 KTCAAGK-NLCYK 23
```

```
RESULT 6
ID    CXOB_CONMA              STANDARD;      PRT;    25 AA.
AC    P05485;
DT    01-NOV-1988 (REL. 09, CREATED)
DT    01-NOV-1988 (REL. 09, LAST SEQUENCE UPDATE)
DT    01-NOV-1988 (REL. 09, LAST ANNOTATION UPDATE)
DE    OMEGA-CONOTOXIN MVIIB.
OS    CONUS MAGUS (MAGUS CONE).
OC    EUKARYOTA; METAZOA; MOLLUSCA; GASTROPODA; PROSOBRANCHIA;
OC    NEOGASTROPODA; CONIDAE.
RN    [1]
RP    SEQUENCE.
RX    MEDLINE; 89024586.
RA    OLIVERA B.M., CRUZ L.J., DE SANTOS V., LECHEMINANT G.W., GRIFFIN D.,
RA    ZEIKUS R.D., MCINTOSH J.M., GALYEAN R., VARGA J., GRAY W.R.,
RA    RIVIER J.E.;
RL    BIOCHEMISTRY 26:2086-2090(1987).
RN    [2]
RP    REVIEW.
RX    MEDLINE; 89024586.
RA    GRAY W.R., OLIVERA B.M., CRUZ L.J.;
RL    ANNU. REV. BIOCHEM. 57:665-700(1988).
CC    -!- FUNCTION: OMEGA-CONOTOXINS ACT AT PRESYNAPTIC MEMBRANES, THEY BIND
CC        AND BLOCK THE CALCIUM CHANNELS.
DR    PIR; B34115; B34115.
DR    PIR; JH0701; JH0701.
KW    PRESYNAPTIC NEUROTOXIN; CALCIUM CHANNEL INHIBITOR; VENOM;
KW    AMIDATION.
FT    AMIDATION.
FT    DISULFID      1     16
FT    DISULFID      8     20
FT    DISULFID     15     25
FT    MOD_RES      25     25     AMIDATION.
SQ    SEQUENCE   25 AA;   2626 MW;   D9780077 CRC32;

Query Match
Best Local Similarity  55.6%;  Score 31;  DB 1;  Length 25;
Matches    5;  Conservative  2;  Mismatches  2;  Indels  0;  Gaps  0;
Pred. No. 24;

Qy    6 GRGETCYRT 14
        |:|:|| :| ||
Db    3 GKGASCHRT 11
```

```
RESULT 7
ID    CX8_NAJAT               STANDARD;      PRT;    81 AA.
AC    P49123;
DT    01-FEB-1996 (REL. 33, CREATED)
DT    01-FEB-1996 (REL. 33, LAST SEQUENCE UPDATE)
DT    15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE    CYTOTOXIN 8 PRECURSOR (CARDIOTOXIN 8) (CTX8).
OS    NAJA ATRA (CHINESE COBRA).
OC    EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; REPTILIA;
OC    LEPIDOSAURIA; SERPENTES.
RN    [1]
RP    SEQUENCE FROM N.A.
RC    TISSUE=VENOM GLAND;
RA    CHANG L.-S., LIN J., WU P.F.;
RL    SUBMITTED (SEP-1995) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR    EMBL; Z54229; G1000507; -.
DR    PROSITE; PS00272; SNAKE_TOXIN; 1.
KW    VENOM; CYTOTOXIN; CARDIOTOXIN; MULTIGENE FAMILY; SIGNAL.
FT    SIGNAL        1     21     POTENTIAL.
```

```
RESULT 8
ID    CXN_NAJAT               STANDARD;      PRT;    81 AA.
AC    P49124;
DT    01-FEB-1996 (REL. 33, CREATED)
DT    01-FEB-1996 (REL. 33, LAST SEQUENCE UPDATE)
DT    15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE    CYTOTOXIN N PRECURSOR (CARDIOTOXIN N) (CTXN).
OS    NAJA ATRA (CHINESE COBRA).
OC    EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; REPTILIA;
OC    LEPIDOSAURIA; SERPENTES.
RN    [1]
RP    SEQUENCE FROM N.A.
RC    TISSUE=VENOM GLAND;
RX    MEDLINE; 96190679.
RA    CHANG L.-S., WU P.F., LIN J.;
RL    BIOCHEM. BIOPHYS. RES. COMMUN. 219:116-121(1996).
DR    EMBL; Z54230; G1000509; -.
DR    PROSITE; PS00272; SNAKE_TOXIN; 1.
KW    VENOM; CYTOTOXIN; CARDIOTOXIN; MULTIGENE FAMILY; SIGNAL.
FT    SIGNAL        1     21     POTENTIAL.
FT    CHAIN        22     81     CYTOTOXIN N.
FT    DISULFID     24     42     BY SIMILARITY.
FT    DISULFID     35     59     BY SIMILARITY.
FT    DISULFID     63     74     BY SIMILARITY.
FT    DISULFID     75     80     BY SIMILARITY.
SQ    SEQUENCE   81 AA;   8952 MW;   08D10592 CRC32;

Query Match
Best Local Similarity  42.9%;  Score 33.5;  DB 1;  Length 81;
Matches    6;  Conservative  4;  Mismatches  2;  Indels  1;  Gaps  1;
Pred. No. 24;

Qy    1 RVCAAGRGETCYR 13
        ||||: :||
Db   33 KACAAGK-NLCYK 44
```

```
Query Match
Best Local Similarity  42.9%;  Score 33.5;  DB 1;  Length 81;
Matches    6;  Conservative  4;  Mismatches  2;  Indels  1;  Gaps  1;
Pred. No. 24;

Qy    1 RVCAAGRGETCYR 13
        ||||: :||
Db   33 KTCAAGK-NLCYK 44
```

```
RESULT 9
ID    HGF_HUMAN               STANDARD;      PRT;    728 AA.
AC    P14210;
DT    01-JAN-1990 (REL. 13, CREATED)
DT    01-AUG-1991 (REL. 19, LAST SEQUENCE UPDATE)
DT    15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE    HEPATOCYTE GROWTH FACTOR PRECURSOR (SCATTER FACTOR) (SF)
DE    (HEPATOPOEITIN A).
GN    HGF OR HPTA.
OS    HOMO SAPIENS (HUMAN).
OC    EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC    EUTHERIA; PRIMATES.
RN    [1]
RP    SEQUENCE FROM N.A.
RX    MEDLINE; 91340155.
RA    SEKI T., HAGIYA M., SHIMONISHI M., NAKAMURA T., SHIMIZU S.;
RL    GENE 102:213-219(1991).
```

RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=PLACENTA;
RX MEDLINE; 89392017.
RA MIYAZAWA K., TSUBOUCHI H., NAKA D., TAKAHASHI K., OKIGAKI M.,
RA ARAKAKI N., NAKAYAMA H., HIRONO S., SAKIYAMA O., TAKAHASHI K.,
RA GOHDA E., DAIKUHARA Y., KITAMURA N.;
RL BIOCHEM. BIOPHYS. RES. COMMUN. 163:967-973(1989).
RN [3]
RP SEQUENCE FROM N.A.
RC TISSUE=LEUKOCYTE;
RX MEDLINE; 91025062.
RA SEKI T., IHARA I., SUGIMURA A., SHIMONISHI M., NISHIZAWA T.,
RA ASAMI O., HAGIYA M., NAKAMURA T., SHIMIZU S.;
RL BIOCHEM. BIOPHYS. RES. COMMUN. 172:321-327(1990).
RN [4]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 55-73 AND 495-520.
RC TISSUE=LIVER;
RX MEDLINE; 90066676.
RA NAKAMURA T., NISHIZAWA T., HAGIYA M., SEKI T., SHIMONISHI M.,
RA SUGIMURA A., TASHIRO K., SHIMIZU S.;
RL NATURE 342:440-443(1989).
RN [5]
RP SEQUENCE FROM N.A.
RC TISSUE=EMBRYONIC FIBROBLAST;
RX MEDLINE; 91334393.
RA WEIDNER K.M., ARAKAKI N., HARTMANN G., VANDEKERCKHOVE J., WEINGART S.,
RA REEDER H., FONATSCH C., TSUBOUCHI H., HISHIDA T., DAIKUHARA Y.,
RA BIRCHMEIER W.;
RL PROC. NATL. ACAD. SCI. U.S.A. 88:7001-7005(1991).
RN [6]
RP SIGNAL SEQUENCE CLEAVAGE SITE.
RX MEDLINE; 91207365.
RA YOSHIYAMA Y., ARAKAKI N., NAKA D., TAKAHASHI K., HIRONO S., KONDO J.,
RA NAKAYAMA H., GOHDA E., KITAMURA N., TSUBOUCHI H., ISHII T.,
RA HISHIDA T., DAIKUHARA Y.;
RL BIOCHEM. BIOPHYS. RES. COMMUN. 175:660-667(1991).
RN [7]
RP MUTAGENESIS.
RX MEDLINE; 92331602.
RA LOKKER N.A., MARK M.R., LUIS E.A., BENNETT G.L., ROBBINS K.A.,
RA BAKER J.B., GODOWSKI P.J.;
RL EMBO J. 11:2503-2510(1992).
RN [8]
RP STRUCTURE BY NMR OF 31-127.
RX MEDLINE; 98154323.
RA ZHOU H., MAZZULLA M.J., KAUFMAN J.D., STAHL S.J., WINGFIELD P.T.,
RA RUBIN J.S., BOTTARO D.P., BYRD R.A.;
RL STRUCTURE 6:109-116(1998).
-!- FUNCTION: HGF IS A POTENT MITOGEN FOR MATURE PARENCHYMAL
-!- HEPATOCYTE CELLS, SEEMS TO BE AN HEPATOTROPHIC FACTOR, AND ACTS
-!- AS GROWTH FACTOR FOR A BROAD SPECTRUM OF TISSUES AND CELL TYPES.
-!- IT HAS NO DETECTABLE PROTEASE ACTIVITY.
-!- SUBUNIT: DIMER OF AN ALPHA CHAIN AND A BETA CHAIN LINKED BY A
-!- DISULFIDE BOND.
-!- SIMILARITY: CONTAINS 4 KRINGLE REGIONS.
-!- SIMILARITY: BELONGS TO PEPTIDASE FAMILY S1; ALSO KNOWN AS THE
    TRYPSIN FAMILY. BELONGS TO THE PLASMINOGEN SUBFAMILY.

DR EMBL; D90334; G219700; -.
DR EMBL; D90318; G219700; JOINED.
DR EMBL; D90319; G219700; JOINED.
DR EMBL; D90320; G219700; JOINED.
DR EMBL; D90321; G219700; JOINED.
DR EMBL; D90322; G219700; JOINED.
DR EMBL; D90323; G219700; JOINED.
DR EMBL; D90324; G219700; JOINED.
DR EMBL; D90325; G219700; JOINED.
DR EMBL; D90326; G219700; JOINED.
DR EMBL; D90327; G219700; JOINED.
DR EMBL; D90328; G219700; JOINED.
DR EMBL; D90329; G219700; JOINED.
DR EMBL; D90330; G219700; JOINED.
DR EMBL; D90331; G219700; JOINED.
DR EMBL; D90332; G219700; JOINED.

DR EMBL; D90333; G219700; JOINED.
DR EMBL; M29145; G3068446; -.
DR EMBL; M60718; G184032; -.
DR EMBL; X16323; G32082; -.
DR EMBL; M73339; G337936; -.
DR EMBL; M73240; G337938; -.
DR PIR; JH0579; JH0579.
DR PIR; S06794; S06794.
DR PDB; 2HGF; 24-JUN-98.
DR MIM; 142409; -.
DR PROSITE; PS00021; KRINGLE_1; 4.
DR PROSITE; PS50070; KRINGLE_2; 4.
KW GROWTH FACTOR; KRINGLE; GLYCOPROTEIN; SERINE PROTEASE HOMOLOG;
KW SIGNAL; 3D-STRUCTURE.
FT SIGNAL   1   31
FT CHAIN   32   494   HEPATOCYTE GROWTH FACTOR ALPHA CHAIN.
FT CHAIN   495   728   HEPATOCYTE GROWTH FACTOR BETA CHAIN.
FT MOD_RES   32   32   PYRROLIDONE CARBOXYLIC ACID.
FT DOMAIN   32   127   PAP.
FT DOMAIN   128   206   KRINGLE 1.
FT DOMAIN   211   288   KRINGLE 2.
FT DOMAIN   305   383   KRINGLE 3.
FT DOMAIN   391   469   KRINGLE 4.
FT DOMAIN   495   728   SERINE PROTEASE-LIKE.
FT DISULFID   70   96
FT DISULFID   74   84
FT DISULFID   487   604   INTERCHAIN (BY SIMILARITY).
FT CARBOHYD   294   294   POTENTIAL.
FT CARBOHYD   402   402   POTENTIAL.
FT CARBOHYD   566   566   POTENTIAL.
FT CARBOHYD   653   653   POTENTIAL.
FT CONFLICT   32   33   QR -> HK (IN REF. 4).
FT CONFLICT   78   78   K -> N (IN REF. 4).
FT CONFLICT   293   293   M -> V (IN REF. 4).
FT CONFLICT   300   300   L -> M (IN REF. 4).
FT CONFLICT   317   317   V -> A (IN REF. 4).
FT CONFLICT   336   336   E -> N (IN REF. 4).
FT CONFLICT   387   387   D -> N (IN REF. 4).
FT CONFLICT   416   416   D -> N (IN REF. 4).
FT CONFLICT   505   505   I -> V (IN REF. 4).
FT CONFLICT   509   509   V -> I (IN REF. 4).
FT CONFLICT   558   558   D -> E (IN REF. 4).
FT CONFLICT   561   561   C -> S (IN REF. 4).
FT CONFLICT   595   595   S -> N (IN REF. 4).
SQ SEQUENCE   728 AA; 83133 MW; 5182013A CRC32;

Query Match   48.7%;   Score 38;   DB 1;   Length 728;
Best Local Similarity   45.5%;   Pred. No. 28;
Matches   5;   Conservative   3;   Mismatches   3;   Indels   0;   Gaps   0;

Qy   3 CAAGGRGTCYR 13
           ||: ||| |||
Db   383 CDMSHGQDCYR 393

RESULT 10
HMD_METWO

ID   HMD_METWO   STANDARD;   PRT;   19 AA.
AC   P32441;
DT   01-OCT-1993 (REL. 27, CREATED)
DT   01-OCT-1993 (REL. 27, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   H(2)-FORMING N5,N10-METHYLENETETRAHYDROMETHANOPTERIN DEHYDROGENASE
DE   (EC 1.12.99.-) (H2-DEPENDENT METHYLENE-H4MPT DEHYDROGENASE)
DE   (FRAGMENT).
GN   HMD.
OS   METHANOBATERIUM WOLFEI.
OC   ARCHAEBACTERIA; EURYARCHAEOTA; METHANOBACTERIALES;
OC   METHANOBACTERIACEAE.
RN   [1]
RP   SEQUENCE.
RX   MEDLINE; 92394151.

RA ZIENGIBL C., VAN DONGEN W., SCHOERER B., VON BUENAU R.,
RA RICHTER M., KLEIN A., THAUER R.K.;
RL EUR. J. BIOCHEM. 208:511-520(1992).
CC -!- CATALYTIC ACTIVITY: 5,10-METHYLENETETRAHYDROMETHANOPTERIN +
CC   H(+) = 5,10-METHENYLTETRAHYDROMETHANOPTERIN + H(2).
CC -!- COFACTOR: ZINC (POSSIBLE).
CC -!- PATHWAY: INVOLVED IN METHANOGENESIS.
CC -!- SUBUNIT: HOMODIMER.
KW OXIDOREDUCTASE; METHANOGENESIS; ZINC.
FT NON_TER   1   1
SQ SEQUENCE   19 AA; 1911 MW; 749D8DDC CRC32;

Qy 8 GETCYRT 14
        | |||
Db 7 GAGCYRT 13

Query Match   38.5%;
Best Local Similarity   71.4%;   Pred. No. 28;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

RESULT 11
ID TAC1_TAGGI   STANDARD;   PRT;   17 AA.
AC P23684;
DT 01-NOV-1991 (REL. 20, CREATED)
DT 01-NOV-1991 (REL. 20, LAST SEQUENCE UPDATE)
DT 01-NOV-1995 (REL. 32, LAST ANNOTATION UPDATE)
DE TACHYPLESIN I.
OS TACHYPLEUS GIGAS (SOUTHEAST ASIAN HORSESHOE CRAB), AND CARCINOSCORPIUS
OS ROTUNDICAUDA (SOUTHEAST ASIAN HORSESHOE CRAB)
OC EUKARYOTA; METAZOA; ARTHROPODA; CHELICERATA; XIPHOSURA.
RN [1]
RP SEQUENCE.
RC SPECIES=T.GIGAS, AND C.ROTUNDICAUDA;
RX MEDLINE; 91035357.
RA MUTA T., FUJIMOTO T., NAKAJIMA H., IWANAGA S.;
RL J. BIOCHEM. 108:261-266(1990).
CC -!- SIMILARITY: BELONGS TO THE TACHYPLESIN/POLYPHEMUSIN FAMILY.
DR PIR; A38824; A38824.
DR PIR; JX0124; JX0124.
KW ANTIBIOTIC; AMIDATION.
FT DISULFID   3   16
FT DISULFID   7   12
FT MOD_RES   17   17   AMIDATION.
SQ SEQUENCE   17 AA; 2269 MW; 7B171B7B CRC32;

Query Match   37.8%;
Best Local Similarity   53.8%;   Pred. No. 31;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 1;

Qy 1 RVCAAGRGETCYR 13
        ||| |||
Db 5 RVCYRG---ICYR 14

RESULT 12
ID TAC3_TAGGI   STANDARD;   PRT;   17 AA.
AC P18252;
DT 01-NOV-1990 (REL. 16, CREATED)
DT 01-NOV-1990 (REL. 16, LAST SEQUENCE UPDATE)
DT 01-NOV-1995 (REL. 32, LAST ANNOTATION UPDATE)
DE TACHYPLESIN III.
OS TACHYPLEUS GIGAS (SOUTHEAST ASIAN HORSESHOE CRAB),
OC EUKARYOTA; METAZOA; ARTHROPODA; CHELICERATA; XIPHOSURA.
RN [1]
RP SEQUENCE.
RX MEDLINE; 91035357.
RA MUTA T., FUJIMOTO T., NAKAJIMA H., IWANAGA S.;
RL J. BIOCHEM. 108:261-266(1990).

CC -!- FUNCTION: SIGNIFICANTLY INHIBITS THE GROWTH OF GRAM-NEGATIVE AND
CC   GRAM-POSITIVE BACTERIA.
CC -!- TISSUE SPECIFICITY: HEMOCYTES.
CC -!- SIMILARITY: BELONGS TO THE TACHYPLESIN/POLYPHEMUSIN FAMILY.
DR PIR; JX0125; JX0125.
KW ANTIBIOTIC; AMIDATION.
FT DISULFID   3   16   BY SIMILARITY.
FT DISULFID   7   12   BY SIMILARITY.
FT MOD_RES   17   17   AMIDATION.
SQ SEQUENCE   17 AA; 2241 MW; 68E08384 CRC32;

Qy 1 RVCAAGRGETCYR 13
        ||| |||
Db 5 RVCYRG---ICYR 14

Query Match   37.8%;
Best Local Similarity   53.8%;   Pred. No. 31;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 1;

RESULT 13
ID NOV_CHICK   STANDARD;   PRT;   351 AA.
AC P28686;
DT 01-DEC-1992 (REL. 24, CREATED)
DT 01-DEC-1992 (REL. 24, LAST SEQUENCE UPDATE)
DT 01-OCT-1996 (REL. 34, LAST ANNOTATION UPDATE)
DE NOV PROTEIN PRECURSOR.
GN NOV.
OS GALLUS GALLUS (CHICKEN).
OC EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; AVES; NEOGNATHAE;
OC GALLIFORMES.
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=BROWN LEGHORN;
RX MEDLINE; 92107157.
RA MALOISEL V., MARTINERIE C., DAMBRINE G., PLASSIART G., BRISAC M.,
RA CROCHET J., PERBAL B.;
RL MOL. CELL. BIOL. 12:10-21(1992).
CC -!- FUNCTION: IMMEDIATE-EARLY PROTEIN LIKELY TO PLAY A ROLE IN CELL
CC   GROWTH REGULATION. ITS OVEREXPRESSION IS ASSOCIATED WITH
CC   TUMORIGENESIS AND EXPRESSION OF A N-TERMINAL-TRUNCATED VERSION
CC   OF NOV GENE IN CHICKEN EMBRYONIC FIBROBLASTS (CEF) IS SUFFICIENT
CC   TO INDUCE THE TRANSFORMATION OF CEF IN VITRO.
CC -!- TISSUE SPECIFICITY: BRAIN AND HEART, AND AT A LOWER LEVEL IN
CC   MUSCLE AND INTESTINE, IN THE EMBRYO. LUNG AND LESS SO IN BRAIN AND
CC   SPLEEN, IN ADULT CHICKEN.
CC -!- DEVELOPMENTAL STAGE: MAV1-INDUCED NEPHROBLASTOMAS EXPRESS A HIGH
CC   LEVEL OF NOV GENE WHOSE TRANSCRIPTION IS NORMALLY ARRESTED IN
CC   ADULT KIDNEY.
CC -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
PIR; S20078; S20078.
EMBL; X59284; G63703; -.
DR PROSITE; PS00222; IGF_BINDING; 1.
DR PROSITE; PS00185; CTCK_1; 1.
DR PROSITE; PS01225; CTCK_2; 1.
DR PROSITE; PS01208; VWFC; 1.
KW PROTO-ONCOGENE; GROWTH FACTOR BINDING; SIGNAL.
FT SIGNAL   1   24   POTENTIAL.
FT CHAIN   25   351   NOV PROTEIN.
FT DOMAIN   104   170   VWFC.
FT DOMAIN   258   332   CTCK.
FT DISULFID   258   295   BY SIMILARITY.
FT DISULFID   275   309   BY SIMILARITY.
FT DISULFID   286   325   BY SIMILARITY.
FT DISULFID   289   327   BY SIMILARITY.
FT DISULFID   294   331   BY SIMILARITY.
FT CARBOHYD   274   274   POTENTIAL.
SQ SEQUENCE   351 AA; 38268 MW; C7044065 CRC32;

RESULT 14

Query Match
Best Local Similarity   46.2%;   Score 36; DB 1; Length 351;
Matches   7; Conservative 1; Pred. No. 32; Mismatches 2; Indels 0; Gaps 0;

```
Qy   2 VCAAGRGETC 11
       ||| |||:|
Db  62 VCARQRGESC 71
```

RESULT 14
NOV_COTJA

```
ID   NOV_COTJA      STANDARD;      PRT;   353 AA.
AC   P42642;
DT   01-NOV-1995 (REL. 32, CREATED)
DT   01-NOV-1995 (REL. 32, LAST SEQUENCE UPDATE)
DT   01-OCT-1996 (REL. 34, LAST ANNOTATION UPDATE)
DE   NOV PROTEIN PRECURSOR.
GN   NOV.
OS   COTURNIX COTURNIX JAPONICA (JAPANESE QUAIL).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; AVES; NEOGNATHAE;
OC   GALLIFORMES.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   WEISKIRCHEN R., BISTER K.;
RL   SUBMITTED (AUG-1994) TO EMBL/GENBANK/DDBJ DATA BANKS.
CC   -!- FUNCTION: IMMEDIATE-EARLY PROTEIN LIKELY TO PLAY A ROLE IN CELL
CC        GROWTH REGULATION (BY SIMILARITY).
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC        PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC   -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR   EMBL; U13063; G532697; -.
     PROSITE; PS00222; IGF_BINDING; 1.
     PROSITE; PS01185; CTCK_1; 1.
     PROSITE; PS01225; CTCK_2; 1.
     PROSITE; PS01208; VWFC; 1.
KW   PROTO-ONCOGENE; GROWTH FACTOR BINDING; SIGNAL.
FT   SIGNAL        1     26
FT   CHAIN        27    353      NOV PROTEIN.
FT   DOMAIN      106    172      VWFC.
FT   DOMAIN      260    334      CTCK.
FT   DOMAIN      260    297      BY SIMILARITY.
FT   DISULFID    277    311      BY SIMILARITY.
FT   DISULFID    288    327      BY SIMILARITY.
FT   DISULFID    291    329      BY SIMILARITY.
FT   DISULFID    296    333      BY SIMILARITY.
FT   CARBOHYD    276    276      POTENTIAL.
SQ   SEQUENCE    353 AA;   38667 MW;   C4F5928D CRC32;
```

Query Match
Best Local Similarity   46.2%;   Score 36; DB 1; Length 353;
Matches   7; Conservative 1; Pred. No. 32; Mismatches 2; Indels 0; Gaps 0;

```
Qy   2 VCAAGRGETC 11
       ||| |||:|
Db  64 VCARQRGESC 73
```

RESULT 15
NOV_MOUSE

```
ID   NOV_MOUSE      STANDARD;      PRT;   354 AA.
AC   Q64299;
DT   01-NOV-1997 (REL. 35, CREATED)
DT   01-NOV-1997 (REL. 35, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   NOV PROTEIN HOMOLOG PRECURSOR (NOVH).
GN   NOV.
OS   MUS MUSCULUS (MOUSE).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; RODENTIA.
```

RESULT 15

```
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=129/SV, AND ICR; TISSUE=BRAIN;
RA   SNAITH M.R., NATARAJAN D., TAYLOR L.B., CHOI C.P., MARTINERIE C.,
RA   PERBAL B., SCHOFIELD P.N., BOULTER C.A.;
RL   SUBMITTED (MAY-1996) TO EMBL/GENBANK/DDBJ DATA BANKS.
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6;
RX   MEDLINE; 96204003.
RA   MARTINERIE C., CHEVALIER G., RAUSCHER F.J. III, PERBAL B.;
RL   ONCOGENE 12:1479-1492(1996).
CC   -!- FUNCTION: IMMEDIATE-EARLY PROTEIN LIKELY TO PLAY A ROLE IN CELL
CC        GROWTH REGULATION (BY SIMILARITY).
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC        PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC   -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR   MGD; MGI:109185; NOV.
     PROSITE; PS00222; IGF_BINDING; 1.
     PROSITE; PS01185; CTCK_1; 1.
     PROSITE; PS01225; CTCK_2; 1.
     PROSITE; PS01208; VWFC; 1.
KW   PROTO-ONCOGENE; GROWTH FACTOR BINDING; SIGNAL.
FT   SIGNAL        1     21
FT   CHAIN        22    354      NOV PROTEIN HOMOLOG.
FT   DOMAIN      102    168      VWFC.
FT   DOMAIN      261    335      CTCK.
FT   DOMAIN      261    298      BY SIMILARITY.
FT   DISULFID    278    312      BY SIMILARITY.
FT   DISULFID    289    328      BY SIMILARITY.
FT   DISULFID    292    330      BY SIMILARITY.
FT   DISULFID    297    334      BY SIMILARITY.
FT   CARBOHYD     91     91      POTENTIAL.
FT   CARBOHYD    277    277      POTENTIAL.
SQ   SEQUENCE    354 AA;   38928 MW;   65A4FF0E CRC32;
```

Query Match
Best Local Similarity   46.2%;   Score 36; DB 1; Length 354;
Matches   7; Conservative 1; Pred. No. 32; Mismatches 2; Indels 0; Gaps 0;

```
Qy   2 VCAAGRGETC 11
       ||| |||:|
Db  60 VCARQRGESC 69
```

Search completed: May 3, 1999, 16:05:43
Job time: 4002 sec

OM protein - protein search, using sw model

GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

```
Run on:          May 3, 1999, 16:05:42 ; Search time 18.06 Seconds
                 (without alignments)
                 22.293 Million cell updates/sec

Title:
Perfect score:  74
Sequence:       1 QHCDSSECKSSPRCK 15
Scoring table:  PAM150
Searched:       74019 seqs, 26840295 residues
Database :      SwissProt_36:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Accession	Description
1	44	59.5	64	1	MTCU_HELPO	P55947	helix pomat
2	40	54.1	58	1	MT2_CALSI	P55950	callinectes
3	38	51.4	74	1	MT1_CRAVI	P23038	crassostrea
4	42	56.8	488	1	FA10_HUMAN	P00742	homo sapien
5	37	50.0	61	1	MTC_YEAST	P07215	saccharomyc
6	36	48.6	57	1	MT2_SCYSE	P02806	scylla serr
7	44	59.5	2524	1	NOTC_XENLA	P21783	xenopus lae
8	44	59.5	2531	1	NTC1_MOUSE	Q01705	mus musculu
9	36	48.6	66	1	MT3_MALDO	O24059	malus domes
10	37	50.0	111	1	YLM1_CAEEL	P34375	caenorhabdi
11	35	47.3	58	1	MT_POTPO	P55952	potamon pot
12	39	52.7	400	1	B3AR_MOUSE	P25962	mus musculu
13	39	52.7	400	1	B3AR_RAT	P26255	rattus norv
14	39	52.7	410	1	TRA8_PSESH	P24607	pseudomonas
15	35	47.3	80	1	MT1_COFAR	P43396	coffea arab
16	38	51.4	335	1	PIE1_CAEEL	Q94131	caenorhabdi
17	42	56.8	2444	1	Q94131	P46531	caenorhabdi
18	38	51.4	379	1	NTC1_HUMAN	P05336	homo sapien
19	38	51.4	379	1	ADH1_HORVU	P14219	hordeum vul
20	36	48.6	155	1	ADH1_PENAM	Q00945	pennisetum
21	38	51.4	414	1	CONO_LYMST	Q05493	lymnaea sta
22	34	45.9	64	1	THIK_YARLI	O48951	yarrowia li
23	39.5	53.4	837	1	MT3_PRUAV	P98089	prunus aviu
24	34	45.9	65	1	MUCL_RAT	P80367	rattus norv
25	38	51.4	68	1	MT_PARLI	P25670	paracentrot
26	34	45.9	466	1	NXL1_ASPSC	P17511	aspidelaps
27	38	51.4	74	1	FA7_HUMAN	P35454	homo sapien
28	35	47.3	125	1	MT1_CAEEL	P01179	caenorhabdi
29	35	47.3	125	1	NEU1_MOUSE	P31514	mus musculu
30	37	50.0	337	1	NEU1_RAT	P19983	rattus norv
31	37	50.0	338	1	FSA_SHEEP	P50291	ovis aries
32	37	50.0	344	1	FSA_HUMAN	P47931	homo sapien
33	37	50.0	344	1	FSA_BOVIN	P10669	bos taurus
34	37	50.0	344	1	FSA_MOUSE	P21674	mus musculu
35	37	50.0	344	1	FSA_PIG	P14585	sus scrofa
36	40	54.1	344	1	FSA_RAT	P00993	rattus norv
37	37	50.0	1429	1	LI12_CAEEL	Q04962	caenorhabdi
38	38	51.4	110	1	IBP_TURRS	P50699	red sea tur
39	36	48.6	603	1	FA12_CAVPO	P15562	cavia porce
40	36	48.6	243	1	TLPH_ARATH	O07008	arabidopsis
41	41	55.4	2531	1	TPX1_HUMAN	P43389	homo sapien
42	42	55.4	63	1	NTC1_RAT	P04734	rattus norv
43	33	44.6	64	1	MT3_ACTCH		actinidia c
					MTA_STRPU		strongyloce
44	37	50.0	416	1	FA9_BOVIN	P00741	bos taurus
45	33	44.6	67	1	MTA_SPHGR	Q26497	sphaerechin

ALIGNMENTS

RESULT 1
MTCU_HELPO

```
ID   MTCU_HELPO               STANDARD;      PRT;   64 AA.
AC   P55947;
DT   01-NOV-1997 (REL. 35, CREATED)
DT   01-NOV-1997 (REL. 35, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   COPPER-METALLOTHIONEIN (CU-MT).
OS   HELIX POMATIA (ROMAN SNAIL) (EDIBLE SNAIL).
OC   EUKARYOTA; METAZOA; MOLLUSCA; GASTROPODA; PULMONATA; STYLOMMATOPHORA;
OC   HELICIDAE.
RN   [1]
RP   SEQUENCE.
RC   TISSUE=MANTLE;
RX   MEDLINE; 97373947.
RA   DALLINGER R., BERGER B., HUNZIKER P.E., KAEGI J.H.R.;
RL   NATURE 388:237-238(1997).
CC   -!- FUNCTION: THE METALLOTHIONEINS ARE INVOLVED IN THE CELLULAR
CC       SEQUESTRATION OF TOXIC METAL IONS AND REGULATION OF ESSENTIAL
CC       TRACE ELEMENTS. THIS ISOFORM BINDS EXCLUSIVELY COPPER.
CC   -!- DOMAIN: 14 CYSTEINE RESIDUES ARE ARRANGED IN C-X-C GROUPS. THESE
CC       ARE THOUGHT TO BE THE METAL-BINDING SITES IN OTHER
CC       METALLOTHIONEINS.
CC   -!- SIMILARITY: BELONGS TO FAMILY 2 IN METALLOTHIONEIN SUPERFAMILY.
KW   METAL-BINDING; METAL-THIOLATE CLUSTER; CHELATION; COPPER;
KW   ACETYLATION.
MOD_RES       1      1       ACETYLATION.
FT   METAL         7      7
FT   METAL        11     11
FT   METAL        16     16
FT   METAL        18     18
FT   METAL        22     22
FT   METAL        24     24
FT   METAL        28     28
FT   METAL        30     30
FT   METAL        33     33
FT   METAL        36     36
FT   METAL        38     38
FT   METAL        43     43
FT   METAL        45     45
FT   METAL        49     49
FT   METAL        55     55
FT   METAL        57     57
FT   METAL        61     61
FT   METAL        63     63
SQ   SEQUENCE   64 AA;  6205 MW;  1E294035 CRC32;

Query Match             59.5%;  Score 44;  DB 1;  Length 64;
Best Local Similarity   38.5%;  Pred. No. 1.2;
Matches    5;  Conservative    5;  Mismatches    3;  Indels    0;  Gaps    0;

Qy      2 HCDSSECKSSPRC 14
          || :|| :::|
Db     37 HCSNDDCKCGSQC 49
```

RESULT 2
MT2_CALSI

```
ID   MT2_CALSI                STANDARD;      PRT;   58 AA.
AC   P55950;
DT   01-NOV-1997 (REL. 35, CREATED)
DT   01-NOV-1997 (REL. 35, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   METALLOTHIONEIN-II (MT-II) (MT-IIB/MT-IIA).
OS   CALLINECTES SAPIDUS (BLUE CRAB).
```

```
CC   EUKARYOTA; METAZOA; ARTHROPODA; CRUSTACEA; MALACOSTRACA.
RN   [1]
RP   SEQUENCE.
RX   MEDLINE; 96033062.
RA   BROUWER M., ENGHILD J., HOEXUM-BROUWER T., THOGERSEN I., TRUNCALI A.;
RL   BIOCHEM. J. 311:617-622(1995).
CC   -!- FUNCTION: BINDS SIX DIVALENT METAL IONS. KNOWN TO BIND COPPER AND
CC       CADMIUM.
CC   -!- SIMILARITY: BELONGS TO FAMILY 3 IN METALLOTHIONEIN SUPERFAMILY.
KW   METAL-BINDING; METAL-THIOLATE CLUSTER; CHELATION; COPPER; CADMIUM.
FT   DOMAIN        1     29       BETA.
FT   DOMAIN       30     58       ALPHA.
FT   METAL         5      5       CLUSTER B.
FT   METAL         6      6       CLUSTER B.
FT   METAL        10     10       CLUSTER B.
FT   METAL        12     12       CLUSTER B.
FT   METAL        17     17       CLUSTER B.
FT   METAL        21     21       CLUSTER B.
FT   METAL        23     23       CLUSTER B.
FT   METAL        26     26       CLUSTER B.
FT   METAL        28     28       CLUSTER B.
FT   METAL        34     34       CLUSTER A.
FT   METAL        31     31       CLUSTER A.
FT   METAL        40     40       CLUSTER A.
FT   METAL        46     46       CLUSTER A.
FT   METAL        50     50       CLUSTER A.
FT   METAL        54     54       CLUSTER A.
FT   METAL        56     56       CLUSTER A.
FT   METAL        57     57       CLUSTER A.
FT   VARIANT       1      1       MISSING (IN MT-IIA).
SQ   SEQUENCE     58 AA;  6287 MW;  097C8AA0 CRC32;

Query Match      54.1%;       Score 40;  DB 1;  Length 58;
Best Local Similarity   46.2%;   Pred. No. 4.4;
Matches    6;  Conservative   4;  Mismatches   3;  Indels   0;  Gaps   0;

Qy   3  CDSSECKSSPRCK  15
        : ::||:: :||
Db  12  CKEGECKTGCKCK  24


RESULT 3
ID   MT_CRAVI     STANDARD;    PRT;   74 AA.
AC   P23038;
DT   01-NOV-1991 (REL. 20, CREATED)
DT   01-APR-1993 (REL. 25, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   METALLOTHIONEIN (MT).
OS   CRASSOSTREA VIRGINICA (EASTERN OYSTER).
OC   EUKARYOTA; METAZOA; MOLLUSCA; PELECYPODA (BIVALVIA); PTERIOMORPHIA;
OC   OSTREOIDA; OSTREIDAE.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 91363394.
RA   UNGER M.E., CHEN T.T., MURPHY C.M., VESTLING M.M., FENSELAU C.,
RA   ROESIJADI G.;
RL   BIOCHIM. BIOPHYS. ACTA 1074:371-377(1991).
RN   [2]
RP   SEQUENCE OF 1-27.
RC   TISSUE=GILL;
RX   MEDLINE; 89372898.
RA   ROESIJADI G., KIELLAND S., KLERKS P.;
RA   ARCH. BIOCHEM. BIOPHYS. 273:403-413(1989).
RN   [3]
RP   SEQUENCE OF 1-24, AND ACETYLATION.
RC   TISSUE=GILL;
RX   MEDLINE; 91291855.
RA   ROESIJADI G., VESTLING M.M., MURPHY C.M., KLERKS P.L., FENSELAU C.C.;
RL   BIOCHIM. BIOPHYS. ACTA 1074:230-236(1991).
CC   -!- FUNCTION: THE METALLOTHIONEINS ARE INVOLVED IN THE CELLULAR
CC   -!- SEQUESTRATION OF TOXIC METAL IONS.
CC   -!- INDUCTION: BY CADMIUM.
CC   -!- PTM: THIS MT OCCURS IN BOTH ACETYLATED AND NON-ACETYLATED FORMS.
CC   -!- SIMILARITY: BELONGS TO FAMILY 2 IN METALLOTHIONEIN SUPERFAMILY.
DR   EMBL; X58962; G288278; -.
DR   PIR; S05645; S05645.
DR   PIR; S17156; S17156.
     HSSP; P02805; 1DME.
KW   METAL-BINDING; METAL-THIOLATE CLUSTER; CHELATION; CADMIUM.
FT   INIT_MET      0      0
FT   ACETYLATION.
FT   MOD_RES       1      1       ACETYLATION (PARTIAL).
SQ   SEQUENCE     74 AA;  7213 MW;  587F7336 CRC32;

Query Match      51.4%;       Score 38;  DB 1;  Length 74;
Best Local Similarity   46.2%;   Pred. No. 10;
Matches    6;  Conservative   3;  Mismatches   4;  Indels   0;  Gaps   0;

Qy   3  CDSSECKSSPRCK  15
        | ::|| :| ||
Db  18  CPATGCKCGPGCK  30


RESULT 4
ID   FA10_HUMAN     STANDARD;    PRT;   488 AA.
AC   P00742;
DT   21-JUL-1986 (REL. 01, CREATED)
DT   01-OCT-1989 (REL. 12, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   COAGULATION FACTOR X PRECURSOR (EC 3.4.21.6) (STUART FACTOR).
GN   F10.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; PRIMATES.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 91216473.
RA   MESSIER T.L., PITTMAN D.D., LONG G.L., KAUFMAN R.J., CHURCH W.R.;
RL   GENE 99:291-294(1991).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 87026600.
RA   LEYTUS S.P., FOSTER D.C., KURACHI K., DAVIE E.W.;
RL   BIOCHEMISTRY 25:5098-5102(1986).
RN   [3]
RP   SEQUENCE OF 13-488 FROM N.A.
RX   MEDLINE; 85216545.
RA   FUNG M.R., HAY C.W., MCGILLIVRAY R.T.A.;
RL   PROC. NATL. ACAD. SCI. U.S.A. 82:3591-3595(1985).
RN   [4]
RP   SEQUENCE OF 19-488 FROM N.A.
RC   TISSUE=LIVER;
RX   MEDLINE; 86221713.
RA   KAUL R.K., HILDEBRAND B., ROBERTS S., JAGADEESWARAN P.;
RL   GENE 41:311-314(1986).
RN   [5]
RP   SEQUENCE OF 41-179.
RX   MEDLINE; 83257207.
RA   MCMULLEN B.A., FUJIKAWA K., KISIEL W., SASAGAWA T., HOWALD W.N.,
RA   KWA E.Y., WEINSTEIN B.;
RL   BIOCHEMISTRY 22:2875-2884(1983).
RN   [6]
RP   SEQUENCE OF 115-488 FROM N.A.
RX   MEDLINE; 84222026.
RA   LEYTUS S.P., CHUNG D.W., KISIEL W., KURACHI K., DAVIE E.W.;
RL   PROC. NATL. ACAD. SCI. U.S.A. 81:3699-3702(1984).
RN   [7]
RP   SEQUENCE OF 183-234, AND CARBOHYDRATE-BINDING SITES.
RX   MEDLINE; 94062825.
RA   INOUE K., MORITA T.;
RL   EUR. J. BIOCHEM. 218:153-163(1993).
```

```
RN   [8]
RP   X-RAY CRYSTALLOGRAPHY (2.2 ANGSTROMS) OF 86-179 AND 235-278.
RX   MEDLINE; 93360277.
RA   PADMANABHAN K., PADMANABHAN K.P., TULINSKY A., PARK C.H., BODE W.,
RA   HUBER R., BLANKENSHIP D.T., CARDIN A.D., KISIEL W.;
RL   J. MOL. BIOL. 232:947-966(1993).
CC   -!- FUNCTION: FACTOR XA IS A VITAMIN K-DEPENDENT GLYCOPROTEIN THAT
CC       CONVERTS PROTHROMBIN TO THROMBIN IN THE PRESENCE OF FACTOR VA,
CC       CA++, AND PHOSPHOLIPID DURING BLOOD CLOTTING.
CC   -!- CATALYTIC ACTIVITY: PREFERENTIAL CLEAVAGE: ARG-|-THR AND THEN
CC       ARG-|-ILE BONDS IN PROTHROMBIN TO FORM THROMBIN.
CC   -!- SUBUNIT: THE TWO CHAINS ARE FORMED FROM A SINGLE-CHAIN PRECURSOR
CC       BY THE EXCISION OF TWO ARG RESIDUES AND ARE HELD TOGETHER BY 1 OR
CC       MORE DISULFIDE BONDS.
CC   -!- PTM: THE VITAMIN K-DEPENDENT, ENZYMATIC CARBOXYLATION OF SOME
CC       GLUTAMIC ACID RESIDUES ALLOWS THE MODIFIED PROTEIN TO BIND
CC       CALCIUM.
CC   -!- PTM: N- AND O-GLYCOSYLATED.
CC   -!- PTM: THE ACTIVATION PEPTIDE IS CLEAVED BY FACTOR IXA (IN THE
CC       INTRINSIC PATHWAY), OR BY FACTOR VIIA (IN THE EXTRINSIC PATHWAY).
CC   -!- SIMILARITY: CONTAINS 2 EGF-LIKE DOMAINS.
CC   -!- SIMILARITY: BELONGS TO PEPTIDASE FAMILY S1; ALSO KNOWN AS THE
CC       TRYPSIN FAMILY.
DR   EMBL; K03194; G182841; -.
DR   EMBL; M57285; G182390; -.
DR   EMBL; L29433; G182831; -.
DR   EMBL; L00390; G182831; JOINED.
DR   EMBL; L00391; G182831; JOINED.
DR   EMBL; L00392; G182831; JOINED.
DR   EMBL; L00393; G182831; JOINED.
DR   EMBL; L00394; G182831; JOINED.
DR   EMBL; L00395; G182831; JOINED.
DR   EMBL; L00396; G182831; JOINED.
DR   EMBL; M22613; G180336; -.
DR   PIR; A00924; EXHU.
DR   PIR; A25853; A25853.
DR   PIR; A24478; A24478.
DR   PDB; 1HCG; 08-MAY-95.
DR   PDB; 1FAX; 29-OCT-97.
DR   MIM; 227600; -.
DR   PROSITE; PS00010; ASX_HYDROXYL; 1.
DR   PROSITE; PS00011; GLU_CARBOXYLATION; 1.
DR   PROSITE; PS00022; EGF_1; 1.
DR   PROSITE; PS00134; TRYPSIN_HIS; 1.
DR   PROSITE; PS00135; TRYPSIN_SER; 1.
DR   PROSITE; PS01186; EGF_2; 2.
DR   PROSITE; PS01187; EGF_CA; 1.
KW   GLYCOPROTEIN; HYDROLASE; SERINE PROTEASE; PLASMA; BLOOD COAGULATION;
KW   GAMMA-CARBOXYGLUTAMIC ACID; HYDROXYLATION; CALCIUM-BINDING; VITAMIN K;
KW   SIGNAL; ZYMOGEN; EGF-LIKE DOMAIN; REPEAT; 3D-STRUCTURE.
FT   SIGNAL         1      ?
FT   PROPEP         ?     40
FT   CHAIN         41    179       FACTOR X LIGHT CHAIN.
FT   CHAIN        183    488       FACTOR X HEAVY CHAIN.
FT   PROPEP       183    234       ACTIVATION PEPTIDE.
FT   CHAIN        235    488       ACTIVATED FACTOR XA, HEAVY CHAIN.
FT   DOMAIN        86    122       EGF-LIKE 1.
FT   DOMAIN       125    165       EGF-LIKE 2, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN       235    488       CATALYTIC.
FT   MOD_RES       46     46       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       47     47       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       54     54       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       56     56       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       59     59       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       60     60       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       65     65       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       66     66       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       69     69       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       72     72       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES       79     79       GAMMA-CARBOXYGLUTAMIC ACID.
FT   MOD_RES      103    103       GAMMA-CARBOXYGLUTAMIC ACID.
FT   CARBOHYD     199    199       HYDROXYLATION.
FT   CARBOHYD     211    211
FT   CARBOHYD     221    221
FT   CARBOHYD     231    231
FT   ACT_SITE     276    276       CHARGE RELAY SYSTEM.
FT   ACT_SITE     322    322       CHARGE RELAY SYSTEM.
FT   ACT_SITE     419    419       CHARGE RELAY SYSTEM.
FT   DISULFID      90    101
FT   DISULFID      95    110
FT   DISULFID     101    110
FT   DISULFID     112    121
FT   DISULFID     121    140
FT   DISULFID     129    140       INTERCHAIN.
FT   DISULFID     136    149
FT   DISULFID     151    164
FT   DISULFID     172    342
FT   DISULFID     241    246
FT   DISULFID     261    277
FT   DISULFID     390    404
FT   DISULFID     415    443
FT   DISULFID     285    288
FT   CONFLICT     442    442       KVRV -> E (IN REF. 4 AND 6).
FT   CONFLICT     488    488       G -> S (IN REF. 3).
SQ   SEQUENCE   488 AA;  54731 MW;  49BD04F3 CRC32;
```

```
Query Match   56.8%;  Score 42;  DB 1;  Length 488;
Best Local Similarity   33.3%;
Matches    5;  Conservative    6;  Mismatches    4;  Indels    0;  Gaps    0;

Qy      1 QHCDSSECKSSPRCK 15
          ::|::|::|:|| :||
Db     88 DQCETSPCQNQGKCK 102
```

```
RESULT   5
MTC_YEAST
ID   MTC_YEAST      STANDARD;      PRT;    61 AA.
AC   P07215;
DT   01-APR-1988 (REL. 07, CREATED)
DT   01-APR-1988 (REL. 07, LAST SEQUENCE UPDATE)
DT   15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE   METALLOTHIONEIN (CU-MT) PRECURSOR (COPPER CHELATIN).
GN   CUP1 OR MTH1 OR YHR053C OR YHR055C.
OC   SACCHAROMYCES CEREVISIAE (BAKER'S YEAST).
OC   EUKARYOTA; FUNGI; ASCOMYCOTINA; HEMIASCOMYCETES.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   KARIN M., NAJARIAN R.C., HASLINGER A., VALENZUELA P., WELCH J.,
RA   FOGEL S.;
RL   PROC. NATL. ACAD. SCI. U.S.A. 81:337-341(1984).
RN   [2]
RP   SEQUENCE FROM N.A.
RA   BUTT T.R., STERNBERG E.J., GORMAN J.A., CLARK P., HAMER D.,
RA   ROSENBERG M., CROOKE S.T.;
RL   PROC. NATL. ACAD. SCI. U.S.A. 81:3332-3336(1984).
RN   [3]
RP   SEQUENCE FROM N.A.
RA   JEYAPRAKASH A., WELCH J.W., FOGEL S.;
RL   MOL. GEN. GENET. 225:363-368(1991).
RN   [4]
RP   SEQUENCE FROM N.A.
RC   STRAIN=S288C / AB972;
RX   MEDLINE; 94378003.
RA   JOHNSTON M., ANDREWS S., BRINKMAN R., COOPER J., DING H., DOVER J.,
RA   DU Z., FAVELLO A., FULTON L., GATTUNG S., GEISEL C., KIRSTEN J.,
RA   KUCABA T., HILLIER L., JIER M., JOHNSTON L., LANGSTON Y.,
RA   LATREILLE P., LOUIS E.J., MACRI C., MARDIS E., MENEZES S., MOUSER L.,
RA   NHAN M., RIFKIN L., RILES L., ST PETER H., TREVASKIS E., VAUGHAN K.,
RA   VIGNATI D., WILCOX L., WOHLDMAN P., WATERSTON R., WILSON R.,
RA   VAUDIN M.;
RC   MEDLINE; 91203809.
RL   SCIENCE 265:2077-2082(1994).
RN   [5]
RP   SEQUENCE.
```

RX   MEDLINE; 86033949.
RA   WINGE D.R., NIELSON K.B., GRAY W.R., HAMER D.H.;
RL   J. BIOL. CHEM. 260:14464-14470(1985).
RN   [6]
RP   X-RAY ABSORPTION STUDIES.
RX   MEDLINE; 88228044.
RA   GEORGE G.N., BYRD J., WINGE D.R.;
RL   J. BIOL. CHEM. 263:8199-8203(1988).
RN   [7]
RP   STRUCTURE BY NMR OF 9-48.
RX   MEDLINE; 9619028.
RA   PETERSON C.W., NARULA S.S., ARMITAGE I.M.;
RL   FEBS LETT. 379:85-93(1996).
CC   -!- FUNCTION: PROTECTS THE CELL AGAINST COPPER TOXICITY BY TIGHTLY
CC   CHELATING COPPER IONS. CAN BINDS 8 COPPER IONS.
CC   -!- SIMILARITY: BELONGS TO FAMILY 12 IN METALLOTHIONEIN SUPERFAMILY.
DR   EMBL; K02204; G171338; -.
DR   EMBL; U00061; G487953; -.
DR   EMBL; U00061; G487951; -.
DR   PIR; A29373; A29373.
DR   PIR; S14049; S14049.
DR   PIR; S46703; S46703.
DR   PIR; S46705; S46705.
DR   PDB; 1AOO; 24-DEC-97.
DR   PDB; 1AOO; 24-DEC-97.
DR   PDB; 1AOO; 24-DEC-97.
DR   PDB; 1AOR; 24-DEC-97.
DR   PDB; 1AOS; 24-DEC-97.
DR   SGD; L0000436; CUP1.
KW   METAL-BINDING; METAL-THIOLATE CLUSTER; CHELATION; COPPER;
KW   3D-STRUCTURE.
FT   PROPEP   1   8
FT   CHAIN   9   61   METALLOTHIONEIN.
SQ   SEQUENCE   61 AA;   6650 MW; A7B05F14 CRC32;

Qy   2 HCDSSECKSSPRC 14
         :||:||:||::|
Db   16 QCCGCGSCKNNEQC 28

Query Match   50.0%;
Best Local Similarity   30.8%;
Matches   4; Conservative   6; Mismatches   3; Indels   0; Gaps   0;

Qy   Score 37; DB 1; Length 61;
Pred. No. 12;

RESULT 6
MT2_SCYSE
ID   MT2_SCYSE   STANDARD;   PRT;   57 AA.
AC   P02806;
DT   21-JUL-1986 (REL. 01, CREATED)
DT   21-JUL-1986 (REL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   METALLOTHIONEIN-II (MT-II).
OS   SCYLLA SERRATA (MUD CRAB).
OC   EUKARYOTA; METAZOA; ARTHROPODA; CRUSTACEA; MALACOSTRACA.
RN   [1]
RP   SEQUENCE.
RX   MEDLINE; 82142340.
RA   LERCH K., AMMER D., OLAFSON R.W.;
RL   J. BIOL. CHEM. 257:2420-2426(1982).
CC   -!- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC   RESIDUES THAT BIND VARIOUS HEAVY METALS. CLASS I MTS IN MARINE
CC   CRUSTACEA ARE INVOLVED IN THE SEQUESTRATION OF ELEVATED LEVELS
CC   OF HEAVY-METAL IONS.
CC   -!- SIMILARITY: BELONGS TO FAMILY 3 IN METALLOTHIONEIN SUPERFAMILY.
DR   PIR; A03284; SMKD2S.
HSSP; P02805; 1DMC.
KW   METAL-THIOLATE CLUSTER; CHELATION.
FT   DOMAIN   1   28   BETA.
FT   DOMAIN   29   57   ALPHA.
FT   METAL   4   4   CLUSTER B.
FT   METAL   5   5   CLUSTER B.
FT   METAL   9   9   CLUSTER B.
FT   METAL   11   11   CLUSTER B.

FT   METAL   16   16   CLUSTER B.
FT   METAL   20   20   CLUSTER B.
FT   METAL   22   22   CLUSTER B.
FT   METAL   25   25   CLUSTER B.
FT   METAL   27   27   CLUSTER B.
FT   METAL   30   30   CLUSTER A.
FT   METAL   33   33   CLUSTER A.
FT   METAL   37   37   CLUSTER A.
FT   METAL   39   39   CLUSTER A.
FT   METAL   45   45   CLUSTER A.
FT   METAL   49   49   CLUSTER A.
FT   METAL   53   53   CLUSTER A.
FT   METAL   55   55   CLUSTER A.
FT   METAL   56   56   CLUSTER A.
SQ   SEQUENCE   57 AA;   6109 MW; 4DEEE236 CRC32;

Qy   3 CDSSECKSSPRC 14
         :|||:|::|
Db   11 CKEGECKIGCKC 22

Query Match   48.6%;
Best Local Similarity   41.7%;
Matches   5; Conservative   4; Mismatches   3; Indels   0; Gaps   0;

Qy   Score 36; DB 1; Length 57;
Pred. No. 16;

RESULT 7
NOTC_XENLA
ID   NOTC_XENLA   STANDARD;   PRT;   2524 AA.
AC   P21783;
DT   01-MAY-1991 (REL. 18, CREATED)
DT   01-OCT-1996 (REL. 34, LAST SEQUENCE UPDATE)
DT   15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE   NEUROGENIC LOCUS NOTCH PROTEIN HOMOLOG PRECURSOR (XOTCH PROTEIN).
GN   XOTCH.
OS   XENOPUS LAEVIS (AFRICAN CLAWED FROG).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; AMPHIBIA; ANURA.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 90385285.
RA   COFFMAN C., HARRIS W., KINTNER C.;
RL   SCIENCE 249:1438-1441(1990).
RN   [2]
RP   REVISIONS TO 1759-1782.
RA   KINTNER C.;
RL   SUBMITTED (JUN-1996) TO EMBL/GENBANK/DDBJ DATA BANKS.
CC   -!- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN.
CC   -!- DEVELOPMENTAL STAGE: EXPRESSED ALMOST UNIFORMLY IN EARLY EMBRYOS.
CC   -!- SIMILARITY: HIGH, WITH OTHER NOTCH-TYPE PROTEINS.
CC   -!- SIMILARITY: CONTAINS 36 EGF-LIKE DOMAINS.
CC   -!- SIMILARITY: CONTAINS 3 LIN/NOTCH REPEATS.
CC   -!- SIMILARITY: CONTAINS 6 ANK REPEATS.
DR   EMBL; M33874; G1364263; -.
DR   PIR; A35844; A35844.
DR   HSSP; P20693; 1ESL.
DR   PROSITE; PS00010; ASX_HYDROXYL; 23.
DR   PROSITE; PS00022; EGF_1; 34.
DR   PROSITE; PS01186; EGF_2; 29.
DR   PROSITE; PS01187; EGF_CA; 21.
KW   DIFFERENTIATION; NEUROGENESIS; REPEAT; ANK REPEAT; EGF-LIKE DOMAIN;
KW   TRANSMEMBRANE; SIGNAL; GLYCOPROTEIN.
FT   SIGNAL   1   19   POTENTIAL.
FT   CHAIN   20   2524   NEUROGENIC LOCUS NOTCH PROTEIN HOMOLOG.
FT   DOMAIN   20   1728   EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   1729   1750   POTENTIAL.
FT   DOMAIN   1751   2524   CYTOPLASMIC (POTENTIAL).
FT   DOMAIN   58   99   EGF-LIKE 1.
FT   DOMAIN   102   140   EGF-LIKE 2.
FT   DOMAIN   141   177   EGF-LIKE 3.
FT   DOMAIN   179   215   EGF-LIKE 4.
FT   DOMAIN   217   254   EGF-LIKE 5, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN   256   292   EGF-LIKE 7, CALCIUM-BINDING (POTENTIAL).

```
FT   DOMAIN       294    332       EGF-LIKE 8, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN       334    370       EGF-LIKE 9, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN       371    409       EGF-LIKE 10.
FT   DOMAIN       411    449       EGF-LIKE 11.
FT   DOMAIN       451    487       EGF-LIKE 12.
FT   DOMAIN       489    525       EGF-LIKE 13.
FT   DOMAIN       527    563       EGF-LIKE 14.
FT   DOMAIN       565    600       EGF-LIKE 15.
FT   DOMAIN       602    638       EGF-LIKE 16.
FT   DOMAIN       640    675       EGF-LIKE 17.
FT   DOMAIN       677    713       EGF-LIKE 18.
FT   DOMAIN       715    750       EGF-LIKE 19.
FT   DOMAIN       752    788       EGF-LIKE 20, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN       790    826       EGF-LIKE 21, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN       828    866       EGF-LIKE 22.
FT   DOMAIN       868    904       EGF-LIKE 23, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN       906    942       EGF-LIKE 24, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN       944    980       EGF-LIKE 25, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN       982   1018       EGF-LIKE 26.
FT   DOMAIN      1020   1056       EGF-LIKE 27, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN      1058   1094       EGF-LIKE 28.
FT   DOMAIN      1096   1142       EGF-LIKE 29.
FT   DOMAIN      1144   1180       EGF-LIKE 30, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN      1182   1218       EGF-LIKE 31, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN      1220   1264       EGF-LIKE 32, CALCIUM-BINDING (POTENTIAL).
FT   DOMAIN      1266   1304       EGF-LIKE 33.
FT   DOMAIN      1306   1346       EGF-LIKE 34.
FT   DOMAIN      1347   1383       EGF-LIKE 35.
FT   DOMAIN      1386   1424       EGF-LIKE 36.
FT   DOMAIN      1441   1560       3 X LIN/NOTCH REPEATS.
FT   REPEAT      1441   1478       LIN/NOTCH 1.
FT   REPEAT      1479   1520       LIN/NOTCH 2.
FT   REPEAT      1521   1560       LIN/NOTCH 3.
FT   DOMAIN      1871   2083       6 X ANK MOTIF REPEATS.
FT   DISULFID      22     35       BY SIMILARITY.
FT   DISULFID      29     45       BY SIMILARITY.
FT   DISULFID      47     56       BY SIMILARITY.
FT   DISULFID      62     74       BY SIMILARITY.
FT   DISULFID      68     87       BY SIMILARITY.
FT   DISULFID      89     98       BY SIMILARITY.
FT   DISULFID     106    117       BY SIMILARITY.
FT   DISULFID     111    128       BY SIMILARITY.
FT   DISULFID     130    139       BY SIMILARITY.
FT   DISULFID     145    156       BY SIMILARITY.
FT   DISULFID     150    165       BY SIMILARITY.
FT   DISULFID     167    176       BY SIMILARITY.
FT   DISULFID     183    194       BY SIMILARITY.
FT   DISULFID     188    203       BY SIMILARITY.
FT   DISULFID     205    214       BY SIMILARITY.
FT   DISULFID     221    232       BY SIMILARITY.
FT   DISULFID     226    242       BY SIMILARITY.
FT   DISULFID     244    253       BY SIMILARITY.
FT   DISULFID     260    271       BY SIMILARITY.
FT   DISULFID     265    280       BY SIMILARITY.
FT   DISULFID     282    291       BY SIMILARITY.
FT   DISULFID     298    311       BY SIMILARITY.
FT   DISULFID     305    320       BY SIMILARITY.
FT   DISULFID     322    331       BY SIMILARITY.
FT   DISULFID     338    349       BY SIMILARITY.
FT   DISULFID     343    358       BY SIMILARITY.
FT   DISULFID     360    369       BY SIMILARITY.
FT   DISULFID     375    386       BY SIMILARITY.
FT   DISULFID     380    397       BY SIMILARITY.
FT   DISULFID     399    408       BY SIMILARITY.
FT   DISULFID     415    428       BY SIMILARITY.
FT   DISULFID     422    437       BY SIMILARITY.
FT   DISULFID     439    448       BY SIMILARITY.
FT   DISULFID     455    466       BY SIMILARITY.
FT   DISULFID     460    475       BY SIMILARITY.
FT   DISULFID     477    486       BY SIMILARITY.
FT   DISULFID     493    504       BY SIMILARITY.
FT   DISULFID     498    513       BY SIMILARITY.
FT   DISULFID     515    524       BY SIMILARITY.

FT   DISULFID     531    542       BY SIMILARITY.
FT   DISULFID     536    551       BY SIMILARITY.
FT   DISULFID     553    562       BY SIMILARITY.
FT   DISULFID     569    579       BY SIMILARITY.
FT   DISULFID     574    588       BY SIMILARITY.
FT   DISULFID     590    599       BY SIMILARITY.
FT   DISULFID     606    617       BY SIMILARITY.
FT   DISULFID     611    626       BY SIMILARITY.
FT   DISULFID     628    637       BY SIMILARITY.
FT   DISULFID     644    654       BY SIMILARITY.
FT   DISULFID     649    663       BY SIMILARITY.
FT   DISULFID     665    674       BY SIMILARITY.
FT   DISULFID     681    692       BY SIMILARITY.
FT   DISULFID     686    701       BY SIMILARITY.
FT   DISULFID     703    712       BY SIMILARITY.
FT   DISULFID     719    729       BY SIMILARITY.
FT   DISULFID     724    738       BY SIMILARITY.
FT   DISULFID     740    749       BY SIMILARITY.
FT   DISULFID     756    767       BY SIMILARITY.
FT   DISULFID     761    776       BY SIMILARITY.
FT   DISULFID     778    787       BY SIMILARITY.
FT   DISULFID     794    805       BY SIMILARITY.
FT   DISULFID     799    814       BY SIMILARITY.
FT   DISULFID     816    825       BY SIMILARITY.
FT   DISULFID     832    843       BY SIMILARITY.
FT   DISULFID     837    854       BY SIMILARITY.
FT   DISULFID     856    865       BY SIMILARITY.
FT   DISULFID     872    883       BY SIMILARITY.
FT   DISULFID     877    892       BY SIMILARITY.
FT   DISULFID     894    903       BY SIMILARITY.
FT   DISULFID     910    921       BY SIMILARITY.
FT   DISULFID     915    930       BY SIMILARITY.
FT   DISULFID     932    941       BY SIMILARITY.
FT   DISULFID     986    997       BY SIMILARITY.
FT   DISULFID     991   1006       BY SIMILARITY.
FT   DISULFID    1008   1017       BY SIMILARITY.
FT   DISULFID    1024   1035       BY SIMILARITY.
FT   DISULFID    1029   1044       BY SIMILARITY.
FT   DISULFID    1046   1055       BY SIMILARITY.
FT   DISULFID    1062   1073       BY SIMILARITY.
FT   DISULFID    1067   1082       BY SIMILARITY.
FT   DISULFID    1084   1093       BY SIMILARITY.
FT   DISULFID    1100   1121       BY SIMILARITY.
FT   DISULFID    1115   1130       BY SIMILARITY.
FT   DISULFID    1132   1141       BY SIMILARITY.
FT   DISULFID    1148   1159       BY SIMILARITY.
FT   DISULFID    1153   1168       BY SIMILARITY.
FT   DISULFID    1170   1179       BY SIMILARITY.
FT   DISULFID    1186   1197       BY SIMILARITY.
FT   DISULFID    1191   1206       BY SIMILARITY.
FT   DISULFID    1208   1217       BY SIMILARITY.
FT   DISULFID    1224   1243       BY SIMILARITY.
FT   DISULFID    1237   1252       BY SIMILARITY.
FT   DISULFID    1254   1263       BY SIMILARITY.
FT   DISULFID    1270   1283       BY SIMILARITY.
FT   DISULFID    1275   1292       BY SIMILARITY.
FT   DISULFID    1294   1303       BY SIMILARITY.
FT   DISULFID    1310   1321       BY SIMILARITY.
FT   DISULFID    1315   1333       BY SIMILARITY.
FT   DISULFID    1335   1344       BY SIMILARITY.
FT   DISULFID    1351   1362       BY SIMILARITY.
FT   DISULFID    1356   1371       BY SIMILARITY.
FT   DISULFID    1373   1382       BY SIMILARITY.
FT   DISULFID    1390   1401       BY SIMILARITY.
FT   DISULFID    1395   1412       BY SIMILARITY.
FT   DISULFID    1414   1423       BY SIMILARITY.
FT   CARBOHYD     462    462       POTENTIAL.
FT   CARBOHYD     887    887       POTENTIAL.
FT   CARBOHYD     958    958       POTENTIAL.
FT   CARBOHYD    1178   1178       POTENTIAL.
FT   CARBOHYD    1487   1487       POTENTIAL.
FT   CARBOHYD    1508   1508       POTENTIAL.
FT   CARBOHYD    1584   1584       POTENTIAL.
```

```
SQ   SEQUENCE   2524 AA;   275123 MW;   E63584B1 CRC32;

Query Match
Best Local Similarity   59.5%;   Score 44;   DB 1;   Length 2524;
Matches   7;   Conservative   3;   Mismatches   3;   Indels   0;   Gaps   0;

Qy   3  CDSSECKSSPRCK 15
        |:|:|| :||| :||
Db 832  CAGSPCKNGGRCK 844
```

```
RESULT   8

ID   NTC1_MOUSE   STANDARD;   PRT;   2531 AA.
AC   Q01705;
DT   01-NOV-1995 (REL. 32, CREATED)
DT   01-FEB-1996 (REL. 33, LAST SEQUENCE UPDATE)
DT   15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE   NEUROGENIC LOCUS NOTCH HOMOLOG PROTEIN 1 PRECURSOR (MOTCH PROTEIN).
GN   NOTCH1 OR MOTCH.
OS   MUS MUSCULUS (MOUSE).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; RODENTIA.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=EMBRYO;
RX   MEDLINE; 93194170.
RA   FRANCO DEL AMO F., GENDRON-MAGUIRE M., SWIATEK P.J., JENKINS N.A.,
RA   COPELAND N.G., GRIDLEY T.;
RL   GENOMICS 15:259-264(1993).
RN   [2]
RP   SEQUENCE OF 1551-2170 FROM N.A.
RX   MEDLINE; 93048835.
RA   FRANCO DEL AMO F., SMITH D.E., SWIATEK P.J., GENDRON-MAGUIRE M.,
RA   GREENSPAN R.J., MCMAHON A.P., GRIDLEY T.;
RL   DEVELOPMENT 115:737-744(1992).
CC   -!- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN.
CC   -!- DEVELOPMENTAL STAGE: EXPRESSED ALMOST UNIFORMLY IN EARLY EMBRYOS.
CC   -!- SIMILARITY: CONTAINS 36 EGF-LIKE DOMAINS.
CC   -!- SIMILARITY: CONTAINS 3 LIN/NOTCH REPEATS.
CC   -!- SIMILARITY: CONTAINS 6 ANK REPEATS.
CC   -!- SIMILARITY: HIGH, WITH OTHER NOTCH-TYPE PROTEINS.
DR   EMBL; Z11886; G288503; -.
MGD; MGI:97363; NOTCH1.
DR   PROSITE; PS00010; ASX_HYDROXYL; 22.
DR   PROSITE; PS00022; EGF_1; 34.
DR   PROSITE; PS01186; EGF_2; 27.
DR   PROSITE; PS01187; EGF_CA; 21.
KW   DIFFERENTIATION; NEUROGENESIS; REPEAT; ANK REPEAT; EGF-LIKE DOMAIN;
KW   TRANSMEMBRANE; SIGNAL; GLYCOPROTEIN.
FT   SIGNAL        1     18
FT   CHAIN        19   2531       POTENTIAL.
FT   DOMAIN       19   1725       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   1726   1746       POTENTIAL.
FT   DOMAIN     1747   2531       CYTOPLASMIC (POTENTIAL).
FT   DOMAIN       24   1425       36 X EGF-TYPE REPEATS.
FT   DOMAIN     1449   1462       CYS-RICH.
FT   DOMAIN     1445   1562       3 X LIN/NOTCH REPEATS.
FT   REPEAT     1445   1480       LIN/NOTCH 1.
FT   REPEAT     1481   1522       LIN/NOTCH 2.
FT   REPEAT     1523   1562       LIN/NOTCH 3.
FT   DOMAIN     1865   2075       6 X ANK MOTIF REPEATS.
FT   REPEAT     1865   1910       ANK MOTIF 1.
FT   REPEAT     1912   1942       ANK MOTIF 2.
FT   REPEAT     1944   1975       ANK MOTIF 3.
FT   REPEAT     1978   2009       ANK MOTIF 4.
FT   REPEAT     2011   2042       ANK MOTIF 5.
FT   REPEAT     2044   2075       ANK MOTIF 6.
FT   CARBOHYD    888    888       POTENTIAL.
FT   CARBOHYD    959    959       POTENTIAL.
FT   CARBOHYD   1179   1179       POTENTIAL.
FT   CARBOHYD   1241   1241       POTENTIAL.
FT   CARBOHYD   1489   1489       POTENTIAL.
FT   CARBOHYD   1587   1587       POTENTIAL.
SQ   SEQUENCE   2531 AA;   271312 MW;   AD71189B CRC32;

Qy   3  CDSSECKSSPRCK 14
        |:|:|| :||: ||
Db 1063 CDSAPCKNGGRCK 1074
```

```
Query Match
Best Local Similarity   59.5%;   Score 44;   DB 1;   Length 2531;
Matches   7;   Conservative   3;   Mismatches   3;   Indels   0;   Gaps   0;
```

```
RESULT   9

ID   MT3_MALDO   STANDARD;   PRT;   66 AA.
AC   O24059;
DT   15-JUL-1998 (REL. 36, CREATED)
DT   15-JUL-1998 (REL. 36, LAST SEQUENCE UPDATE)
DT   15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE   METALLOTHIONEIN-LIKE PROTEIN TYPE 3.
GN   MT2.
OS   MALUS DOMESTICA (APPLE) (MALUS SYLVESTRIS).
OC   EUKARYOTA; PLANTA; EMBRYOPHYTA; ANGIOSPERMAE; DICOTYLEDONEAE; ROSALES;
OC   ROSACEAE.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   REID S.J., ROSS G.S.;
RL   PHYSIOL. PLANTARUM 100:183-189(1997).
CC   -!- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC       RESIDUES THAT BIND VARIOUS HEAVY METALS.
CC   -!- SIMILARITY: BELONGS TO FAMILY 15 IN METALLOTHIONEIN SUPERFAMILY.
DR   EMBL; U61974; G1655853; -.
KW   METAL-BINDING; METAL-THIOLATE CLUSTER; CHELATION.
SQ   SEQUENCE   66 AA;   6930 MW;   C90D66EC CRC32;

Qy   3  CDSSECKSSPRC 14
        |:|:|| :| :|
Db 5    CDNCDCADSTQC 16
```

```
Query Match
Best Local Similarity   48.6%;   Score 36;   DB 1;   Length 66;
Matches   5;   Conservative   3;   Mismatches   4;   Indels   0;   Gaps   0;
```

```
RESULT   10

ID   YLM1_CAEEL   STANDARD;   PRT;   111 AA.
AC   P34375;
DT   01-FEB-1994 (REL. 28, CREATED)
DT   01-FEB-1994 (REL. 28, LAST SEQUENCE UPDATE)
DT   01-JUN-1994 (REL. 29, LAST ANNOTATION UPDATE)
DE   HYPOTHETICAL 12.0 KD PROTEIN D2007.1 IN CHROMOSOME III.
GN   D2007.1.
OS   CAENORHABDITIS ELEGANS.
OC   EUKARYOTA; METAZOA; ACOELOMATES; NEMATODA; SECERNENTEA; RHABDITIDA.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BRISTOL N2;
RX   MEDLINE; 94150718.
RA   WILSON R., AINSCOUGH R., ANDERSON K., BAYNES C., BERKS M.,
RA   BONFIELD J., BURTON J., CONNELL M., COPSEY T., COOPER J., COULSON A.,
RA   CRAXTON M., DEAR S., DU Z., DURBIN R., FAVELLO A., FRASER A.,
RA   FULTON L., GARDNER A., GREEN P., HAWKINS T., HILLIER L., JIER M.,
RA   JOHNSTON L., JONES M., KERSHAW J., KIRSTEN J., LAISSTER N.,
RA   LATREILLE P., LIGHTNING J., LLOYD C., MORTIMORE B., O'CALLAGHAN M.,
RA   PARSONS J., PERCY C., RIFKEN L., ROOPRA A., SAUNDERS D., SHOWNKEEN R.,
RA   SIMS M., SMALDON N., SMITH A., SMITH M., SONNHAMMER E., STADEN R.,
RA   SULSTON J., THIERRY-MIEG J., THOMAS K., VAUDIN M., VAUGHAN K.,
RA   WATERSON R., WATSON A., WEINSTOCK L., WILKINSON-SPROAT J.,
```

Left column

```
RA   WOHLDMAN P.;
RL   NATURE 368:32-38(1994).
DR   EMBL; L16560; G2896668; -.
DR   PIR; S4487; S44787.
DR   WORMPEP; D2007.1; CE00126.
KW   HYPOTHETICAL PROTEIN;
SQ   SEQUENCE 111 AA; 12037 MW; 4213E9D9 CRC32;

Qy   1   QHCDSSECKSSPRCK   15
         ::: ||::::: ::
Db  91   DQCGNACCKTSEQCR  105

Query Match
Best Local Similarity   50.0%;        Score 37; DB 1; Length 111;
Matches   5; Conservative   7; Mismatches   3; Indels   0; Gaps   0;
```

RESULT 11

```
ID   MT_POTPO                STANDARD;      PRT;    58 AA.
AC   P55592;
DT   01-NOV-1997 (REL. 35, CREATED)
DT   01-NOV-1997 (REL. 35, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   METALLOTHIONEIN (MT).
OS   POTAMON POTAMIOS.
OC   EUKARYOTA; METAZOA; ARTHROPODA; CRUSTACEA; NOT YET CLASSIFIED.
RN   [1]
RP   SEQUENCE.
RC   TISSUE=MIDGUT;
RX   MEDLINE; 97079279.
RA   PEDERSEN S.N., PEDERSEN K.L., HOEJRUP P., DEPLEDGE M.H., KNUDSEN J.;
RL   BIOCHEM. J. 319:999-1003(1996).
CC   -!- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC       RESIDUES THAT BIND VARIOUS HEAVY METALS. CLASS I MTS IN CRUSTACEA
CC       ARE INVOLVED IN THE SEQUESTRATION OF ELEVATED LEVELS OF HEAVY-
CC       METAL IONS.
CC   -!- INDUCTION: BY CADMIUM.
CC   -!- MASS SPECTROMETRY: MW=6156.8; METHOD=MALDI.
CC   -!- SIMILARITY: BELONGS TO FAMILY 3 IN METALLOTHIONEIN SUPERFAMILY.
KW   METAL-BINDING; METAL-THIOLATE CLUSTER; CHELATION; CADMIUM.
FT   DOMAIN       1     29       BETA.
FT   DOMAIN      30     58       ALPHA.
FT   METAL        4      4       CLUSTER B.
FT   METAL        5      5       CLUSTER B.
FT   METAL       10     10       CLUSTER B.
FT   METAL       12     12       CLUSTER B.
FT   METAL       17     17       CLUSTER B.
FT   METAL       21     21       CLUSTER B.
FT   METAL       23     23       CLUSTER B.
FT   METAL       26     26       CLUSTER A.
FT   METAL       28     28       CLUSTER A.
FT   METAL       31     31       CLUSTER A.
FT   METAL       34     34       CLUSTER A.
FT   METAL       38     38       CLUSTER A.
FT   METAL       46     46       CLUSTER A.
FT   METAL       50     50       CLUSTER A.
FT   METAL       54     54       CLUSTER A.
FT   METAL       56     56       CLUSTER A.
FT   METAL       57     57       CLUSTER A.
SQ   SEQUENCE 58 AA; 6157 MW; D5F0EED1 CRC32;

Query Match
Best Local Similarity   47.3%;        Score 35; DB 1; Length 58;
Matches   4; Conservative   5; Mismatches   3; Indels   0; Gaps   0;
Pred. No. 23;

Qy   3   CDSSECKSSPRC   14
         |:: ||:::||
Db  12   CEEGCKAGCKC    23
```

Right column

RESULT 12

```
ID   B3AR_MOUSE              STANDARD;      PRT;   400 AA.
AC   P25962;
DT   01-MAY-1992 (REL. 22, CREATED)
DT   01-FEB-1994 (REL. 28, LAST SEQUENCE UPDATE)
DT   15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE   BETA-3 ADRENERGIC RECEPTOR.
GN   ADRB3 OR ADRB3R.
OS   MUS MUSCULUS (MOUSE).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; RODENTIA.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=SWISS;
RX   MEDLINE; 92037534.
RA   NAHMIAS C., BLIN N., ELALOUF J.M., MATTEI M.-G., STROSBERG A.D.,
RA   EMORINE L.J.;
RL   EMBO J. 10:3721-3727(1991).
RN   [2]
RP   REVISIONS, SEQUENCE FROM N.A.
RX   MEDLINE; 93279311.
RA   VAN SPRONSEN A., NAHMIAS C., KRIEF S., BRIEND-SUTREN M.-M.,
RA   STROSBERG A.D., EMORINE L.J.;
RL   EUR. J. BIOCHEM. 213:1117-1124(1993).
RN   [3]
RP   SEQUENCE OF 378-400 FROM N.A.
RC   TISSUE=ADIPOSE TISSUE;
RX   MEDLINE; 93125503
RA   GRANNEMAN J.G., LAHNERS K.N., RAO D.D.;
RL   MOL. PHARMACOL. 42:964-970(1992).
CC   -!- FUNCTION: BETA-ADRENERGIC RECEPTORS MEDIATE THE CATECHOLAMINE-
CC       INDUCED ACTIVATION OF ADENYLATE CYCLASE THROUGH THE ACTION OF G
CC       PROTEINS. BETA-3 IS INVOLVED IN THE REGULATION OF LIPOLYSIS AND
CC       THERMOGENESIS.
CC   -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN.
CC   -!- TISSUE SPECIFICITY: WHITE AND BROWN ADIPOSE TISSUES.
CC   -!- SIMILARITY: BELONGS TO FAMILY 1 OF G-PROTEIN COUPLED RECEPTORS.
DR   EMBL; X72862; G298113; -.
DR   EMBL; X60438; G50110; -.
DR   EMBL; S53290; G263087; -.
DR   PIR; S18548; S18548.
DR   PIR; S32804; S32804.
DR   GCRDB; GCR_0253; -.
DR   GCRDB; GCR_0551; -.
DR   GCRDB; GCR_0708; -.
DR   MGD; MGI:87939; ADRB3.
DR   PROSITE; PS00237; G_PROTEIN_RECEPTOR; 1.
KW   G-PROTEIN COUPLED RECEPTOR; TRANSMEMBRANE; GLYCOPROTEIN;
KW   MULTIGENE FAMILY; PHOSPHORYLATION; LIPOPROTEIN; PALMITATE.
FT   DOMAIN       1     36       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM    37     60       1 (POTENTIAL).
FT   DOMAIN      61     69       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM    70     88       2 (POTENTIAL).
FT   DOMAIN      89    108       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   109    130       3 (POTENTIAL).
FT   DOMAIN     131    152       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   153    175       4 (POTENTIAL).
FT   DOMAIN     176    200       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   201    222       5 (POTENTIAL).
FT   DOMAIN     223    289       CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM   290    311       6 (POTENTIAL).
FT   DOMAIN     312    323       EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM   324    344       7 (POTENTIAL).
FT   DOMAIN     345    400       CYTOPLASMIC (POTENTIAL).
FT   CARBOHYD     8      8       POTENTIAL.
FT   CARBOHYD    26     26       POTENTIAL.
FT   DISULFID   107    186       BY SIMILARITY.
FT   LIPID      358    358       PALMITATE (BY SIMILARITY).
SQ   SEQUENCE 400 AA; 43006 MW; 474A96AC CRC32;
```

RESULT 13

```
Qy      4 DSSECKSSPRC 14
          |||:||:||||
Db    182 EAQECHSNPRC 192
```

Query Match   52.7%;
Best Local Similarity 54.5%;   Score 39; Pred. No. 24; DB 1; Length 400;
Matches   6; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

```
ID   B3AR_RAT    STANDARD;      PRT;    400 AA.
AC   P26255;
DT   01-MAY-1992 (REL. 22, CREATED)
DT   01-JUN-1994 (REL. 29, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   BETA-3 ADRENERGIC RECEPTOR.
GN   ADRB3 OR ADRB3R.
OS   RATTUS NORVEGICUS (RAT).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; RODENTIA.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 92084710.
RA   MUZZIN P., REVELLI J.-P., KUHNE F., GOCAYNE J.D., MCCOMBIE W.R.,
RA   VENTER J.C., GIACOBINO J.-P., FRASER C.M.;
RL   J. BIOL. CHEM. 266:24053-24058(1991).
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 92100057.
RA   GRANNEMAN J.G., LAHNERS K.N., CHAUDHRY A.;
RL   MOL. PHARMACOL. 40:895-899(1991).
RN   [3]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 93178631.
RA   BENSAID M., KAGHAD M., RODRIGUEZ M., LE FUR G., CAPUT D.;
RL   FEBS LETT. 318:223-226(1993).
CC   -!- FUNCTION: BETA-ADRENERGIC RECEPTORS MEDIATE THE CATECHOLAMINE-
CC       INDUCED ACTIVATION OF ADENYLATE CYCLASE THROUGH THE ACTION OF G
CC       PROTEINS. BETA-3 IS INVOLVED IN THE REGULATION OF LIPOLYSIS AND
CC       THERMOGENESIS.
CC   -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN.
CC   -!- TISSUE SPECIFICITY: WHITE AND BROWN ADIPOSE TISSUES.
CC   -!- SIMILARITY: BELONGS TO FAMILY 1 OF G-PROTEIN COUPLED RECEPTORS.
DR   EMBL; M74716; G202765; -.
DR   EMBL; S73473; G241216; -.
DR   EMBL; S56481; G298307; -.
DR   EMBL; S56152; G298309; -.
DR   PIR; A41679; A41679.
DR   PIR; S29808; S29808.
DR   PIR; A53281; A53281.
DR   GCRDB; GCR_0287; -.
DR   GCRDB; GCR_0622; -.
DR   GCRDB; GCR_0732; -.
DR   PROSITE; PS00237; G_PROTEIN_RECEPTOR; 1.
KW   G-PROTEIN COUPLED RECEPTOR; TRANSMEMBRANE; GLYCOPROTEIN;
KW   MULTIGENE FAMILY; PHOSPHORYLATION; LIPOPROTEIN; PALMITATE.
FT   DOMAIN          1     36    EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM       37     60    1 (POTENTIAL).
FT   DOMAIN         61     69    CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM       70     88    2 (POTENTIAL).
FT   DOMAIN         89    108    EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM      109    130    3 (POTENTIAL).
FT   DOMAIN        131    152    CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      153    175    4 (POTENTIAL).
FT   DOMAIN        176    200    EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM      201    222    5 (POTENTIAL).
FT   DOMAIN        223    289    CYTOPLASMIC (POTENTIAL).
FT   TRANSMEM      290    311    6 (POTENTIAL).
FT   DOMAIN        312    323    EXTRACELLULAR (POTENTIAL).
FT   TRANSMEM      324    344    7 (POTENTIAL).
FT   DOMAIN        345    400    CYTOPLASMIC (POTENTIAL).
FT   CARBOHYD        8      8    POTENTIAL.
FT   CARBOHYD       26     26    POTENTIAL.
FT   DISULFID      107    186    BY SIMILARITY.
FT   LIPID         358    358    PALMITATE (BY SIMILARITY).
FT   CONFLICT      234    235    LL -> FV (IN REF. 1).
FT   SEQUENCE 400 AA; 43146 MW; 963B8842 CRC32;
```

```
Qy      4 DSSECKSSPRC 14
          |||:||:||||
Db    182 EAQECHSNPRC 192
```

Query Match   52.7%;
Best Local Similarity 54.5%;   Score 39; Pred. No. 24; DB 1; Length 410;
Matches   6; Conservative 3; Mismatches 2; Indels 0; Gaps 0;

RESULT 14

```
ID   TRA8_PSESH   STANDARD;      PRT;    410 AA.
AC   P24607;
DT   01-MAR-1992 (REL. 21, CREATED)
DT   01-MAR-1992 (REL. 21, LAST SEQUENCE UPDATE)
DT   01-JUN-1994 (REL. 29, LAST ANNOTATION UPDATE)
DE   TRANSPOSASE FOR INSERTION SEQUENCE ELEMENT IS801.
OS   PSEUDOMONAS SYRINGAE (PV. PHASEOLICOLA).
OC   PROKARYOTA; GRACILICUTES; SCOTOBACTERIA; AEROBIC RODS AND COCCI;
OC   PSEUDOMONADACEAE.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=LR781;
RX   MEDLINE; 91260445.
RA   ROMANTSCHUK M., RICHTER G.Y., MUKHOPADHYAY P., MILLS D.;
RL   MOL. MICROBIOL. 5:617-622(1991).
CC   -!- FUNCTION: INVOLVED IN THE TRANSPOSITION OF THE INSERTION
CC       SEQUENCE.
CC   -!- CAUTION: IT IS UNCERTAIN WHETHER MET-1 OR VAL-100 IS THE
CC       INITIATOR.
DR   EMBL; X57269; G45831; -.
DR   PIR; S15163; S15163.
KW   TRANSPOSABLE ELEMENT; TRANSPOSITION; DNA-BINDING; DNA RECOMBINATION.
SQ   SEQUENCE 410 AA; 46980 MW; B02CD432 CRC32;
```

```
Qy      3 CDSSECKSSPRC 14
          ||:|:||||
Db     78 CNTCHCRACPSC 89
```

Query Match   52.7%;
Best Local Similarity 33.3%;   Score 39; Pred. No. 24; DB 1; Length 80;
Matches   4; Conservative 4; Mismatches 4; Indels 0; Gaps 0;

RESULT 15

```
ID   MT1_COFAR    STANDARD;      PRT;    80 AA.
AC   P43396;
DT   01-NOV-1995 (REL. 32, CREATED)
DT   01-NOV-1995 (REL. 32, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   METALLOTHIONEIN-LIKE PROTEIN 1.
GN   METAL1.
OS   COFFEA ARABICA (COFFEE).
OC   EUKARYOTA; PLANTA; EMBRYOPHYTA; ANGIOSPERMAE; DICOTYLEDONEAE;
OC   GENTIANALES; RUBIACEAE.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=CV. GUATEMALAN; TISSUE=LEAF;
RA   MOISYADI S., STILES J.I.;
RL   SUBMITTED (JUN-1994) TO EMBL/GENBANK/DDBJ DATA BANKS.
CC   -!- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC       RESIDUES THAT BIND VARIOUS HEAVY METALS.
CC   -!- SIMILARITY: BELONGS TO FAMILY 15 IN METALLOTHIONEIN SUPERFAMILY.
DR   EMBL; U11423; G508296; -.
```

KW   METAL-BINDING; METAL-THIOLATE CLUSTER; CHELATION.
SQ   SEQUENCE   80 AA;   7914 MW;   BB8060AE CRC32;

     Query Match   47.3%;   Score 35;   DB 1;   Length 80;
     Best Local Similarity   41.7%;   Pred. No. 28;
     Matches   5;   Conservative   4;   Mismatches   3;   Indels   0;   Gaps   0;

Qy   4   DSSECKSSPRCK 15
             ::: || :|| ||
Db   62   ENGGCKCGPDCK 73

Search completed: May 3, 1999, 16:05:43
Job time: 4002 sec

OM protein - protein search, using sw model

Copyright (c) 1993 - 1998 Compugen Ltd.

GenCore version 4.5

Run On: May 3, 1999, 17:54:22 ; Search time 47.06 Seconds
                                          (without alignments)
                                          17.585 Million cell updates/sec

Title:
Perfect score: 74
Sequence: 1 QHCDSSECKSSPRCK 15

Scoring table: PAM150

Searched: 180763 seqs, 55169189 residues

Database :   SPTREMBL_8:*

                  1: sp_fungi:*
                  2: sp_human:*   Q15330
                  3: sp_invertebrate:*   P97682
                  4: sp_mammal:*   052156
                  5: sp_mhc:*   057462
                  6: sp_organelle:*   065885
                  7: sp_phage:*   048772
                  8: sp_plant:*   024774
                  9: sp_bacteria:*   070432
                 10: sp_rodent:*   052067
                 11: sp_virus:*   025464
                 12: sp_vertebrate:*   016609
                 13: sp_unclassified:*   092070
                 14: sp_archea:*   043722

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	74	100.0	184	2	Q15330	Q15330 homo sapien
2	59	79.7	184	10	P97682	P97682 rattus norv
3	42	56.8	157	9	052156	052156 pseudomonas
4	45	60.8	802	12	057462	057462 brachydanio
5	38	51.4	63	8	065885	rubus idaeu
6	42	56.8	453	8	048772	arabidopsis
7	40	54.1	251	8	024774	arabidopsis
8	39	52.7	167	10	070432	enchytraeus
9	38	51.4	112	9	052067	meriones un
10	41	55.4	112	9	025464	enterobacte
11	41	55.4	473	2	016609	mytilus gal
12	38	51.4	132	2	092070	homo sapien
13	43	58.1	772	12	042347	gallus gall
14	39	52.7	1212	12	040630	gallus gall
15	41	55.4	218	8	018190	oryza sativ
16	36	48.6	547	3	023938	caenorhabd1
17	39	52.7	63	8	004364	fragaria ve
18	36	48.6	238	8	038254	oryza satil
19	36	48.6	67	7	076953	bacteriopha
20	36	48.6	73	3	025163	lumbricus c
21	36	48.6	77	3	076956	haemadipsa
22	33.5	45.3	79	3	PG25	lumbricus r
23	37.5	50.7	27	9	081530	mesembryant
24	38	51.4	200	9	056898	yersinia en
25	37	50.0	250	8	043612	pennisetum
26	38	51.4	168	3	016895	caenorhabd1
27	39	52.7	280	8	024508	bambusa gla
28	35	47.3	452	2	060295	homo sapien
29	38	51.4	296	8	026799	methanobact
30	38	51.4	296	8	043805	pennisetum
31	38	51.4	296	8	043806	pennisetum
32	38	51.4	296	8	043807	pennisetum
33	38	51.4	298	8	043808	pennisetum
34	38	51.4	301	3	076917	drosophila
35	38	51.4	304	1	Q00867	fusarium so
36	38	51.4	319	12	Q91376	xenopus lae
37	35	47.3	89	3	045563	caenorhabd1
38	38	51.4	343	12	090844	gallus gall
39	38	51.4	378	3	024438	drosophila
40	34.5	46.6	379	8	041766	zea mays (m
41	34	45.9	83	10	076957	lumbricus t
42	34	45.9	71	3	070553	mus musculu
43	38	51.4	434	10	055139	mus musculu
44	39	52.7	683	10	008883	mus musculu
45	34	45.9	77	3	076955	lumbricus r

ALIGNMENTS

RESULT   1
Q15330

ID   Q15330;   PRELIMINARY;   PRT;   184 AA.
AC   Q15330;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   ESM-1 SECRETORY PROTEIN PRECURSOR.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC   CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 96355375.
RA   LASSALLE P.M., MOLET S., JANIN A., VANDER-HEYDEN J.E., TAVERNIER J.,
RA   FIERS W., DEVOS R.E., TONNEL A.E.B.;
RT   "ESM-1 is a novel human endothelial cell-specific molecule expressed
RT   in lung and regulated by cytokines.";
RL   J. BIOL. CHEM. 271:20458-20464(1996).
DR   EMBL; X89426; E189266; -.
PFAM; PF00219; IGFBP; 1.
KW   SIGNAL.
FT   SIGNAL.   1   19
FT   CHAIN   20   184
SQ   SEQUENCE   184 AA;   20095 MW;   08D109DF CRC32;

Query Match   100.0%;   Score 74;   DB 2;   Length 184;
Best Local Similarity   100.0%;   Pred. No. 0.0001;
Matches   15;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

Qy   1 QHCDSSECKSSPRCK 15
               |||||||||||||||
Db   30 QHCDSSECKSSPRCK 44

RESULT   2
P97682

ID   P97682;   PRELIMINARY;   PRT;   184 AA.
AC   P97682;
DT   01-MAY-1997 (TREMBLREL. 03, CREATED)
DT   01-MAY-1997 (TREMBLREL. 03, LAST SEQUENCE UPDATE)
DT   01-MAY-1997 (TREMBLREL. 03, LAST ANNOTATION UPDATE)
OS   RATTUS NORVEGICUS (RAT).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; RODENTIA;
OC   SCIUROGNATHI; MURIDAE; MURINAE; RATTUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=SPRAGUE DAWLEY; TISSUE=PINEAL GLAND;
RA   WANG X., BROWNSTEIN M.J., YOUNG W.S.;
RL   SUBMITTED (DEC-1996) TO EMBL/GENBANK/DDBJ DATA BANKS.

```
DR   EMBL; U80818; G1750198; -.
SQ   SEQUENCE   184 AA;  20075 MW;  3457564C CRC32;

Qy            1 QHCDSSECKSSPPRCK 15
                 :||::||:|| |||
Db           30 EHCDNTECRSSLRCK 44


RESULT 3
ID   Q52156
AC   Q52156;                            PRELIMINARY;      PRT;   157 AA.
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1998 (TREMBLREL. 08, LAST SEQUENCE UPDATE)
DE   SIDEROPHORE REGULATORY GENE PFRA.
GN   PFRA.
OS   PSEUDOMONAS PUTIDA.
OC   BACTERIA; PROTEOBACTERIA; GAMMA SUBDIVISION; PSEUDOMONAS GROUP;
OC   PSEUDOMONAS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=WCS398;
RX   MEDLINE; 95058183.
RA   VENTURI V., OTTEVANGER C., LEONG J., WEISBEEK P.J.;
RT   "Identification and characterization of a siderophore regulatory gene
RT   (pfrA) of Pseudomonas putida WCS358: homology to the alginate
RT   regulatory gene algQ of Pseudomonas aeruginosa.";
RL   MOL. MICROBIOL. 10:63-73(1993).
RN   [2]
RP   SEQUENCE FROM N.A.
RA   VENTURI V.;
RC   STRAIN=WCS398;
RL   SUBMITTED (FEB-1994) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; X75771; G455422; -.
SQ   SEQUENCE   157 AA;  18015 MW;  025EDF95 CRC32;

Query Match             56.8%;  Score 42;  DB 9;  Length 157;
Best Local Similarity   46.2%;
Matches   6;  Conservative   4;  Mismatches   3;  Indels   0;  Gaps   0;

Qy            1 QHCDSSECKSSPPRCK 15
                 ::|::|:|||  |
Db          107 DHCEKGECKDPER 119
```

```
RESULT 4
ID   O57462
AC   O57462;                            PRELIMINARY;      PRT;   802 AA.
DT   01-JUN-1998 (TREMBLREL. 06, CREATED)
DT   01-JUN-1998 (TREMBLREL. 06, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   DELTAA.
GN   DELTAA.
OS   BRACHYDANIO RERIO (ZEBRAFISH) (ZEBRA DANIO).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; ACTINOPTERYGII;
OC   TELEOSTEI; EUTELEOSTEI; OSTARIOPHYSI; CYPRINIFORMES; NEOPTERYGII;
OC   CYPRINIDAE; RASBORINAE; DANIO.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 98165392.
RA   APPEL B., EISEN J.S.;
RT   "Regulation of neuronal specification in the zebrafish spinal cord by
RT   Delta function.";
RL   DEVELOPMENT 125:371-380(1998).
DR   EMBL; AF030031; G2809389; -.


RESULT 5
ID   O65885
AC   O65885;                            PRELIMINARY;      PRT;    63 AA.
DT   01-AUG-1998 (TREMBLREL. 07, CREATED)
DT   01-AUG-1998 (TREMBLREL. 07, LAST SEQUENCE UPDATE)
DT   01-AUG-1998 (TREMBLREL. 07, LAST ANNOTATION UPDATE)
DE   METALLOTHIONEIN-LIKE PROTEIN.
GN   RAS2.
OS   RUBUS IDAEUS.
OC   EUKARYOTA; VIRIDIPLANTAE; CHAROPHYTA/EMBRYOPHYTA GROUP; EMBRYOPHYTA;
OC   TRACHEOPHYTA; EUPHYLLOPHYTES; SPERMATOPHYTA; MAGNOLIOPHYTA;
OC   EUDICOTYLEDONS; ROSIDAE; ROSALES; ROSACEAE; RUBUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=CV. GLEN CLOVA; TISSUE=FRUIT;
RA   JONES C.S., DAVIES H.V., MCNICOL R.J., TAYLOR M.A.;
RL   SUBMITTED (FEB-1998) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; AJ224146; E1294427; -.
SQ   SEQUENCE    63 AA;   6562 MW;  F32B1F6B CRC32;

Query Match             51.4%;  Score 38;  DB 8;  Length 63;
Best Local Similarity   41.7%;
Matches   5;  Conservative   4;  Mismatches   3;  Indels   0;  Gaps   0;

Qy            3 CDSSECKSSPRC 14
                |  ::| ::|
Db            5 CDSCDCSDASQC 16
```

```
DR   PROSITE; PS01186; EGF_2; 8.
KW   GLYCOPROTEIN.
SQ   SEQUENCE   802 AA;  88941 MW;  42F041BD CRC32;

Query Match             60.8%;  Score 45;  DB 12;  Length 802;
Best Local Similarity   50.0%;
Matches   7;  Conservative   4;  Mismatches   3;  Indels   0;  Gaps   0;

Qy            1 QHCDSSECKSSPR 14
                 ||| | | ::||
Db          447 DHCSSSPCSNGARC 460


RESULT 6
ID   O48772
AC   O48772;                            PRELIMINARY;      PRT;   453 AA.
DT   01-JUN-1998 (TREMBLREL. 06, CREATED)
DT   01-JUN-1998 (TREMBLREL. 06, LAST SEQUENCE UPDATE)
DT   01-AUG-1998 (TREMBLREL. 07, LAST ANNOTATION UPDATE)
DE   HYPOTHETICAL PROTEIN.
GN   T21L14.13.
OS   ARABIDOPSIS THALIANA (MOUSE-EAR CRESS).
OC   EUKARYOTA; VIRIDIPLANTAE; CHAROPHYTA/EMBRYOPHYTA GROUP; EMBRYOPHYTA;
OC   TRACHEOPHYTA; EUPHYLLOPHYTES; SPERMATOPHYTA; MAGNOLIOPHYTA;
OC   EUDICOTYLEDONS; ROSIDAE; EUROSIDS II; CAPPARALES; BRASSICACEAE; ARABIDOPSIS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=CV. COLUMBIA;
RA   ROUNSLEY S.D., LIN X., KETCHUM K.A., CROSBY M.L., BRANDON R.C.,
RA   SYKES S.M., KAUL S., MASON T.M., KERLAVAGE A.R., ADAMS M.D.,
RA   SOMERVILLE C.R., VENTER J.C.;
RL   SUBMITTED (DEC-1997) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; AC003033; G2702272; -.
SQ   SEQUENCE   453 AA;  49747 MW;  C339A73A CRC32;

Query Match             56.8%;  Score 42;  DB 8;  Length 453;
Best Local Similarity   46.2%;
Matches   6;  Conservative   4;  Mismatches   4;  Indels   0;  Gaps   0;
```

Qy   3 CDSSECKSSPRCK 15
          |:::||:|:||:|||
Db   94 CETGACKYGPTCK 106

RESULT 7

ID   Q24774   PRELIMINARY;   PRT;   251 AA.
AC   Q24774;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   CYSTEINE-RICH-PROTEIN.
GN   CRP.
OS   ENCHYTRAEUS BUCHHOLZI.
OC   EUKARYOTA; METAZOA; ANNELIDA; CLITELLATA; OLIGOCHAETA; HAPLOTAXIDA;
OC   TUBIFICINA; ENCHYTRAEIDAE; ENCHYTRAEUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 95014230.
RA   WILLUHN J., SCHMITT-WREDE H.P., GREVEN H., WUNDERLICH F.;
RT   "cDNA cloning of a cadmium-inducible mRNA encoding a novel
RT   cysteine-rich, non-metallothionein 25-kda protein in an enchytraeid
RT   earthworm.";
RL   J. BIOL. CHEM. 269:24688-24691(1994).
DR   EMBL; X79344; G488803; -.
SQ   SEQUENCE   251 AA; 25000 MW; 8574D8E0 CRC32;

Qy   3 CDSSECKSSPRCK 15
          |||:||| :|| :|
Db   223 CDNVNCKCGSSCR 235

RESULT 8

ID   O70432   PRELIMINARY;   PRT;   167 AA.
AC   O70432;
DT   01-AUG-1998 (TREMBLREL. 07, CREATED)
DT   01-AUG-1998 (TREMBLREL. 07, LAST SEQUENCE UPDATE)
DT   01-AUG-1998 (TREMBLREL. 07, LAST ANNOTATION UPDATE)
DE   BETA-3-ADRENERGIC RECEPTOR (FRAGMENT)
OS   MERIONES UNGUICULATUS (MONGOLIAN JIRD).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; RODENTIA;
OC   SCIUROGNATHI; MURIDAE; GERBILLINAE; MERIONES.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=FAT;
RA   WANGEMANN P., LIU J., SHIMOZONO M., SCOFIELD M.A.;
RL   SUBMITTED (MAR-1998) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; AF055351; G3025850; -.
FT   NON_TER   1   1
FT   NON_TER   167   167
SQ   SEQUENCE   167 AA; 18324 MW; B187BF5E CRC32;

Query Match   52.78%; Score 39; DB 10; Length 167;
Best Local Similarity   54.5%;   Pred. No. 22;
Matches   6; Conservative   3; Mismatches   2; Indels   0; Gaps   0;

Qy   4 DSSECKSSPRC 14
          ||: ||| | ||
Db   7 EAQECHSNPRC 17

RESULT 9

ID   O52067   PRELIMINARY;   PRT;   112 AA.
AC   O52067;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-JAN-1998 (TREMBLREL. 05, LAST ANNOTATION UPDATE)
DE   PLASMID PEA3 NITROGEN FIXATION GENES.
GN   NIFI.
OS   ENTEROBACTER AGGLOMERANS.
OG   PLASMID PEA3.
OC   BACTERIA; PROTEOBACTERIA; GAMMA SUBDIVISION; ENTEROBACTERIACEAE;
OC   ENTEROBACTER.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   KREUTZER R., STEIBL H.D., DAYANANDA S., DIPPE R., HALDA L., BUCK M.,
RA   KLINGMUELLER W.;
RL   (IN) NITROGEN FIXATION, POLSINELLI M., MATERASSI R., VINCENZINI M.,
RL   EDS., PP 24-26, KLUWER ACADEMIC PUBLISHERS, DORTRECHT, BOSTON, LONDON,
RL   (1991).
RN   [2]
RP   SEQUENCE FROM N.A.
RA   LECHLER A.;
RL   THESIS (1993), UNIVERSITAET BAYREUTH, GERMANY.
RN   [3]
RP   SEQUENCE FROM N.A.
RA   DEUERLING E.;
RL   THESIS (1993), UNIVERSITAET BAYREUTH, GERMANY.
RN   [4]
RP   SEQUENCE FROM N.A.
RA   STEIBL R., STEIBL H.D., SIDDAVATTAM D., KLINGMUELLER W.;
RL   (IN) NEW HORIZONS IN NITROGEN FIXATION, PALACIOS R., MORA J.,
RL   NEWTON W.E., EDS., PP 495-496, KLUWER ACADEMIC PUBLISHERS,
RL   DORTRECHT (1993).
RN   [5]
RP   SEQUENCE FROM N.A.
RA   SCHWICKERATH O.;
RL   THESIS (1993), DIPLOMARBEIT, UNIVERSITAET BAYREUTH, GERMANY.
DR   EMBL; X99694; E256957; -.
KW   PLASMID.
SQ   SEQUENCE   112 AA; 11986 MW; 7C5B0746 CRC32;

Query Match   51.4%;   Score 38; DB 9; Length 112;
Best Local Similarity   54.5%;   Pred. No. 23;
Matches   6; Conservative   3; Mismatches   2; Indels   0; Gaps   0;

Qy   2 HCDSSECKSSP 12
          || :||| |:||
Db   99 HCESGSCTTSP 109

RESULT 10

ID   Q25464   PRELIMINARY;   PRT;   473 AA.
AC   Q25464;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   ADHESIVE PLAQUE MATRIX PROTEIN PRECURSOR.
OS   MYTILUS GALLOPROVINCIALIS.
OC   EUKARYOTA; METAZOA; MOLLUSCA; BIVALVIA; PTERIOMORPHIA; MYTILOIDA;
OC   MYTILIDAE; MYTILUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=FOOT;
RX   MEDLINE; 95204464.
RA   INOUE K., TAKEUCHI Y., MIKI D., ODO S.;
RT   "Mussel adhesive plaque protein gene is a novel member of epidermal
RT   growth factor-like gene family.";
RL   J. BIOL. CHEM. 270:6698-6701(1995).
DR   EMBL; D43794; G602768; -.
DR   PROSITE; PS01186; EGF; 10.
DR   PFAM; PF00008; EGF; 11.
DR   PFAM; PF00008; EGF_2; 10.
KW   SIGNAL; MATRIX PROTEIN; GLYCOPROTEIN.
FT   SIGNAL   1   17   POTENTIAL.
FT   CHAIN   18   473   ADHESIVE PLAQUE MATRIX PROTEIN.

SQ   SEQUENCE   473 AA;   51772 MW;   E6E2CD33 CRC32;

Qy   3 CDSSECKSSPRC 14
          |:|||:|| :||
Db   86 CKPNQCKNKSRC 97

Qy   3 CDSSECKSSPRC 14
          | :||| :|||:|
Db   77 CRNPDCSAGPWC 88

RESULT 11
ID   Q16609
AC   Q16609;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   (APOARGC).
GN   APOARGC.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC   CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=LIVER;
RX   MEDLINE; 95268939.
RA   BYRNE C.D., SCHWARTZ K., LAWN R.M.;
RT   "Loss of a splice donor site in a 'skipped exon' in a gene homologous
RT   to apolipoprotein(a) leads to an mRNA encoding a protein consisting of
RT   a single kringle domain.";
RL   ARTERIOSCLER. THROMB. VASC. BIOL. 15:65-70(1995).
DR   EMBL; U19518; G642946; -.
DR   EMBL; U19517; G642944; -.
DR   PFAM; PF00051; kringle; 1.
SQ   SEQUENCE   132 AA;   14886 MW;   8E9987A2 CRC32;

Query Match   51.4%;   Score 38; DB 2; Length 132;
Best Local Similarity   33.3%;   Pred. No. 26;
Matches   4; Conservative   6; Mismatches   2; Indels   0; Gaps   0;

RESULT 12
ID   Q92070
AC   Q92070;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   INTEGRIN BETA 2 SUBUNIT (CD18) PRECURSOR (CD18).
OS   GALLUS GALLUS (CHICKEN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; ARCHOSAURIA; AVES;
OC   NEOGNATHAE; GALLIFORMES; PHASIANIDAE; PHASIANINAE; GALLUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=LEG-HORN; TISSUE=SPLEEN;
RX   MEDLINE; 94194252.
RA   BILSLAND C.A., SPRINGER T.A.;
RT   "Cloning and expression of the chicken CD18 cDNA.";
RL   J. LEUKOC. BIOL. 55:501-506(1994).
CC   -!- FUNCTION: INTEGRINS ARE A LARGE FAMILY OF CELL SURFACE
CC   GLYCOPROTEINS THAT MEDIATE CELL TO CELL & CELL TO MATRIX ADHESION.
CC   -!- SUBCELLULAR LOCATION: TYPE I MEMBRANE PROTEIN.
CC   -!- SIMILARITY: WITH OTHER BETA CHAINS FROM THE INTEGRIN FAMILY OF
CC   CELL-SURFACE RECEPTOR.
DR   EMBL; X71786; G297567; -.
DR   PROSITE; PS00243; INTEGRIN_BETA; 2.

PRELIMINARY;   PRT;   132 AA.

PRELIMINARY;   PRT;   772 AA.

DR   PFAM; PF00362; integrin_B; 1.
KW   SIGNAL; INTEGRIN; CELL ADHESION; TRANSMEMBRANE; GLYCOPROTEIN; REPEAT.
FT   SIGNAL   1   23   POTENTIAL.
FT   CHAIN   24   772   INTEGRIN.
FT   SIGNAL   1   24   POTENTIAL.
FT   CHAIN   25   772   POTENTIAL.
SQ   SEQUENCE   772 AA;   85368 MW;   474AB87C CRC32;

Query Match   56.8%;   Score 42; DB 12; Length 772;
Best Local Similarity   50.0%;   Pred. No. 27;
Matches   6; Conservative   4; Mismatches   2; Indels   0; Gaps   0;

Qy   2 HCDSSECKSSPR 13
          :|| :|||| :|.
Db   557 RCDCGECKCTPK 568

RESULT 13
ID   O42347
AC   O42347;
DT   01-JAN-1998 (TREMBLREL. 05, CREATED)
DT   01-JAN-1998 (TREMBLREL. 05, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   C-SERRATE-2 (FRAGMENT).
OS   GALLUS GALLUS (CHICKEN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; ARCHOSAURIA; AVES;
OC   NEOGNATHAE; GALLIFORMES; PHASIANIDAE; PHASIANINAE; GALLUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 97184054.
RA   HAYASHI H., MOCHII M., KODAMA R., HAMADA Y., MIZUNO N., EGUCHI G.,
RA   TACHI C.;
RT   "Isolation of a novel chick homolog of Serrate and its coexpression
RT   with C-Notch-1 in chick development.";
RL   INT. J. DEV. BIOL. 40:1089-1096(1996).
DR   EMBL; D87558; D1022568; -.
DR   PROSITE; PS01186; EGF_2; 10.
DR   PROSITE; PS01187; EGF_CA; 8.
DR   PFAM; PF00008; EGF; 14.
KW   GLYCOPROTEIN; EGF-LIKE DOMAIN.
NON_TER   1   1
NON_TER   1   1
SQ   SEQUENCE   1212 AA;   134188 MW;   0ECF076C CRC32;

Query Match   58.1%;   Score 43; DB 12; Length 1212;
Best Local Similarity   46.2%;   Pred. No. 27;
Matches   6; Conservative   4; Mismatches   3; Indels   0; Gaps   0;

Qy   3 CDSSECKSSPRCK 15
          |:|:| | :|:|||
Db   472 CESNPCQNGGRCK 484

RESULT 14
ID   Q40630
AC   Q40630;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   OSMOTIN (FRAGMENT).
GN   14B.
OS   ORYZA SATIVA (RICE).
OC   EUKARYOTA; VIRIDIPLANTAE; CHAROPHYTA/EMBRYOPHYTA GROUP; EMBRYOPHYTA;
OC   TRACHEOPHYTA; EUPHYLLOPHYTES; SPERMATOPHYTA; MAGNOLIOPHYTA; LILIOPSIDA;
OC   POALES; POACEAE; ORYZA.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=CALLUS;
RP   MCGONIGLE B., LAI L.B., NELSON T.;
RA   PLANT PHYSIOL. 111:1354-1354(1996).
RN   [2]
RP   SEQUENCE FROM N.A.

PRELIMINARY;   PRT;   1212 AA.

PRELIMINARY;   PRT;   218 AA.

```
RC   TISSUE=CALLUS;
RA   MEDINA J., DAVIS J., QUATRANO R.S.;
RL   SUBMITTED (FEB-1996) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; L76377; GI196835; -.
DR   PFAM; PF00314; thaumatin; 1.
FT   NON_TER          1
FT                    1
SQ   SEQUENCE   218 AA;  22430 MW;  C2C0F7D0 CRC32;

Query Match             52.7%;  Score 39;  DB 8;  Length 218;
Best Local Similarity   30.8%;
Matches    4;  Conservative    7;  Mismatches   28;  Indels   0;  Gaps   0;

Qy          2  HCDSSECKSSPRC  14
               :|:::::| ::||
Db         81  QCCTGDCGGTLRC  93


RESULT  15
ID   O18190
AC   O18190;
DT   01-JAN-1998 (TREMBLREL. 05, CREATED).
DT   01-JAN-1998 (TREMBLREL. 05, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   W09G3.4.
OS   CAENORHABDITIS ELEGANS.
OC   EUKARYOTA; METAZOA; NEMATODA; SECERNENTEA; RHABDITIA; RHABDITIDA;
OC   RHABDITINA; RHABDITOIDEA; RHABDITIDAE; PELODERINAE; CAENORHABDITIS.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 94150718.
RA   WILSON R., AINSCOUGH R., ANDERSON K., BAYNES C., BERKS M., BONFIELD J.,
RA   BURTON J., CONNELL M., COPSEY T., COOPER J., COULSON A., CRAXTON M.,
RA   DEAR S., DU Z., DURBIN R., FAVELLO A., FULTON L., GARDNER A., GREEN P.,
RA   HAWKINS T., HILLIER L., JIER M., JOHNSTON L., JONES M., KERSHAW J.,
RA   KIRSTEN J., LAISTER N., LATREILLE P., LIGHTNING J., LLOYD C.,
RA   MCMURRAY A., MORTIMORE B., O'CALLAGHAN M., PARSONS J., PERCY C.,
RA   RIFKEN L., ROOPRA A., SAUNDERS D., SHOWNKEEN R., SMALDON N., SMITH A.,
RA   SONNHAMMER E., STADEN R., SULSTON J., THIERRY-MIEG J., THOMAS K.,
RA   VAUDIN M., VAUGHAN K., WATERSTON R., WATSON A., WEINSTOCK L.,
RA   WILKINSON-SPROAT J., WOHLDMAN P.;
RT   "2.2 Mb of contiguous nucleotide sequence from chromosome III of C.
RT   elegans.";
RL   NATURE 368:32-38(1994).
DR   EMBL; 282080; E1188499; -.
SQ   SEQUENCE   547 AA;  61992 MW;  580C12B4 CRC32;

Query Match             55.4%;  Score 41;  DB 3;  Length 547;
Best Local Similarity   57.1%;
Matches    8;  Conservative    2;  Mismatches   29;  Indels   4;  Gaps   0;

Qy          2  HCDSSECKSSPRCK  15
               |||  :| : |||
Db        516  HCDFAEISNFPRCK  529


Search completed: May  3, 1999, 17:54:24
Job time: 644 sec
```

OM nucleic - nucleic search, using sw model

GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

Run on: May 3, 1999, 21:34:32 ; Search time 854.75 Seconds
(without alignments)
5319.758 Million cell updates/sec

Title: US-09-037-460-1
Perfect score: 1271
Sequence: 1 CTGCTTCCCACCAGCAAAGA..........GTTNCCTNTNTCTNAAGGAC 1271
Scoring table: IDENTITY_NUC
Searched: 808301 seqs, 1788773984 residues
Database :   GenEmbl:*

```
1:  gb_ba1:*        16: gb_un:*        31: em_ro:*
2:  gb_ba2:*        17: gb_vi:*        32: em_sy:*
3:  gb_in:*         18: gb_htg:*       33: em_un:*
4:  gb_om:*         19: em_ba:*        34: em_vi:*
5:  gb_ov:*         20: em_fun:*       35: em_htg:*
6:  gb_pat:*        21: em_hum1:*      36: em_sts:*
7:  gb_ph:*         22: em_hum2:*      37: gb_ba1:*
8:  gb_pl1:*        23: em_in:*        38: gb_pl1:*
9:  gb_pl2:*        24: em_om:*        39: gb_pl2:*
10: gb_pr1:*        25: em_or:*        40: gb_pr1:*
11: gb_pr2:*        26: em_ov:*        41: gb_pr2:*
12: gb_pr3:*        27: em_pat:*       42: gb_pr3:*
13: gb_ro:*         28: em_ph:*        43: gb_sts:*
14: gb_st:*         29: em_pl:*
15: gb_sy:*         30: em_ro:*
```

SUMMARIES

Result
No.   Score   % Query Match   Length   DB   ID   Description

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

No.	Score	%	Length	DB	ID	Description
1	1264.8	99.5	1271	6	AR004664	AR004664 Sequence
2	1204.8	94.8	2006	10	HSRNAESM1	X89426 H.sapiens m
3	1204.8	94.8	2009	13	HSRNASM1	X89426 H.sapiens m
4	440	34.6	2009	13	RNU80818	U80818 Rattus norv
5	62.4	4.9	7218	96	I66494	I66494 Sequence 14
6	45	3.5	103911	11	HUAC002565	AC002565 Human Chr
7	45	3.5	103911	41	HUAC002565	AC002565 Human Chr
8	43.6	3.4	138187	18	MMM41461	AF027865 Mus muscu
9	42.4	3.3	175817	18	AC005507	AC005507 *** SEQUE
10	42	3.3	10780	3	CEMYO2	X08066 Caenorhabdi
11	41.4	3.2	155644	18	AC006101	AC006101 *** SEQUE
12	41	3.2	99689	9	AC004557	AC004557 Genomic s
13	41	3.2	99689	39	AC004557	AC004557 Genomic s
14	41	3.2	111390	18	AC000348	AC000348 Genomic s
15	41	3.2	111390	38	AC000348	AC000348 Genomic s
16	40.8	3.2	13437	3	AE001407	AE001407 Plasmodiu
17	40.4	3.2	6104	3	PFSC04016	AL010228 Plasmodiu
18	40.4	3.2	180105	18	AC004688	AC004688 *** SEQUE
19	39.8	3.1	39923	18	CEW03A8	CEW03A8
20	c	39.8	3.1	110000	18	CEY39G8C	CEY39G8C
21	c	39.8	3.1	110000	18	CEY39G8_0	Z92851 Caenorhabdi
22	c	39.8	3.1	311976	18	CEY39G8_2	Continuation (3 of
23	c	39.8	3.1	311976	18	CEY48B6	AL021151 Caenorhab
24	c	39.4	3.1	5850	8	DDIDDP2	M55298 Dictyosteli
25	c	39.4	3.1	5850	38	DDIDDP2	M55298 Dictyosteli
26	c	39.2	3.1	1191	12	AF044870	AF044870 Zerene eu
27	c	39.4	3.1	89817	42	AC005876	AC005876 Homo sapi
28	c	39.4	3.1	89817	12	AC005876	AC005876 Homo sapi
29	c	39.4	3.1	197783	18	AC004153	AC004153 *** SEQUE
30	c	39.4	3.1	33879	18	CELTO5B4	CELTO5B4
31	c	39.2	3.1	105576	10	HS106I20B	Z81369 Human DNA s
32	c	39.2	3.1	105576	40	HS106I20B	Z81369 Human DNA s
33	c	39	3.1	16422	3	AE001421	AE001421 Plasmodiu
34	c	38.8	3.1	2118	3	PLRNASSU	X13706 Plasmodium
35	c	38.8	3.1	6970	3	PFSC03064	AE009014 Plasmodiu
36	c	38.8	3.1	19014	3	PFSC03009	AL008989 Plasmodiu
37		39	3.1	177503	12	AC005297	AC005297 Homo sapi
38		39	3.1	177503	42	AC005297	AC005297 Homo sapi
39		38.6	3.0	2993	3	PFSC04014	AL010217 Plasmodiu
40	c	38.8	3.1	27975	3	CEII14G8	Z67884 Caenorhabdi
41	c	38.8	3.1	28871	3	CEC47B2	Z99709 Caenorhabdi
42	c	38.4	3.0	420	3	PMU78741	U78741 Plasmodium
43	c	38.6	3.0	3948	39	MEAJ3281	AJ223281 Manihot e
44	c	38.6	3.0	3948	9	MEAJ3281	AJ223281 Manihot e
45	c	38.8	3.1	192126	12	DJ270M14	AF107885 Homo sapi

ALIGNMENTS

RESULT 1
AR004664

```
LOCUS        AR004664        1271 bp    DNA             PAT    04-DEC-1998
DEFINITION   Sequence 1 from patent US 5747280.
ACCESSION    AR004664
NID          g3965543
KEYWORDS
SOURCE       Unknown.
ORGANISM     Unknown.
             Unclassified.
REFERENCE    1  (bases 1 to 1271)
AUTHORS      Hastings,G.A. and Rosen,C.A.
TITLE        Human vascular IBP-like growth factor
JOURNAL      Patent: US 5747280-A 1 05-MAY-1998;
FEATURES             Location/Qualifiers
source               1..1271
                     /organism="unknown"
BASE COUNT     361 a    246 c    336 g    320 t
ORIGIN
```

Query Match   99.5% ;   Score 1264.8;   DB 6;   Length 1271;
Best Local Similarity   100.0%;   Pred. No. 0;

8 others

Matches 1271;   Conservative   0;   Mismatches   0;   Indels   0;   Gaps   0;

```
Qy      1 CTGCTTCCCACCAGCAAAAGACCACGACTGGAGAGCCGAGCCGGAGCCGGAGAAACATG 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db      1 CTGCTTCCCACCAGCAAAAGACCACGACTGGAGAGCCGAGCCGGAGCCGGAGAAACATG 60

Qy     61 AAGAGCGGTCTTGCTGCTGACCAGCCTCCTCGTCGGTCGGCCGGCCTGGGAGC 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 AAGAGCGGTCTTGCTGCTGACCAGCCTCCTCGTCGGTCGGCCGGCCTGGGAGC 120

Qy    121 AATAATTATGCCGGTGGACTGCCCTCACACTGACAGCAGTGAGTGCAAAAGCAGCCCG 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 AATAATTATGCCGGTGGACTGCCCTCACACTGACAGCAGTGAGTGCAAAAGCAGCCCG 180

Qy    181 CGCTGCAAGAGAGGACAGTGCTCGACGACTGTGGCTGCTGCCCGAGTGTGCAGGGCGG 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 CGCTGCAAGAGAGGACAGTGCTCGACGACTGTGGCTGCTGCCCGAGTGTGCAGGGCGG 240

Qy    241 GGAGAAACTTGCTACCCGCACAGTCTCAGGCAATGGATGGCATGGAGTGTGGCCCGGGCTG 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 GGAGAAACTTGCTACCCGCACAGTCTCAGGCAATGGATGGCATGGAGTGTGGCCCGGGCTG 300

Qy    301 AGGTGTCAGCCTTCTAATGGGGAGGGATCCTTTGGTGAAGAGTTGGTGTATCTGCAAAGAC 360
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 AGGTGTCAGCCTTCTAATGGGGAGGGATCCTTTGGTGAAGAGTTGGTGTATCTGCAAAGAC 360

Qy    361 TGTCCCTACGGCCACCTTCGGGGATTGCAGAAGACCTGCAACTGCCAGTCAGGCATC 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 TGTCCCTACGGCCACCTTCGGGGATTGCAGAAGACCTGCAACTGCCAGTCAGGCATC 420

Qy    421 TGTGACAGGGGACGGGGAAAATGCCTGAAATTCCCTTCTTCCAATATTCAGTAACCAAG 480
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    421 TGTGACAGGGGACGGGGAAAATGCCTGAAATTCCCTTCTTCCAATATTCAGTAACCAAG 480

Qy    481 TCTTCCAACAGATTTGTTTCTCTCACGGACGACATGACATGGCATCGGAGATGGCAATATT 540
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481 TCTTCCAACAGATTTGTTTCTCTCACGGACGACATGACATGGCATCGGAGATGGCAATATT 540

Qy    541 GTGAGAGAAGAAGTTGTGAAAGAGAATGCTCCGGGTCTCCCGTAATGAGGAAATGGTTA 600
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    541 GTGAGAGAAGAAGTTGTGAAAGAGAATGCTCCGGGTCTCCCGTAATGAGGAAATGGTTA 600

Qy    601 AATCCACGCTGATCCCGGCTGTGATTTCTGAGAGAAGGCTCTATTTTCGTGAYTGTTCAA 660
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    601 AATCCACGCTGATCCCGGCTGTGATTTCTGAGAGAAGGCTCTATTTTCGTGAYTGTTCAA 660

Qy    661 CACACAGCCAACATTTAGGAACTTCTAGATTATAGACATAAGGACATGTAATTTTTGAA 720
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    661 CACACAGCCAACATTTAGGAACTTCTAGATTATAGACATAAGGACATGTAATTTTTGAA 720

Qy    721 GACCAAAATGTGATCCATGGTGGGATCCAGAAAACAAAAAGTAGGATACTTACAAATCCATAA 780
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    721 GACCAAAATGTGATCCATGGTGGGATCCAGAAAACAAAAAGTAGGATACTTACAAATCCATAA 780

Qy    781 CATCCATAATGACTGAACACTTGTATGTGGGATCCAGAAAATGCANGTGAGATTTGT 840
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    781 CATCCATAATGACTGAACACTTGTATGTGTTTAAATATTCGAATGCAATGAAGATTTGT 840

Qy    841 TAAAATGTGTGTATAGTAACAACTGAAGAACTAAAAATGCCAATTTAGGTAATCTTACATG 900
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    841 TAAAATGTGTGTATAGTAACAACTGAAGAACTAAAAATGCCAATTTAGGTAATCTTACATG 900

Qy    901 GAGACAGGTCAACCAAAGAGGAGACTAGGCAAAGCTGAAGACCCGAGTCGAAAATTAG 960
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    901 GAGACAGGTCAACCAAAGAGGAGACTAGGCAAAGCTGAAGACCCGAGTCGAAAATTAG 960

Qy    961 TTCTTTGACTTTGANTGTACATTAATGTTGGGATATGGAAACTTAAGACAGGAGA 1020
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    961 TTCTTTGACTTTGANTGTACATTAATGTTGGGATATGGAAACTTAAGACAGGAGA 1020

Qy   1021 AGAATGGGGGAGGGGGGTGGGAGTGGGAGTGGGGAAATAAAAATATTTTGGTAGGTAGGCTTT 1080
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1021 AGAATGGGGGAGGGGGGTGGGAGTGGGAGTGGGGAAATAAAAATATTTTGGTAGGTAGGCTTT 1080

Qy   1081 CTTCTAGAAATTTAATTRTTGCTTTTTTTTTTTTTTTTTTGGGTTTGGGAAAGTCAAAATAAA 1140
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1081 CTTCTAGAAATTTAATTRTGCTTTTTTTTTTTTTTTTTTGGGTTTGGGAAAGTCAAAATAAA 1140

Qy   1141 ACAACCAGAAAAACCCTGAAGGAAGTAAGATGTTGTTGAACGTTATGGAAATTTGAGTAACA 1200
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1141 ACAACCAGAAAAACCCTGAAGGAAGTAAGATGTTGTTGAACGTTATGGAAATTTGAGTAACA 1200

Qy   1201 AACAGCTTTGANCTGAGAGCAATTYCAAAAAGGTGCTGATGTAGCCCCCGGGGTTNCCTNT 1260
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1201 AACAGCTTTGANCTGAGAGCAATTYCAAAAAGGTGCTGAITGTAGCCCCCGGGGTTNCCTNT 1260

Qy   1261 NTCTNAAGGAC 1271
          |||||||||||
Db   1261 NTCTNAAGGAC 1271
```

RESULT 2
HSRNAESM1

```
LOCUS       HSRNAESM1       2006 bp    RNA              PRI       07-OCT-1996
DEFINITION  H.sapiens mRNA for ESM-1 protein.
ACCESSION   X89426
NID         g1150418
KEYWORDS    ESM-1 protein.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 2006)
  AUTHORS   Lassalle,P., Molet,S., Janin,A., Heyden,J.V., Tavernier,J.,
            Fiers,W., Devos,R. and Tonnel,A.B.
  TITLE     ESM-1 is a novel human endothelial cell-specific molecule expressed
            in lung and regulated by cytokines
  JOURNAL   J. Biol. Chem. 271 (34), 20458-20464 (1996)
  MEDLINE   96355375
REFERENCE   2  (bases 1 to 2006)
  AUTHORS   Lassalle,P.M.
  TITLE     Direct Submission
  JOURNAL   Submitted (06-JUL-1995) P.M. Lassalle, INSERM, Unite 416, 1, bd du
            Prof. CALMETTE, LILLE 59019, FRANCE
FEATURES             Location/Qualifiers
     source          1..2006
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /cell_line="HUVEC"
                     /clone="All.1"
     sig_peptide     56..112
     CDS             56..610
                     /codon_start=1
                     /product="ESM-1 secretory protein"
                     /db_xref="PID:e189266"
                     /db_xref="PID:g1150419"
                     /translation="MKSVLLTLTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCK
                     RTVLDDGGCCRVCAAGRGETCIYRIVSGMDGMKCGPGLRCQPSNGEDPFGEEFGICKDC
                     PYGTFGMDCRETCNCQSGICDRGTRGCLKFFFQYSVTKSSNRFVSLITEHDMASGDGN
                     IVREEVVKENAAGSPVMRKWLNPR"
BASE COUNT      623 a    333 c    475 g    575 t
ORIGIN
```

```
Query Match             94.8%;  Score 1204.8;  DB 10;  Length 2006;
Best Local Similarity   98.5%;  Pred. No. 1.1e-290;
Matches 1252; Conservative   3; Mismatches  10; Indels   6; Gaps   4;

Qy      4 CTTCCCACCAGCAAAAGACCACGACTGGAGAGCCGAGCCGGA-GCAGCTGGGAAACATGAA 62
          |||||||||||||||||||||||||||||||||||||||||| |||||||||||||||||
Db      1 CTTCCCACCAGCAAAAGACCACGACTGGAGAGCCGAGCCGGAGGCAGCTGGGAAACATGAA 60

Qy     63 GAGCGTCTTGCTGCTGACCACGGTCCTGTGTGCACCAGGCTGGGGCGGAACATGAA 122
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 GAGCGTCTTGCTGCTGACCACGGTCCTGTGTGCACCAGGCTGGGGAAACATGAA 120
```

Qy 123 TAATTATTCCGGTGGGACTGGACTGCCCTCAAACACTGTGACAGCAGCAGTGAGTGAGTGCAAAAGCAGCAGCCCGCG 182
        ||||||| |||||||||||||||||||||||||||||||||||||| |||||||||||||||||||||||||||
Db 121 TAATTATCGGGTGGGACTGGACTGCCCTCAAACACTGTGACAGCAGT   GAGTGAGTGCAAAAGCAGCCCGGG 180

Qy 183 CTTGCAAGGAGGACAGTGCTTGCGACGACTGTGGCGCTGCCCGAGTGTGCGCTGCAGGGGCGGGGG 242
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 CTTGCAAGGAGGACAGTGCTTGCGACGACTGTGGCGCTGCCCGAGTGTGCGCTGCAGGGGCGGGGG 240

Qy 243 AGAAACTTGCTACCGCACAGTCTTCAGGCATGGCATGGAGTGAGTGTGGCCCGGGGCTGAG 302
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 AGAAACTTGCTACCGCACAGTCTTCAGGCATGGCATGGAGTGAGTGTGGCCCGGGGCTGAG 300

Qy 303 GTGTCACCCTTCTAATGGGGAGGATCCTTTGGTGAAGAGTTGGTATCTGCCCGGGGCTAG 362
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 301 GTGTCACCCTTCTAATGGGGAGGATCCTTTGGTGAAGAGTTGGTATCTGCCCGGGGCTAG 360

Qy 363 TCCCTACGGCACCTTCGGGGATGGATTGCAGAGGAGACCTGCAACTGCCAGTCAGGCATCTG 422
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 361 TCCCTACGGCACCTTCGGGGATGGATTGCAGAGGAGACCTGCAACTGCCAGTCAGGCATCTG 420

Qy 423 TGACAGGGGACGGGGAAAATGCCTGAAAATTCCCCTTCTTCCAATATTCAGTAACCAAGTC 482
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 421 TGACAGGGGACGGGGAAAATGCCTGAAAATTCCCCTTCTTCCAATATTCAGTAACCAAGTC 480

Qy 483 TTCCAACAGATTGTTGTTCTCTCACGGACCAAGACATGGGAGATGGCAATATTGT 542
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 481 TTCCAACAGATTGTTGTTCTCTCACGGAGCAATGGGAGATGGCAATATTGT 540

Qy 543 GAGAGAGAAGTTGTGAAAGAGAAATGCTGCGGGGTCTCCCGTAATGATGGAAATGGTTAAA 602
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 541 GAGAGAAGAGTTGTGAAAGAGAAATGCTGCGGGGTCTCCCGTAATGAGGAAATGGTTAAA 600

Qy 603 TCCAGGCTGATCCCGGCTGTGATTTCTGAGAGAAGGCTCTATTTGTGAXTGTGTTCAACA 662
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 601 TCCAGGCTGATCCCGGCTGTGATTTCTGAGAGAAGGCTCTATTTGTGAGTGTGTTCAACA 660

Qy 663 CACACCCAACATTTTAGGAACTTTCTAGATTATAGCCATAAGGACAGTAAATGTTGAAGA 722
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 661 CACACCCAACATTTTAGGAACTTTCTAGA-TATACACATAAGTAGATAATGTGAATTTTGAAGA 719

Qy 723 --CCAAAGTGATGCATGGTGGATCCAGAAAACAAAAGTAGGAATACTTTACAATCCATAA 780
          | |||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 720 TCCAAAGTTGATCGCATGGTGGATCCAGAAAACAAAAGTAGGAATACTTTACAATCCATAA 779

Qy 781 CATCCATATGACTGAAACACTTGTTATGTTGTTGTTTAAATATTCGAATGCAATGTAGAGATTGT 840
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 780 CATCCATATGACTGAACACTTGTATGTGTTGTTTAAATATTCGAATGCAATGTAGAATTTGT 839

Qy 841 TAAAGTGTGTGTATAGTAACACTGAAGAGAACTAAAAAATGCAATTAGGTAATCTTACATG 900
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 840 TAAAGTGTGTGTATAGTAACACTGAAGAGAACTAAAAAATGCAATTAGGTAATCTTACATG 899

Qy 901 GAGACAGGTCACCAAAGAGGGAGGCTAGGCAAAGCTGAGAGACCCAGTGAGTCAAAATTAG 960
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 900 GAGACAGGTCAACCAAAGAGGGAGGCTAGGCAAAGCTGAGAGACCCAGTGAGTCAAAATTAG 959

Qy 961 TTCTTTGACTTTGATGTACATTAATGTTGGGATGTGGAATGAAGACTTAAGACCAGGAGA 1020
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 960 TTCTTTGACTTTGATGTACATTAATGTTGGGATGTGGAATGAAGACTTAAGACCAGGAGA 1019

Qy 1021 AGAGTGGGGGAGGGGGGTGGGAATAAAAATATTAGCCCTTCCTTGGTAGGTAGGTT 1080
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1020 GAGGGTCTTGCCTTGGTCCCTCCTGCCTTGGTAGGTAGGTT 1079

Qy 1081 CTCTAGAATTTAATTRIGCTTTTTTTTTTTTTTTGGGCTTTGGGAAAGTCAAAAATAAA 1140
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1080 CTCTAGAATTTAATTGTGCTTTTTTTTTTT--GGCTTGGGAAAAGTCAAAAATAAA 1137

Qy 1141 ACAACCAGAAAAACCCTGAAGAAGTAAGATTGGAGCTTATGGAAATTTGAGTAACA 1200
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1138 ACAACCAGAAAAACCCTGAAGGAAGTAAGATGTTTGAAGCTTATGGAAATTTGAGTAACA 1197

Qy 1201 AACAGCTTTGANCTGAGAGCAATTYCAAAAGGCTGCTGATGTGAGTAGTTCCGGGTTNCCCTNT 1260
        ||||||||||| ||||||||||||||||||||||||||||||||||||||||||||||||||
Db 1198 AACAGCTTTGAACTGAGAGCCAATTTCAAAAGGCTGCTGATGTGAGTAGTTCCGGGTTACCTGT 1257

Qy 1261 NTCTNNAAGGAC 1271
        ||| |||||||
Db 1258 ATCTGAAGGAC 1268

RESULT 3

LOCUS   HSRNAESM1
HSRNAESM1   2006 bp   RNA   PRI   07-OCT-1996
DEFINITION H.sapiens mRNA for ESM-1 protein.
ACCESSION   X89426
NID   g1150418
KEYWORDS   ESM-1 protein.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryota; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 2006)
  AUTHORS   Lassalle,P., Molet,S., Janin,A., Heyden,J.V., Tavernier,J.,
            Fiers,W., Devos,R. and Tonnel,A.B.
  TITLE   ESM-1 is a novel human endothelial cell-specific molecule expressed
            in lung and regulated by cytokines
  JOURNAL   J. Biol. Chem. 271 (34), 20458-20464 (1996)
  MEDLINE   96355375
REFERENCE   2 (bases 1 to 2006)
  AUTHORS   Lassalle,P.M.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-JUL-1995) P.M. Lassalle, INSERM, Unite 416, 1, bd du
            Prof. CALMETTE, LILLE 59019, FRANCE
FEATURES   Location/Qualifiers
     source   1..2006
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /cell_line="HUVEC"
                     /clone="A11.1"
     sig_peptide   56..112
     CDS   56..610
                     /codon_start=1
                     /product="ESM-1 secretory protein"
                     /db_xref="PID:e189266"
                     /db_xref="PID:g1150419"
                     /translation="MKSVLLLTLLLVPAHLVAAWSNNTAVDCPQHCDSSECKSSPRCK
                     RTVLDDCGCCRVCAAGRGETCYRTVSGMDGMKCGPGLRCQPSNGEDPFGEEFGICKDC
                     IVREEVVKENAAGSPVMRKWLNPR"
BASE COUNT   623 a   333 c   475 g   575 t
ORIGIN

Query Match   94.8%; Score 1204.8; DB 40; Length 2006;
  Best Local Similarity   98.5%; Pred. No. 1.1e-290;
  Matches 1252; Conservative 3; Mismatches 10; Indels 6; Gaps 4;

Qy   4 CTTCCCACCAGCAAAGACCACGACTGGAGAGCCAGCCCGGA-GCAGCTGGGAAACATGAA 62
        |||||||||||||||||||||||||||||||||||||||| |||||||||||||||||||
Db   1 CTTCCCACCAGCAAAGACCACGACTGGAGAGCCAGCCCGGACGCAGCTGGGAAACATGAA 60

Qy   63 GAGGCTCTTGCCTGCTGACCACGCTCCTCGTGCCTGCCACACCTGGTCTGGCCGCTGGAGCAA 122
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 GAGGGTCTTGCCTGCTGACCACGCTCCTCGTGCCTGCCACACCTGGTCTGGCCGCTGGAGCAA 120

Qy 123 TAATTATCGGGTGGGACTGGACTGCCCTCAAACACTGTGACAGCAGTGAGTGAGTGCAAAAGCAGCAGCCCGCG 182
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 121 TAATTATCGGGTGGGACTGGACTGCCCTCAAACACTGTGACAGCAGTGAGTGAGTGCAAAAGCAGCAGCCCGGG 180

Qy 183 CTTGCAAGGAGGACAGTGCTTGCGACGACTGTGGCGCTGCCGAGTGTGCGCTGCAGGGGCGGGGG 242
        |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 181 CTTGCAAGGAGGACAGTGCTTGCGACGACTGTGGCGCTGCCGAGTGTGCGCTGCAGGGGCGGGGG 240

Qy 243 AGAAACTTGCTACCGCACAGTCTCAGGCATGGAGTGAGTGTGGCCCGGGGCTGAG 302
        ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db 241 AGAAACTTGCTACCGCACAGTCTCAGGCATGGAGTGAGTGTGGCCCGGGGCTGAG 302

RESULT 4
RNU80818

```
Db  241 AGAAACTTGCTACCGCACAGTCTTCAGGCATGGATGGCATGGAAGTGTGCCCGGGGGCTGAG 300
Qy  303 GTGTCAGCCTTCTTAATGGGGAGGATCCTCTTTTGGTGAGAGTTTGGTACTCGAAAGACTG 362
Db  301 GTGTCAGCCTTCTTAATGGGGAGGATCCTCTTTTGGTGAGAGTTTGGTACTCGAAAGACTG 360
Qy  363 TCCCTACGGCACCTTCCGGGATGGAATTGCAGAGAGACCTGCCAGTCAGGCATCTG 422
Db  361 TCCCTACGGCACCTTCGGGATTGCAGATTGCAGAGAGACCTGCCAGTCAGGCATCTG 420
Qy  423 TGACAGGGGGACGGGGGAAATGCCTGAAAATTCAGTAACCAAGTC 482
Db  421 TGACAGGGGGACGGGGAAAATGCCTGAAAATTCCCCTTCTTCCAATAATTCAGTAACCAAGTC 480
Qy  483 TTCCAACAGATTTGTTTGTTCTCTCACGGAGCCATGACATGGCCAAATATTGT 542
Db  481 TTCCAACAGATTTGTTTCTCTCACGGAGCCATGACATGGCCAGAGATGGGCAATATTGT 540
Qy  543 GAGAGAAGAAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGTAATGAGGAAATGGTTAAA 602
Db  541 GAGAGAAGAAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGTAATGAGGAAATGGTTAAA 600
Qy  603 TCCACGCCTGATCCCGGCGTGTGATTTCTGAGAGAAGAGGCTCTATTTCGTGAYGTGTCAACA 662
Db  601 TCCACGCCTGATCCCGGCGTGATTTCTGAGAGAAGAGGCTCTATTTCGTGATTCGTTCAACA 660
Qy  663 CACAGCCAACACATTTAGGAACTTTCTAGATTATATAGACATAGACATGTAATTTTTTGAAGA 722
Db  661 CACACGCCAACATTTAGGAACTTTCTAGA-TATAGCATAAGTACACATGTAATTTTTGAAGA 719
Qy  723 --CCAAATGTGATGCATGGTGGGATCCAGAAAACAAAAAGTAGGATACTTACAAATCCATAA 780
Db  720 TCCAAATTGTGATGCATGGTGGGATCCAGAAAACAAAAAGTAGGATACTTACAAATCCATAA 779
Qy  781 CATCCATAATGACTGAACACTTGTATGTGTTTGTTGTTAAATATTCGAAATGCATGTAGATTTGT 840
Db  780 CATCCATAATGACTGAACACTTGTATGTGTTTGTTGTTAAATATTCGAAATGCATGTAGATTTGT 839
Qy  841 TAAAATGTGTGTGTATAGTAACACTGAAGAACTAAAAATGCAATTTAGGTAATCTTACATG 900
Db  840 TAAAATGTGTGTGTATAGTAACACTGAAGAACTAAAAATGCAATTTAGGTAATCTTACATG 899
Qy  901 GAGACAGGTCAACCAAAGAGGGAGCGTAGGCAGAAAGCTGAAGAGCCGAGTGAGCTCAAAATAG 960
Db  900 GAGACAGGTCAACCAAAGAGGGAGCTAGGCAGAAAGCTGAAGAGACCGCAGTGAGCTCAAAATAG 959
Qy  961 TTCTTTGACTTTGATGTGACATTAAGTGTGGGATATGGAATGAAAGAGACTTAAGACAGGAGA 1020
Db  960 TTCTTTGACTTTGATGTGACATTAAGTGTGGGATATGGAATGCAAGAGACTTAAGACAGGAGA 1019
Qy 1021 AGATGGGGAGGGGGTGGGAGTGGGAGAAATAAAATATTTAGCCCCTTCCTTGGTAGGTGTTAGTT 1080
Db 1020 AGATGGGGAGGGGGTGGGAGTGGGAGAAATAAAATATTTAGCCCCTTCCTTGGTAGGTGTTAGTT 1079
Qy 1081 CTCTAGAATTTAATTRTNGCTTTTTTTTTTTTTTTTTTTGGGCTTTGGGAAAAGTCAAAATAAA 1140
Db 1080 CTCTAGAATTTAATTGTGCTTTTTTTTTT--GGCTTTGGGAAAAGTCAAAATAAA 1137
Qy 1141 ACAACCAGAAAAACCCCTGAAGGAGTAAGAGTGTTTTTTTATGGAAAATTTGAGTAACTAAA 1200
Db 1138 ACAACCAGAAAAACCCCTGAAGGAGTAAGAGTGTTTATGGAAAATTTGAGTAACA 1197
Qy 1201 AACAGCTTTGANCTGAGAGCAAATTYCAAAAAGGCTGCTGAAGTAGTTCCCGGGTTNCCTNT 1260
Db 1198 AACAGCTTTGAACTGAGAGCAAATTCAAAAAGGCTGCTGATGTAGTTCCCGGGTTACCTGT 1257
Qy 1261 NTCTNAAGGAC 1271
Db 1258 ATCTGAAGGAC 1268
```

Query Match   34.6%; Score 440; DB 13; Length 2009;
Best Local Similarity   67.1%;
Matches   814; Conservative   1; Mismatches   336; Indels   63; Gaps   11;

```
Qy    1 CTGCTTCCCACCACGCAAAGACACCACGACTGGAGGAGCCGAGCAGCTGGGAAACATG 60
Db    2 CTGCTTCCCGCCAGCAAAGACCACGACGAGCAGGGCCAGGC-------CTGAGACATG 53
Qy   61 AAGAGCGCTCTTGCCTGCTGACCACGCTCCTCGGTGCCTGCACACCTGGTCGGCCGAGC 120
Db   54 AAGAGCCTCTGCTACTGACCACGCTCCTGATTCTCTGCACCTCTGGCGCATGGCCTGGAGC 113
Qy  121 AATAATTATGCGGTGGACTGCCCTCAACACTGTGACAGCAGCAGTGAGTGCAAAAGCACCCCG 180
Db  114 GCCAAGTATGCGGTGGGATTGCCCGGAACATTGTGACAATACTGAGTGCAGAAGCAGCCTG 173
Qy  181 CGCTGCAAGAGGACAGTGCTTGCTCGACACGCTCCTCGGTGCCGCGAGCGTGCCGCCTGGAGC 240
Db  174 CGTTGCAAGAGGACAGTGCTGGATGACGGCTGCTGCCAAGTGTGCGCTGCGGGGGGGCCT 233
Qy  241 GGAGAAACTTGCTACCGCACAGTCTCAGGCGATGGCATGAAGTGGCCCGGGGGCTG 300
Db  234 GGGGAAACCTGCTACCGTACGGTAAGTCTCAGGGCATGGACGGTGTCAAGTGCGGGGACTG 293
Qy  301 AGGTGTGCAGCCTTCTTAATGGGGAGGATCCTTTTGGTGAGAAGAGTTTGGTATCTGCAAAGAC 360
Db  294 AAGTGTCACTTTTACAGGCGAGGAAGATGATTTCGGTGACGAGTTTGGTGTCTGTAAAGAC 353
Qy  361 TGTCCCTACGGCACCTTCGGGATGGATTGCAAGGAGACTTGCAATTGCCAGTCGGGCATA 420
Db  354 TGTCCCTACGGCACCTTCGGGATGGATTGCAAGGAGACGTGCAATTGCCAGTCGGGCATA 413
Qy  421 TGTGACAGGGGGACGGGAGGGAAAATGCCTGAAAATTCCCCTTCTTCCAATATATCAGTAACCAAG 480
Db         TGTGACAGGGTGACGGGACGGGCGCTTGGACCCTTTCTTTCCAGTAAGGGCATA 480
```

RESULT 5

LOCUS   I66494/c

LOCUS   I66494   7218 bp   DNA   PAT   23-DEC-1997
DEFINITION   Sequence 14 from patent US 5670367.
ACCESSION   I66494
NID   g2724471
KEYWORDS
SOURCE   Unknown.
  ORGANISM   Unknown.
             Unclassified.
REFERENCE   1 (bases 1 to 7218)
  AUTHORS   Dorner,F., Scheiflinger,F. and Falkner,F.Gunter.
  TITLE   Recombinant fowlpox virus
  JOURNAL   Patent: US 5670367-A 14 23-SEP-1997;
FEATURES   Location/Qualifiers
     source   1..7218
                     /organism="unknown"

```
Db   414 TGTGACAGGGGTGACCGGGAGGTGTCGGACTTCCCTTCTTCCAGTATGCAGCAGCCAAG 473
         |||||||||||||| ||| ||| | |||| ||| ||| | | ||||
Qy   481 TCTTCCAACAG---AATTGTTTCTCTCACGGAGCATGGCATCTGGAGATGGCAAT 537
         |||| || |||  ||| ||||||||||||||||||||||||||||||||
Db   474 TCGCCCAGCAGGACCTCTGCCTCCCAAACACGAGCGGGATGCAGCCTCTGGAGATGGCAAT 533
         ||| |||  | || |||||||||||||| ||||||||
Qy   538 ATTGTGAGAGAAGAAGTTGTGAAAGAGAATGCTGCCCGGGTCTCCCGGGTTAATGAGGAAATGG 597
         ||||
Db   534 GCTGTGAGGAGAAGAATTGAGAGAGGCCGGGAAGCTTTAGTTTTCGATAAYTGT 537
         |||
Qy   598 TTAAATCCAGCGTGATCCCGGCTGTGATTT-CTGAGAGAAGGCTTTCTTATTTTCGTAAYTGT 656
         ||||||||||| |||||| |||| ||| |||| ||||||||||||||
Db   591 TTAAATCCGGCGCTGATCCTGGCTGAGATTGCCAGAGGAGGCTCCACTTTAGTGAC--- 648
         ||||
Qy   657 TCAACACACAGCCCAACATTTTAGGAACTTTCTAGATTATAGCATAAGGACAGTAATTTT 716
         -CAACTTTCAGCCACCACATTCTAAGAACCGTCTCAGAAACCAAAGACCTGTGGACATGTAATTTA 706
Db   648
Qy   717 TGAAGACCAAAATGTGATGCATGGTGGATCCAGAGAAAACAAAAAGAGGATACTTACAATCC 776
         |||| ||| || ||| |||||||||||||||
Db   707 TGGAGATCAAGTGTGATTCA-------GAAAAAAAAATGTAGGCTATACACAACCC 757
         ||||
Qy   777 ATAACATCCATATGACTGAACACTTGTATGTGTTTGTTTAAATATTCGAATGCATGCTAGAT 836
         ||| ||| ||| |||||||||||||||||||
Db   758 ATGAGACACATATGACTGAACACAATT-TAGATATTTGTCAAATATTTAAATTCATCGGTTTT 816
         ||||
Qy   837 TTGTTTAAAGTGTGTGTAT----AGTAACACTGAAGAGACTAAAAATGCAAATTTAGGTAA 891
         || ||||||||||||||| |
Db   817 GGTGTGTGTGTGTGTGTGTGT 876
         ||||
Qy   892 TCTTTACACTGGAGACAGGTCAACCAAAGAGGGGAGGGCTAGGCAAAGGCTGAAGAACCGC 951
         |||| ||||| |||| ||||||| ||||||||
Db   877 AACTTGATATATGCAAATTGAGAGTTGTTTACTGTCAAGACAGCGAGTGAGGA 936
         ||||
Qy   952 TCAAAATTAGTTCTTTGACTTTGATGTACATTAATGTGTGGGGATTATGGATATGAAGAAGAGTT 1007
         ||  ||||  ||| ||||| |||||||| || |||||||
Db   937 AACTGTGGGTTTGTTGTTGACTTGTCGTGTACGTTCTTATTGAGATACAGGCTGAAGAAGAGTT----CT 996
         ||||
Qy   1008 TAAGAGCAGGAGGAAGAATGGGGGAGGGTGGGACTGGGGAAATAAAATATTAGCCCTTCCT 1067
         ||| || ||| ||| ||||||||||||| ||||||||||||
Db   997 TGGAGTAAGGGACTGTGAGATGGTAGGCGAAAGTAGGGGGCTACATATAATTTGGCTCCTCCT 1056
         ||||
Qy   1068 TGGTAGGTAGCTTCTCTAGAATTTAATRTGCTCTTTTTTTTTTTTTTTTGGGCTTTGGGAA 1127
         |||||| | |||
Db   1057 TG-----------TAGTAGATTAAAAGTCAATTATATTTTCGTTTAATTGTGGG------ 1097
         ||||
Qy   1128 AAGTCAAAATAAAACACAGAAAAACCCCTGAAGGAGCAAGTAAGATGTTTGGAAGCTATGGA 1187
         ||| || |||| |
Db   1097 -----AAATAAACAAGTCCAGAAAAGCCTTGAAGGAAGTGAGATAATTGGAAGCTTAATGGG 1151
         ||||
Qy   1188 AAATTGAGTAACAA 1201
         ||||| ||||
Db   1152 AGTCTAAACAACTA 1165
```

BASE COUNT   1944 a   1491 c   1486 g   1929 t   368 others
ORIGIN

Query Match   4.9%; Score 62.4; DB 6; Length 7218;
Best Local Similarity   5.9%; Pred. No. 1.5e-05;
Matches   24; Conservative 225; Mismatches 161; Indels   0; Gaps   0;

```
Qy   689 AGATTATAGCATAAGGACAGTGTAATTTTTGAGACCAAAATGTGATGCATGGTGGATCCAG 748
         :::::::::::::::::::::::::::::::: :::::::::::::::::::::: :: :::
Db   1431 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1372
Qy   749 AAAACAAAAAGTAGGGATACTTACAAATCCATAACATCCATATGACTGAACACTTGTATGTG 808
         :::::::::::::::::::::::::::::::::::::::::::::::::::: :::: ::
Db   1371 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1312
Qy   809 TTTGTTTAAATATTCGAATGCATGCTAGATTTGTTTAAAGTGTGTGTATAGTAACACTGAAG 868
         :::::::::::::::::::::::::::::::::::::::::::::::: :::::::::: ::
Db   1311 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1252
Qy   869 AACTAAAAAATGCAATTTAGGTAATCTTTACACTGGAGACAGGTCAACCAAAGAGGGAGGAGCTAG 928
         :::: :::: :::::::::::::::::::::::::::::::::: ::::::::::::::::::::
Db   1251 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1192
Qy   929 GCAAAGCTGAAGACCGGCAGTGAGTCAAAATTAGTTCTTTGACTTTGATGTACATTAAATGTT 988
         ::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
Db   1191 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1132
Qy   989 GGGATATGGAATGAAGACTTAAGACGAGGAGAAGATGGGGGAGGGGTGGGAGTGGGAAAT 1048
         :::::::::::::::::::::::::::::::::::::::::::::::::::::::::::::
Db   1131 RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR 1072
Qy   1049 AAAATATTTAGCCCCTTCCTTGGTAGGTAGCTTCTCTAGAAATTTAAATTTG 1098
         :::: ||  :::::::::::::::::::::::::::::::::: || || |||||||
Db   1071 RRRRRATCGGAAGCTCCCCTCGACCTGCAGCCCAGCCCAAGCCTCGGGAATTAATTCTG 1022
```

RESULT 6

LOCUS   HUAC002565/c

LOCUS   HUAC002565   103911 bp   DNA   PRI   17-MAR-1998
DEFINITION   Human Chromosome 16 BAC clone CIT987SK-A-598D4, complete sequence.
ACCESSION   AC002565
NID   g2896804
KEYWORDS   HTG.
SOURCE   human.
  ORGANISM   Homo sapiens
             Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
             Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 103911)
  AUTHORS   Adams,M.D., Loftus,B.J., Zhou,L., Crosby,M., Fuhrmann,J.,
             Brandon,R., Kim,U.J., Kerlavage,A.R. and Venter,J.C.
  TITLE   Human Chromosome 16 BAC clone CIT987SK-A-598D4
  JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 103911)
  AUTHORS   Adams,M.D.
  TITLE   Direct Submission
  JOURNAL   Submitted (26-SEP-1997) The Institute for Genomic Research, 9712
             Medical Center Dr, Rockville, MD 20850, USA
REFERENCE   3 (bases 1 to 103911)
  AUTHORS   Adams,M.D.
  TITLE   Direct Submission
  JOURNAL   Submitted (19-FEB-1998) The Institute for Genomic Research, 9712
             Medical Center Dr, Rockville, MD 20850, USA
REFERENCE   4 (bases 1 to 103911)
  AUTHORS   Adams,M.D.
  TITLE   Direct Submission
  JOURNAL   Submitted (17-MAR-1998) The Institute for Genomic Research, 9712
             Medical Center Dr, Rockville, MD 20850, USA
COMMENT   On Feb 19, 1998 this sequence version replaced gi:2894636.
             Address all correspondence to: Mark Adams The Institute for Genomic
             Research 9712 Medical Center Dr, Rockville, MD 20850, USA e-mail
             address: mdadams@tigr.org. The orientation of the sequence is from
             SP6 end to T7 end. Genes were identified by a combination of five

COMMENT   methods including: XGRAIL (available by anonymous ftp from
            arthur.epm.ornl.gov), Genefinder (Phil Green, University of
            Washington), Genscan (Chris Burge, http://gnomic.stanford.Edu/'
            chris/GENSCANW.html)searches of the complete sequence against a
            peptide database,and the Human gene Index database at TIGR
            (http://www.tigr.org/tdb/hgi/hgi.html). Genes without pepetide
            homolgy having spliced EST hits are termed 'Unknown gene product'.
            Genes encoding tRNAs are predicted by tRNAscan-SE (Sean Eddy,
            http://genome.wustl.edu/eddy/tRNAscan-SE/).
FEATURES   Location/Qualifiers
     source   1..103911
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="16"
                     /map="16p12"
                     /clone="A-598D4"
BASE COUNT   29634 a 22640 c 22484 g 29153 t
ORIGIN

Query Match   3.58;   Score 45; DB 11; Length 103911;
Best Local Similarity   52.9%; Pred. No. 0.39;
Matches 119; Conservative   0; Mismatches 105; Indels   1; Gaps   1;

Qy   673 ATTTTAGGAACTTCTAGATTATAGCATAAGGACATGTAATTTTGAAGACCAAAAGTGA 732
           |||||| |||||||| | |||| || |||| || |||||| ||| |||||||||||||
Db   84881 AATTTAATATAAATATGAAATATAATATATAATTATTTTATTTTAAATAATAAATAAT 84822

Qy   733 TGCATGGTGGATCCAGAAAAACAAAAAGTAGGATACTTACAATCCATAACACCCATATGAC 792
           |||||| |||||| | | ||||| |||| || || ||| | ||| |||||||||||||
Db   84821 AAATATAAATATAATATTAATAAAATAATAATAATTTTATTTTAAATATAATAAAATAT 84762

Qy   793 TGAACACTTGTATGTGTTTGTTAA-ATATTCGAATGCATGTAGATTTGTTAAAATGTGTGT 851
           || |||||||| || ||| ||||| |||||| |||||| || ||||||||||||||||
Db   84761 TAAAATATAATAATAATTTTAATAAATAATAATAATTTTAAATATATATAATTT 84702

Qy   852 GTATAGTAACACTGAAGAACTAAAAATGCAATTTAGGTAATCTTA 896
           || ||||| | ||| |||||||||||||||||||||||||||||
Db   84701 ATTTTAAAATATAATAAATATAATATATAATTTATTAATAAAATATA 84657

RESULT   7
HUAC002565/c
LOCUS   HUAC002565 103911 bp   DNA   PRI   17-MAR-1998
DEFINITION Human Chromosome 16 BAC clone CIT987SK-A-598D4, complete sequence.
ACCESSION   AC002565
NID   g2896804
KEYWORDS   HTG.
SOURCE   human.
ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
            Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 103911)
AUTHORS   Adams,M.D., Loftus,B.J., Zhou,L., Crosby,M., Fuhrmann,J.,
            Brandon,R., Kim,U.J., Kerlavage,A.R. and Venter,J.C.
TITLE   Human Chromosome 16 BAC clone CIT987SK-A-598D4
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 103911)
AUTHORS   Adams,M.D.
TITLE   Direct Submission
JOURNAL   Submitted (26-SEP-1997) The Institute for Genomic Research, 9712
            Medical Center Dr, Rockville, MD 20850, USA
REFERENCE   3 (bases 1 to 103911)
AUTHORS   Adams,M.D.
TITLE   Direct Submission
JOURNAL   Submitted (19-FEB-1998) The Institute for Genomic Research, 9712
            Medical Center Dr, Rockville, MD 20850, USA
REFERENCE   4 (bases 1 to 103911)
AUTHORS   Adams,M.D.
TITLE   Direct Submission
JOURNAL   Submitted (17-MAR-1998) The Institute for Genomic Research, 9712
            Medical Center Dr, Rockville, MD 20850, USA
COMMENT   On Feb 19, 1998 this sequence version replaced gi:2894636.

            Address all correspondence to: Mark Adams The Institute for Genomic
            Research 9712 Medical Center Dr, Rockville, MD 20850, USA e-mail
            address: mdadams@tigr.org. The orientation of the sequence is from
            SP6 end to T7 end. Genes were identified by a combination of five
            methods including: XGRAIL (available by anonymous ftp from
            arthur.epm.ornl.gov), Genefinder (Phil Green, University of
            Washington), Genscan (Chris Burge, http://gnomic.stanford.Edu/'
            chris/GENSCANW.html)searches of the complete sequence against a
            peptide database,and the Human gene Index database at TIGR
            (http://www.tigr.org/tdb/hgi/hgi.html). Genes without pepetide
            homolgy having spliced EST hits are termed 'Unknown gene product'.
            Genes encoding tRNAs are predicted by tRNAscan-SE (Sean Eddy,
            http://genome.wustl.edu/eddy/tRNAscan-SE/).
FEATURES   Location/Qualifiers
     source   1..103911
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="16"
                     /map="16p12"
                     /clone="A-598D4"
BASE COUNT   29634 a 22640 c 22484 g 29153 t
ORIGIN

Query Match   3.58;   Score 45; DB 41; Length 103911;
Best Local Similarity   52.9%; Pred. No. 0.39;
Matches 119; Conservative   0; Mismatches 105; Indels   1; Gaps   1;

Qy   673 ATTTTAGGAACTTCTAGATTATAGCATAAGGACATGTAATTTTGAAGACCAAAAGTGA 732
           |||||| |||||||| | |||| || |||| || |||||| ||| |||||||||||||
Db   84881 AATTTAATATAAATATGAAATATAATATATAATTATTTTATTTTAAATAATAAATAAT 84822

Qy   733 TGCATGGTGGATCCAGAAAAACAAAAAGTAGGATACTTACAATCCATAACACCCATATGAC 792
           |||||| |||||| | | ||||| |||| || || ||| | ||| |||||||||||||
Db   84821 AAATATAAATATAATATTAATAAAATAATAATAATTTTATTTTAAATATAATAAAATAT 84762

Qy   793 TGAACACTTGTATGTGTTTGTTAA-ATATTCGAATGCATGTAGATTTGTTAAAATGTGTGT 851
           || |||||||| || ||| ||||| |||||| |||||| || ||||||||||||||||
Db   84761 TAAAATATAATAATAATTTTAATAAATAATAATAATTTTAAATATATATAATTT 84702

Qy   852 GTATAGTAACACTGAAGAACTAAAAATGCAATTTAGGTAATCTTA 896
           || ||||| | ||| |||||||||||||||||||||||||||||
Db   84701 ATTTTAAAATATAATAAATATAATATATAATTTATTAATAAAATATA 84657

RESULT   8
MMMH4461
LOCUS   MMMH4461 138187 bp   DNA   ROD   22-OCT-1997
DEFINITION Mus musculus Major Histocompatibility Locus class II region.
ACCESSION   AF027865
NID   g2255188
KEYWORDS
SOURCE   house mouse.
ORGANISM   Mus musculus
            Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
            Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (bases 1 to 138187)
AUTHORS   Rowen,L., Qin,S., Ahearn,M.E., Loretz,C., Faust,J., Lasky,S.,
            Mahairas,G. and Hood,L.
TITLE   Sequence of the mouse major histocompatibility locus class II
            region
JOURNAL   Unpublished
REFERENCE   2 (bases 1 to 138187)
AUTHORS   Rowen,L., Qin,S., Ahearn,M., Loretz,C., Faust,J., Lasky,S.,
            Mahairas,G. and Hood,L.
TITLE   Direct Submission
JOURNAL   Submitted (02-OCT-1997) Department of Molecular Biotechnology, Box
            357730 University of Washington, Seattle, Washington 98195, USA
COMMENT   Sequencing methodology: high redundancy shotgun. Interspersed
            Repeats were identified with RepeatMasker (available from
            http://ftp.genome.washington.edu/RM/RepeatMasker.html) Simple
            sequence repeats were identified with sputnik (available from
            http://serac.mbt.washington.edu/~chrisa/software/sputnik.html).

```
FEATURES          Location/Qualifiers
     source        1..138187
                   /organism="Mus musculus"
                   /db_xref="taxon:10090"
                   /chromosome="17"
                   /clone_lib="Genome Systems mouse BAC library"
                   /clone="BAC461G2"
     repeat_region complement(5..117)
                   /rpt_family="MTE"
     repeat_region complement(148..253)
                   /rpt_family="ORRIC"
     repeat_region complement(314..538)
                   /rpt_family="B3"
     repeat_region complement(546..642)
                   /rpt_family="B1-F"
     repeat_region complement(1597..1922)
                   /rpt_family="ORR1A1"
     repeat_region 2331..2520
                   /rpt_family="B2"
     repeat_region 2531..2690
                   /rpt_family="RSINE1"
     repeat_region 2799..2919
                   /rpt_family="B1-F"
     repeat_region 3428..3547
                   /rpt_family="RSINE1"
     repeat_region 3758..3834
                   /rpt_family="MTC"
     repeat_region 3828..3934
                   /rpt_family="(CA)n"
     repeat_region 3874..3904
                   /rpt_family="(GA)n"
     repeat_region 3940..4061
                   /rpt_family="(CA)n"
     repeat_region 4125..4243
                   /rpt_family="(CAGA)n"
     unsure        4281
                   /note="G could be an A"
                   /replace="a"
     repeat_region complement(4655..4969)
                   /rpt_family="(GA)n"
     repeat_region complement(4833..5044)
                   /rpt_family="MTE"
     repeat_region 5154..5254
                   /rpt_family="RMER5"
     repeat_region 5979..6334
                   /rpt_family="MTD"
     repeat_region 6539..6675
                   /rpt_family="B3"
     repeat_region 6638..6673
                   /rpt_family="(CA)n"
     repeat_region 6673..6733
                   /rpt_family="(GA)n"
     repeat_region complement(6844..6978)
                   /rpt_family="B1_MM"
     repeat_region complement(7109..7459)
                   /rpt_family="ORR1D"
     repeat_region complement(7516..7625)
                   /rpt_family="B3A"
     repeat_region complement(8201..8276)
                   /rpt_family="B3"
     repeat_region complement(8278..8377)
                   /rpt_family="(GAAA)n"
     repeat_region complement(8299..8376)
                   /rpt_family="(GAA)n"
     repeat_region complement(8385..8498)
                   /rpt_family="PB1D7"
     repeat_region complement(8508..8542)
                   /rpt_family="(GAAA)n"
     repeat_region 9718..10121
                   /rpt_family="RLTR1A"
     repeat_region complement(10114..10185)
                   /rpt_family="(CA)n"
     repeat_region complement(10555..10639)

     repeat_region 11179..11326
                   /rpt_family="MTE"
     repeat_region 11728..11839
                   /rpt_family="B3"
     repeat_region 11967..12165
                   /rpt_family="MT2A"
     repeat_region 12166..12231
                   /rpt_family="MTE"
     repeat_region 12219..12310
                   /rpt_family="MLT2FB"
     repeat_region complement(13034..13253)
                   /rpt_family="B3"
     repeat_region complement(13272..13421)
                   /rpt_family="B1_MM"
     repeat_region 13515..13549
                   /rpt_family="(TGG)n"
     repeat_region complement(13550..13709)
                   /rpt_family="RSINE1"
     repeat_region 13842..14192
                   /rpt_family="MTB"
     repeat_region complement(14294..14377)
                   /rpt_family="PB1D9"
     repeat_region complement(15035..15153)
                   /rpt_family="RSINE1"
     repeat_region complement(16138..16401)
                   /rpt_family="B4A"
     repeat_region 16431..16637
                   /rpt_family="B3"
     repeat_region complement(16862..16918)
                   /rpt_family="(TAAA)n"
     gene          complement(17042..22163)
                   /gene="H2 lmp2"
     CDS           complement(join(17078..17205,17943..18084,18469..18598,
                   19136..19267,20584..20651,22104..22163))
                   /gene="H2 lmp2"
                   /note="Intron-exon boundaries defined using the cDNA
                   sequence found in GenBank Accession Number U22919 and
                   confirmed by EST hits"
                   /codon_start=1
                   /product="20S proteasome subunit lmp2"
                   /db_xref="PID:g2555189"
                   /translation="MLRAGAPTAGSFRTEEVHTGTTIMAVEFDGGVVVGSDSRVSAGT
                   AVVNRVFDKLSPLHQHIFCALSGSAADAQAIADMAAYQLELHGLELEEPLVLAAANV
                   VKNISYKYREDLLAHLIVAGWDCQEGGQVYGTMGGMLIRQPFTIGGSGSSYIYGVDA
                   AYKPGMTPEECRRFTTDAITLAMNRDGSSGGVIVLVTITPAAGVDHRVILGDELPKYD
                   E"
     repeat_region 17623..17822
                   /rpt_family="B3A"
     repeat_region complement(18204..18350)
                   /rpt_family="B3"
     repeat_region complement(19398..19442)
                   /rpt_family="B1-F"
     repeat_region 19448..19496
                   /rpt_family="(CA)n"
     repeat_region 19512..19638
                   /rpt_family="ID2"
     repeat_region complement(19735..19861)
                   /rpt_family="B3"
     repeat_region 19955..20093
                   /rpt_family="B1_MM"
     unsure        20070..20072
                   /note="3 As probably correct -- could be 2 As"
                   /replace="aa"
     gene          22734..31636
                   /gene="H2 TAP1"
     CDS           join(22734..23259,24037..24151,24289..24419,25422..25627,
                   26188..26385,27696..27824,27987..28175,28347..28520,
                   28743..28905,29706..29842,31430..31636)
                   /gene="H2 TAP1"
                   /note="Intron-exon boundaries defined in relation to cDNAs
                   found in GenBank Accession Numbers X59615 and U60019, and
```

```
                    also EST AA270189"
                    /codon_start=1
                    /product="antigen processing transporter TAP1"
                    /db_xref="PID:g2555195"
                    /translation="MAAHVWLAAALLLLVDWLLLRPMLPGIFSLLVPEYPLLRVWVG
                    LSRWAILGLVGRVGVTAGAHGWLAALQPLVAALSIALFGLAIFRELAAWGTLREGD
                    SAGLIYWNSRDPAFAISYVAALPAAALWHKLGSILWAPSGNRDAGDMLCRMLGFLGPKK
                    RRLVLVLLISCLGEMAIPFFTGRITDWILLQDKTVPSFTRNIWLMSILTIASTALE
                    FASDGIYNIMGHMGVRHREVFRAVLROETIGFFLNPAGSITSRVTEDTPANVCESIS
                    GTLSLLWYLGRALCLLVFMFWGSPFLTLLVTLINPLFLFLPKKLGKVHQSLAVKVQE
                    SLAKSTQVALEALSAMPTVRSFANEEGEAQKFROKLEEMKTLNKEALAVAVAEWTTS
                    VSGMLKVGILYLGGLVIRGAVSSGNLVSFVLIQLQFTQAVQVLLSIFSMKAVGS
                    SEKIFEYLDRIPCSPLSGSLAPSNMKGLVEFQDVSFAYPNQPKVQVLQGLFTLHPGT
                    VTALVGPNGSGKSTVAALLQNLYQPTGGQILLDCGCLVQYDHHYLHTQVAAVGQEPLL
                    QAVALARALIRKPLLLILDDATSALDAGNQLRVQRLLYESPKRASRTVLLITQQLSLA
                    EQAHHILFLREGSVCEOGTHLQLMKRGGCYRAMVEALAAPAD"
repeat_region       complement(23500..23602)
                    /rpt_family="(CA)n"
repeat_region       23610..23698
                    /rpt_family="(CCCTC)n"
repeat_region       complement(23715..23853)
                    /rpt_family="B1-F"
repeat_region       24457..24664
                    /rpt_family="B1-F"
repeat_region       complement(25102..25218)
                    /rpt_family="B1_MM"
repeat_region       25820..25996
                    /rpt_family="B3"
repeat_region       26862..26969
                    /rpt_family="B3"
repeat_region       26982..27138
                    /rpt_family="PB1D7"
repeat_region       27140..27174
                    /rpt_family="RSINE1"
repeat_region       27289..27520
                    /rpt_family="B3"
repeat_region       27289..27449
                    /rpt_family="(CAAA)n"
repeat_region       27439..27485
                    /rpt_family="B3A"
repeat_region       complement(28203..28322)
                    /rpt_family="CAGA)n"
repeat_region       complement(29076..29199)
                    /rpt_family="(GAA)n"
repeat_region       complement(29108..29233)
                    /rpt_family="(CA)n"
repeat_region       complement(29236..29359)
                    /rpt_family="(CATA)n"
repeat_region       complement(29366..29485)
                    /rpt_family="(CATA)n"
repeat_region       complement(29488..29611)
                    /rpt_family="(CA)n"
repeat_region       complement(29613..29664)
                    /rpt_family="(CATA)n"
repeat_region       complement(29864..29979)
                    /rpt_family="B1_MM"
repeat_region       complement(30230..30360)
                    /rpt_family="MIR"
repeat_region       complement(30380..30594)
                    /rpt_family="B3"
repeat_region       30635..30779
                    /rpt_family="B3A"
repeat_region       31040..31205
                    /rpt_family="B3"
mRNA                join(33248..33406,34094..34241,34432..34543,34996..35125,
                    35566..35770,36033..36121)
                    /product=1mp7"
                    /gene="H2-lmp7"
gene                3248..36288
                    /gene="H2-lmp7"
CDS                 join(33260..33406,34094..34241,34432..34543,34996..35125,
                    35566..35770,36033..36121)
                    /gene="H2-lmp7"
```

```
repeat_region       34649..34692
                    /rpt_family="(TA)n"
repeat_region       complement(35232..35433)
                    /rpt_family="B2"
polyA_signal        36283..36288
                    /gene="H2-lmp7"
repeat_region       complement(38911..39027)
                    /rpt_family="(GGA)n"
repeat_region       complement(39141..39207)
                    /rpt_family="POLY_A"
repeat_region       complement(39936..39975)
                    /rpt_family="(CA)n"
gene                40150..50948
                    /gene="H2 TAP2"
CDS                 join(40150..40639,40725..40839,43609..43739,43845..44150,
                    46725..46922,47085..47213,48870..49058,49178..49351,
                    49501..49660,50189..50325,507769..50948)
                    /gene="H2 TAP2"
                    /note="intron-exon boundaries defined in relation to cDNAs
                    in GenBank Accession Numbers M90459 and U60087"
                    /codon_start=1
                    /product="antigen processing transporter TAP2"
                    /db_xref="PID:g2555194"
                    /translation="WALSYLRPWVSLLLADMALLQGSLGNLLPQLPGLWIEGTL
                    RLGVIWGLLKVGELLGLVGTILPLLCLATPLFFSLRALVGGTASTSVRVASASWGWL
                    LAGYGAVALSWAVWAVLSPAGVOEKEPGQOENRTLMRKLKLSRPDLPFLIAAFFLVV
                    AVWGETLIIPRYSGRVIDILGGDFDDAFAASAIFFMCLFSVGSSSSFSAGCRGGSFLTMS
                    RINLRIREQLFSSLLRQDLGFFQETKTGELNSRLSSDTSLMSRWLPFNANILLRSLVK
                    VVGLIYFFMLQVSPRLLFLSLLDLPLTIAAEKVYNPRHQAVLKEIQDAVAKAGOVRREA
                    VGGLQTVRSFGAEEEDVSHYKEALERCROLWWRRDLEKDYLVLIRRVMALGMQVLILN
                    CGVQQILAGEVTRGGLLSFLIYQNEVEGQVRNLVTMYGDMLSNVGAAEKVFSILDRKP
                    NLPQPGTLAPPWLEGRVEFQOVSFSYPRRPEKPVLQGLTFTLHPGTVTALVGPNGSGK
                    STVAALLQNLYQPTGGQLLDGEPLEYDHHYLHRQVVLHRQVVLFSGSVKDNIAYG
                    LRDCEDAQVMAAAQACCADDFIGEMTNGINTEIGEKGGQLAVGKQRLATARALVNP
                    RVLILDEATSALDACQEOALQNWRSQGDRTMLVIAHRLHTVQNADQVLVLKQGRLVEH
                    DOLRDGQDVAHLVQQRLEA"
repeat_region       complement(40947..41075)
                    /rpt_family="B2"
repeat_region       complement(41518..41629)
                    /rpt_family="RSINE1"
repeat_region       41684..41986
                    /rpt_family="Lx"
repeat_region       42012..42092
                    /rpt_family="(CAAAA)n"
repeat_region       42099..42248
                    /rpt_family="B1_MM"
repeat_region       42252..42277
                    /rpt_family="POLY_A"
repeat_region       42561..42818
                    /rpt_family="B4A"
repeat_region       complement(42789..42899)
                    /rpt_family="CATG)n"
repeat_region       42976..43031
                    /rpt_family="(CA)n"
repeat_region       complement(43172..43255)
                    /rpt_family="B1_MM"
repeat_region       complement(43518..43618)
                    /rpt_family="(GGGA)n"
repeat_region       44229..44347
                    /rpt_family="(TAGA)n"
repeat_region       44261..44370
                    /rpt_family="(CAGA)n"
```

```
repeat_region   complement(44390..44455)
                /rpt_family="L1MB6"
repeat_region   complement(44641..44845)
                /rpt_family="B3"
repeat_region   complement(44885..44925)
                /rpt_family="(CA)n"
repeat_region   complement(45024..45162)
                /rpt_family="(CA)n"
repeat_region   complement(45080..45173)
                /rpt_family="L1MA4A"
repeat_region   complement(45850..45901)
                /rpt_family="L1MB6"
repeat_region   45915..46013
                /rpt_family="L1M2_orf2"
repeat_region   46021..46082
                /rpt_family="B3"
repeat_region   complement(46097..46151)
                /rpt_family="(CA)n"
repeat_region   complement(46162..46367)
                /rpt_family="L1M4_orf2"
repeat_region   complement(46539..46573)
                /rpt_family="B3"
repeat_region   46580..46606
                /rpt_family="B4"
repeat_region   complement(48568..48676)
                /rpt_family="(CA)n"
repeat_region   48676..49779
                /rpt_family="(CTCCC)n"
repeat_region   49706..49779
                /rpt_family="PB1D7"
repeat_region   49796..49832
                /rpt_family="B4"
repeat_region   49860..49965
                /rpt_family="(CAAAA)n"
repeat_region   51181..51396
                /rpt_family="(CA)n"
repeat_region   51414..52446
                /rpt_family="MTE"
repeat_region   complement(51553..51580)
                /rpt_family="(CAGA)n"
repeat_region   complement(51583..51711)
                /rpt_family="(CATA)n"
repeat_region   complement(51742..51814)
                /rpt_family="B1_MM"
repeat_region   complement(52081..52411)
                /rpt_family="B3"
repeat_region   52414..52446
                /rpt_family="(CA)n"
repeat_region   complement(52483..52814)
                /rpt_family="MTD"
repeat_region   52859..53087
                /rpt_family="ORR1D"
repeat_region   complement(54071..54128)
                /rpt_family="B3"
repeat_region   54413..54212
                /rpt_family="B2"
repeat_region   54216..54553
                /rpt_family="B3"
repeat_region   54554..54814
                /rpt_family="IAPLTR1_MM"
repeat_region   54803..55608
                /rpt_family="IAP"
repeat_region   55596..58668
                /rpt_family="IAP"
repeat_region   58669..59006
                /rpt_family="IAP"
repeat_region   59037..59147
                /rpt_family="IAPLTR1_MM"
repeat_region   59188..59246
                /rpt_family="RSINE1"
repeat_region   complement(59352..59413)
                /rpt_family="(TAAA)n"
repeat_region   59745..59891
                /rpt_family="B3"
repeat_region   59898..60199
                /rpt_family="RSINE1"
repeat_region   complement(60203..60612)
                /rpt_family="MTA"

repeat_region   60615..60962
                /rpt_family="RMER19"
repeat_region   60971..67441
                /rpt_family="IAPLTR1_MM"
repeat_region   67442..67789
                /rpt_family="IAP"
repeat_region   complement(67799..67955)
                /rpt_family="IAPLTR1_MM"
repeat_region   complement(68000..68305)
                /rpt_family="RMER19"
repeat_region   complement(68330..68429)
                /rpt_family="L1M2_orf2"
repeat_region   68448..68655
                /rpt_family="B2"
repeat_region   complement(68771..68814)
                /rpt_family="B3A"
repeat_region   68960..69002
                /rpt_family="RSINE1"
repeat_region   complement(69281..69395)
                /rpt_family="(CAA)n"
repeat_region   complement(69407..69625)
                /rpt_family="L1M2_orf2"
repeat_region   70059..70179
                /rpt_family="B2"
repeat_region   70179..70326
                /rpt_family="MTD"
repeat_region   70342..70396
                /rpt_family="B2"
repeat_region   70396..70453
                /rpt_family="B2"
repeat_region   70445..70625
                /rpt_family="B2"
repeat_region   complement(71163..71338)
                /rpt_family="MTC"
repeat_region   complement(71352..71486)
                /rpt_family="RMER19"
repeat_region   complement(71532..71603)
                /rpt_family="RMER19"
repeat_region   complement(71848..72013)
                /rpt_family="RMER19"
repeat_region   72015..72208
                /rpt_family="B2"
repeat_region   complement(72512..72586)
                /rpt_family="B2"
repeat_region   72584..72987
                /rpt_family="(CA)n"
repeat_region   complement(73050..73102)
                /rpt_family="MTD"
repeat_region   complement(73092..73141)
                /rpt_family="(TAA)n"
repeat_region   73739..73748
                /rpt_family="PB1D10"
unsure          73739
                /note="possibly 11 Ts rather than 10 Ts"
                /replace="tttttttttt"
mRNA            join(73821..73911,75857..76126,77286..77567,78317..78427,
                78737..78765,78938..78970)
                /gene="H2-IAbeta2"
                /product="IAbeta2"
gene            join(73821..73911,75857..76126,77286..77567,78317..78427,
                78737..78765,78938..78970)
                /gene="H2-IAbeta2"
                /product="IAbeta2"
CDS             join(73821..73911,75857..76126,77286..77567,78317..78427,
                78765..78938..78970)
                /gene="H2-IAbeta2"
                /note="intron-exon boundaries defined in relation to EST
                AA175921 and the orthologous human gene HLA-DObeta,
                GenBank Accession Number X03066."
                /codon_start=1
                /product="IAbeta2 subunit"
                /db_xref="PID:g2555191"
                /translation="MGARAPWVALLVNLMRLDSFMIEGRDSPENFVIQAKADCYFT
                NGTEKVHLLVRIFNLEEYLIHFDSDLGMFVALTELGEPDADQWNKRLDLLETSRAAVN
                MVCROKYKLGAPFTVERNVPPEVTVYPERTPLLQQHNLLLCSVTGFYPGDISVKWFRN
                GQEERSGVWSTGLVRNGDWTFQTTVMLEMIPELGDIYSCLIVEHPGLRPVSVAWMAQS"
```

```
repeat_region   EYSWKKILSGAAVFLLGLIVFLVGVVIHLKAQKASVETQPGNEASRESLHSQP"
repeat_region   74035. .74186
repeat_region   /rpt_family="B1_MM"
repeat_region   74298. .74335
repeat_region   /rpt_family="(GGGA)n"
repeat_region   75252. .75335
repeat_region   /rpt_family="RSINE1"
repeat_region   complement(76231. .76359)
repeat_region   /rpt_family="RSINE1"
repeat_region   76377. .77037
repeat_region   /rpt_family="RMER19"
repeat_region   77834. .78147
repeat_region   /rpt_family="B4"
repeat_region   78126. .78185
repeat_region   /rpt_family="(CA)n"
repeat_region   78508. .78576
repeat_region   /rpt_family="(GGGA)n"
repeat_region   7940. .80256
repeat_region   /rpt_family="CHARLIE1"
unsure          81100. .81169
                /rpt_family="(GA)n"
                81168. .81178
                /note="Unclear region in a microsatellite -- reverse reads
                conflict with forward reads."
repeat_region   complement(81383. .81530)
                /rpt_family="B1_MM"
repeat_region   81588. .81673
                /rpt_family="RSINE1"
repeat_region   complement(82009. .82224)
                /rpt_family="B3"
repeat_region   complement(82359. .82504)
                /rpt_family="B1_MM"
repeat_region   complement(82426. .82525)
                /rpt_family="MT2B"
repeat_region   complement(82664. .82752)
                /rpt_family="PB1D9"
repeat_region   complement(83255. .83311)
                /rpt_family="L1M4_orf2"
repeat_region   complement(83540. .83599)
                /rpt_family="(GA)n"
repeat_region   complement(83605. .83648)
                /rpt_family="PB1D9"
repeat_region   complement(83607. .83631)
                /rpt_family="B1-F"
repeat_region   complement(83872. .84181)
                /rpt_family="L1M4_orf2"
repeat_region   84419. .84521
                /rpt_family="B1-F"
repeat_region   84532. .84625
                /rpt_family="(CA)n"
repeat_region   complement(85716. .86114)
                /rpt_family="MTC"
repeat_region   complement(86116. .86188)
                /rpt_family="ID2"
repeat_region   86232. .86342
                /rpt_family="B1_MM"
repeat_region   86629. .87064
                /rpt_family="B1_MM"
repeat_region   87055. .87085
                /rpt_family="(AAAAC)n"
repeat_region   87100. .87299
                /rpt_family="B3"
repeat_region   complement(87520. .87580)
                /rpt_family="L1M4_orf2"
repeat_region   complement(87583. .87609)
                /rpt_family="(TAAA)n"
repeat_region   87670. .88055
                /rpt_family="MTD"
repeat_region   88182. .88319
                /rpt_family="B1_MM"
repeat_region   89799. .89843
                /rpt_family="(GAAAA)n"
repeat_region   89934. .89979
                /rpt_family="(CAT)n"
```

```
repeat_region   /rpt_family="PB1D7"
repeat_region   90233. .90519
repeat_region   /rpt_family="L1M4_orf2"
repeat_region   complement(90520. .90517)
repeat_region   /rpt_family="(TAGA)n"
repeat_region   90630. .91358
repeat_region   /rpt_family="RMER17A"
repeat_region   90975. .91012
repeat_region   /rpt_family="(CT)n"
repeat_region   complement(94032. .94175)
gene            /rpt_family="B1-F"
                98161. .103957
                /gene="H2-IAbeta"
CDS             join(98161. .98254,99610. .99882,102185. .102466,
                102772. .102882,103310. .103333,103944. .103957)
                /gene="H2-IAbeta"
                /note="intron-exon boundaries defined in relation to cDNA
                in GenBank Accession Number M66213"
                /codon_start=1
                /product="IAbeta subunit"
                /db_xref="PID:g2551192"
                /translation="MALQIPSLLLSAAVVLMYLSSPGTEGGDSERHFVYQFMGECYF
                TNGTQRIRYVTRYIYNREEYVRXDSDVGEHRAVTELGRPDAEYWNSQPEILERTRAEL
                DTVCRHNYEGPETHTSLRRLEQPNVVISLSRTEALNHNTLVCSVTDFYPAKIKVRWF
                RNGQEETVGVSSTQLIRNGDWTFQVLVMLEMTPRRGEVYTCHVEHPSLKSPITVEWRA
                QSESAWSKMLSGIGGCVLGVIFLGLGLFIRHRSQKGPRGPPAGLLQ"
repeat_region   complement(100722. .100843)
repeat_region   /rpt_family="(GGGA)n"
repeat_region   complement(100781. .100898)
repeat_region   /rpt_family="(GA)n"
repeat_region   complement(100810. .100925)
repeat_region   /rpt_family="(GAAA)n"
repeat_region   complement(100937. .101084)
repeat_region   /rpt_family="B1_MM"
repeat_region   complement(101091. .101567)
repeat_region   /rpt_family="L1_MM"
repeat_region   complement(101879. .101971)
repeat_region   /rpt_family="B1-F"
repeat_region   complement(104198. .104650)
repeat_region   /rpt_family="RLTR1B"
repeat_region   complement(105588. .105779)
repeat_region   /rpt_family="B2"
repeat_region   106318. .106408
repeat_region   /rpt_family="(CA)n"
repeat_region   106408. .106455
repeat_region   /rpt_family="(GA)n"
repeat_region   complement(106458. .106521)
repeat_region   /rpt_family="B3"
repeat_region   105513. .107090
repeat_region   /rpt_family="RMER19"
repeat_region   107021. .107129
repeat_region   /rpt_family="B3"
repeat_region   complement(107131. .107220)
repeat_region   /rpt_family="ORR1A3"
repeat_region   complement(108175. .108270)
repeat_region   /rpt_family="RMER19"
repeat_region   108611. .108775
repeat_region   /rpt_family="MYSERV"
repeat_region   108977. .109122
repeat_region   /rpt_family="B1_MM"
repeat_region   complement(109223. .109498)
repeat_region   /rpt_family="ORR1A2"
repeat_region   complement(109511. .109920)
repeat_region   /rpt_family="Lx"
repeat_region   complement(109921. .109979)
repeat_region   /rpt_family="ORR1A3"
repeat_region   109984. .110961
unsure          /rpt_family="MYSERV"
                110389
                /note="low quality region"
                /replace="c"
repeat_region   110723. .110766
                /rpt_family="(CAT)n"
```

```
repeat_region   110988. .111483
                /rpt_family="RLTR11A"
repeat_region   111492. .111926
                /rpt_family="B3"
repeat_region   complement(111971. .112092)
                /rpt_family="MYSERV"
gene?           complement(112081. .112376)
                /rpt_family="RMER6A"
repeat_region   complement(11237?. .112688)
                /rpt_family="ORR1A3"
repeat_region   complement(112607. .112802)
                /rpt_family="RMER6A"
repeat_region   complement(112890. .113055)
                /rpt_family="RMER12"
repeat_region   113056. .113394
                /rpt_family="RMER12"
repeat_region   113608. .113958
                /rpt_family="RMER19"
repeat_region   113987. .114402
                /rpt_family="RMER19"
repeat_region   114458. .114540
                /rpt_family="BGLII"
repeat_region   complement(114546. .115184)
                /rpt_family="(CATA)n"
repeat_region   complement(116802. .117079)
                /rpt_family="RMER12"
repeat_region   complement(117275. .117353)
                /rpt_family="MTE"
mRNA            complement(join(117617. .117869,118001. .118175,
                118421. .118702,119134. .119382,122528. .122612))
                /gene="H2-IAalpha"
polyA_signal    complement(117617. .117622)
                /gene="H2-IAalpha"
gene            complement(117617. .122528)
                /gene="H2-IAalpha"
CDS             complement(join(118021. .118175,118421. .118702,
                119134. .119382,122528. .122612))
                /note="exons defined in relation to cDNA in database,
                GenBank Accession Number K01922 and EST AA260586"
                /product=IAalpha subunit"
                /codon_start=1
                /db_xref="PID:g2555190"
                /translation="MPRSRALILGVLALTTMLSLCGGEDDIEADHVGTYGISVYQSPG
                DIGQYTEFDGDELPYVDDLDKKETVWMLPEFGQLASFDPQGGLQNIAVVKHNLGVLTK
                RSNSTPATNEAPQATVFPKRSPVLLGQPNTLICFVDNIFPPVINITWLRNSKSVADGVY
                ETSFPVNRDYSFHKLSYLTFIPSDDDIYDCKVEHWGLEEPVLKHWEPEIPAPMSELTE
                TVCALGLSVGLVGIVVGTIFIIQGLRSGGTSRHPGPL"
repeat_region   119667. .119709
                /rpt_family="(CA)n"
repeat_region   119709. .119734
                /rpt_family="(GA)n"
repeat_region   complement(121877. .121980)
                /rpt_family="PB1D10"
repeat_region   123899. .124078
                /rpt_family="MLT2E"
repeat_region   123936. .124134
                /rpt_family="MLT2CA"
repeat_region   124336. .124374
                /rpt_family="(CA)n"
repeat_region   124375. .124473
                /rpt_family="RMER15"
repeat_region   124561. .124774
                /rpt_family="B3"
repeat_region   124871. .125020
                /rpt_family="B3"
repeat_region   complement(125171. .125368)
                /rpt_family="B3"
repeat_region   125550. .125631
                /rpt_family="LIME2"
repeat_region   complement(125925. .125982)
                /rpt_family="PB1D10"
repeat_region   125989. .126179
                /rpt_family="URR1A"
```

```
repeat_region   127683. .127870
                /rpt_family="B3"
repeat_region   127841. .127890
                /rpt_family="B3"
repeat_region   complement(128282. .128349)
                /rpt_family="(AC)n"
repeat_region   129374. .129525
                /rpt_family="(CAT)n"
repeat_region   129526. .129547
                /rpt_family="RSINE1"
repeat_region   complement(130250. .130455)
                /rpt_family="(CA)n"
repeat_region   131334. .131397
                /rpt_family="B3"
repeat_region   complement(131734. .131856)
                /rpt_family="(GGAA)n"
repeat_region   complement(131764. .131856)
                /rpt_family="B1-F"
repeat_region   complement(131797. .131934)
                /rpt_family="PB1D10"
repeat_region   complement(132249. .132371)
                /rpt_family="B4A"
repeat_region   133004. .133251
                /rpt_family="B1_MM"
repeat_region   133785. .133903
                /rpt_family="Lx9"
repeat_region   complement(134046. .134115)
                /rpt_family="(CAGA)n"
repeat_region   complement(134513. .134706)
                /rpt_family="PB1D7"
repeat_region   complement(134802. .135034)
                /rpt_family="B3"
repeat_region   134827. .134906
                /rpt_family="(GT)n"
repeat_region   complement(134858. .135034)
                /rpt_family="B3A"
repeat_region   complement(136502. .136550)
                /rpt_family="(TAAA)n"
repeat_region   complement(136784. .136887)
                /rpt_family="B1-F"
repeat_region   136991. .137150
                /rpt_family="B3"
repeat_region   complement(137151. .137200)
                /rpt_family="(GA)n"
repeat_region   137201. .137276
                /rpt_family="(CA)n"
repeat_region   137201. .137254
                /rpt_family="(CATA)n"
```

```
RESULT      9
AC005507
LOCUS       AC005507   175817 bp   DNA     HTG    02-DEC-1998
DEFINITION  *** SEQUENCING IN PROGRESS *** Plasmodium falciparum 3D7 chromosome

ORIGIN
BASE COUNT   35324 a  32541 c  32732 g  37590 t

Query Match          3.4%;  Score 43.6;  DB 13;  Length 138187;
Best Local Similarity 54.5%;  Pred. No. 0.89;
Matches  85;  Conservative  1;  Mismatches  70;  Indels  0;  Gaps  0;

Qy  1009 AAGACCAGGAGAAGAGATGGGGAGGGGGGTGGGAGTGGGAAATAAAATATTTAGCCCTTCCTT 1068
         |||  |||||||||| ||||||   ||||||   | |||  | |    | |  ||| ||
Db  49690 AGGGGCCAGGAGAGAAAATGGGGCTAGGGAGGGGAGCTCACATGTAACAAAGTGCATCGTTGCAAG 49749
Qy  1069 GGTAGGTAGCTTCTCTAGAATTTAATTRTGCTTTTTTTTTTTTTTTTTTTTTTGGGCTTGGGAA 1128
         | ||||| || |  |  |  | || | ||  |  ||||||||||||||||||||||
Db  49750 CATGAGGGCCTGGCGTTTGATCGCTAGAAATCTTTTTTTTTTTTTTTTAAACGAAAAACCAA 49809
Qy  1129 AGTCAAAATAAAAACAACACAGAAAAACCCCTGAAGGAA 1164
         | ||| |||| |||  |||||  ||||| ||| | ||||
Db  49810 AAGCAAAAACAAAAACAAAAACCAGACTAGGAA 49845
```

```
ACCESSION   AC005507
NID         g3947406
KEYWORDS    HTG; HTGS_PHASE1.
SOURCE      malaria parasite P. falciparum.
ORGANISM    Plasmodium falciparum
            Eukaryota; Alveolata; Apicomplexa; Haemosporida; Plasmodium.
REFERENCE   1  (bases 1 to 175817)
AUTHORS     Hyman,R.W., Fung,E.L., Qin,F., Tanaki,T., Kurdi,O. and Davis,R.W.
TITLE       Plasmodium falciparum 3D7 chromosome 12
JOURNAL     Unpublished
REFERENCE   2  (bases 1 to 175817)
AUTHORS     Hyman,R.W., Qin,F., Fung,E.L., Conway,A.B. and Davis,R.W.
TITLE       Direct Submission
JOURNAL     Submitted (21-AUG-1998) Stanford DNA Sequencing and Technology
            Center, Stanford University, 855 California Avenue, Palo Alto, CA
            94304, USA
COMMENT     On Dec 2, 1998 this sequence version replaced gi:3785954.
            ***
            *** WARNING: Phase 1 High Throughput Genome Sequence ***
            ***
            *
            *  This sequence is unfinished. It consists of 23 contigs for
            *  which the order is not known; their order in this record is
            *  arbitrary. In some cases, the exact lengths of the gaps are
            *  between the contigs are also unknown; these gaps are presented
            *  as runs of N as a convenience only. When sequencing is complete,
            *  the sequence data presented in this record will be replaced
            *  by a single finished sequence with the same accession number.
            *
            *      1   4252: contig of 4252 bp in length
            *   4253   4303: gap of unknown length
            *   4304  13546: contig of 9244 bp in length
            *  13547  13596: gap of unknown length
            *  13597  30165: contig of 16569 bp in length
            *  30166  30215: gap of unknown length
            *  30216  40515: contig of 10300 bp in length
            *  40516  40565: gap of unknown length
            *  40566  48776: contig of 8211 bp in length
            *  48777  48826: gap of unknown length
            *  48827  54664: contig of 5838 bp in length
            *  54665  54714: gap of unknown length
            *  54715  62601: contig of 7887 bp in length
            *  62602  62651: gap of unknown length
            *  62652  65434: contig of 2783 bp in length
            *  65435  65484: gap of unknown length
            *  65485  90084: contig of 24600 bp in length
            *  90085  90134: gap of unknown length
            *  90135  109461: contig of 19327 bp in length
            * 109462  109511: gap of unknown length
            * 109512  120031: contig of 10520 bp in length
            * 120032  120381: gap of unknown length
            * 120382  129750: contig of 9369 bp in length
            * 129751  129800: gap of unknown length
            * 129801  136222: contig of 6422 bp in length
            * 136223  136272: gap of unknown length
            * 136273  142626: contig of 6354 bp in length
            * 142627  142676: gap of unknown length
            * 142677  147947: contig of 5271 bp in length
            * 147948  147997: gap of unknown length
            * 147998  153135: contig of 5138 bp in length
            * 153136  153185: gap of unknown length
            * 153186  157105: contig of 3920 bp in length
            * 157106  157155: gap of unknown length
            * 157156  160654: contig of 3499 bp in length
            * 160655  160704: gap of unknown length
            * 160705  163855: contig of 3151 bp in length
            * 163856  163905: gap of unknown length
            * 163906  167011: contig of 3106 bp in length
            * 167012  167061: gap of unknown length
            * 167062  170056: contig of 2995 bp in length
            * 170057  170106: gap of unknown length
            * 170107  173045: contig of 2939 bp in length
            * 173046  173095: gap of unknown length
            * 173096  175817: contig of 2722 bp in length.
```

```
12 PFYACB8-628 genomic sequence; HTGS phase 1, 23 unordered pieces.

FEATURES             Location/Qualifiers
     source          1..175817
                     /organism="plasmodium falciparum"
                     /db_xref="taxon:5833"
                     /chromosome="12"
BASE COUNT     68768 a  18961 c  19291 g  67639 t   1158 others
ORIGIN

Query Match   3.3%;  Score 42.4;  DB 18;  Length 175817;
Best Local Similarity 54.58%;  Pred. No. 1.8;
Matches  85;  Conservative  0;  Mismatches 71;  Indels  0;  Gaps  0;

Qy   744 TCCAGAAAACAAAAAGTAGGATACTTACAATCCATAACATCCAATACCAATACCGAACACTTGT 803
         ||| | |||  | |||  || ||||| ||||| ||| | || | ||||| |||||| | || |||
Db 29180 TCACAATAATACATGTACAATATACAGTAAATAATATTAAAATATGAATGATGCATATA 29239

Qy   804 ARGTGTTTGTTAAATATTCGAATGCAGTAGAATTTGTTAAAGTGTGTGTTAGGTAACAC 863
         | ||||| |||||||| | | |||||| |||||  || || |||||||  ||| | |||
Db 29240 AAGAATATTTTAATAAATGAATTTATCTTTAACTTATATAAAATTAAATCTTTCCAGTAATAT 29299

Qy   864 TGAAGAACTAAAAATGCAATTTAGGTAATCTTACAT 899
         | ||||| |||| ||| |||| || ||||| |||||
Db 29300 TTAATAATTATTTTTTAAATCTCCTTCATATGAAAT 29335
```

```
RESULT 10
CEMYO2/c
LOCUS       CEMYO2      10780 bp    DNA             INV       29-MAR-1993
DEFINITION  Caenorhabditis elegans myo-2 gene for myosin heavy chain 2 (MHC-C).
ACCESSION   X08066
NID         g6787
KEYWORDS    myo-2 gene; myosin; myosin heavy chain.
SOURCE      Caenorhabditis elegans.
ORGANISM    Caenorhabditis elegans
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Nematoda;
            Secernentea; Rhabditia; Rhabditida; Rhabditina; Rhabditoidea;
            Rhabditidae; Caenorhabditis.
REFERENCE   1  (bases 1 to 10780)
AUTHORS     Karn,J.
TITLE       Direct Submission
JOURNAL     Submitted (30-JUN-1988) Karn J., MRC Laboratory of Molecular
            Biology, Hills Road, Cambridge, United Kingdom
REFERENCE   2  (bases 1 to 10780)
AUTHORS     Dibb,N.J., Maruyama,I., Krause,M. and Karn,J.
TITLE       Sequence analysis of myosin heavy chain gene family from
            caenorhabditis elegans
JOURNAL     J. Mol. Biol. (1988) In press
COMMENT     see J01050 for overlapping sequence
            Entries M37233, M37235 and M37236 are all fragments of this
            sequence.

FEATURES             Location/Qualifiers
     source          1..10780
                     /organism="Caenorhabditis elegans"
                     /strain="Bristol N2"
                     /db_xref="taxon:6239"
                     /codon_start=1
                     /product="myosin heavy chain 2"
                     /clone="lambda (pharynx)"
                     /tissue_type="muscle (pharynx)"
     exon            <1727..1789
                     /number=1
     CDS             join(1727..1789,1900..2028,2084..2224,2274..2748,
                     2804..2985,3034..3193,3454..4745,4798..7334,7381..7531,
                     7580..7870,8060..8341,8388..8528)
                     /translation="MDYEMDPGWKYLRRSREEMLQDQSRAYDSKKNVWIPDSEDGYIE
                     GVIKPAGDNVTVSTGQGAEKTVKKDVVQEMNPPKFEKTEDMSNLTFLNDASVLYNLK
                     ARYAMLIYTYSGLFCVVINPYKRLPIYTESVARMFMGKRRTEMPPHLFAVSDEAYRN
                     MLQNHENQSMLITGESGAGKTENTKKVISYFAAVGAAQOETFGAKKAAFEEDKNKKKV
                     TLEDQIVQTNPVLEAFGNAKTVRNNSSRFGKFIRIHFSKQGRVASCDIEHYLLEKSR
```

```
            VIRQAPGERSYHIFYQVFSDYLPNLKKDLLLNKPVKDYWFIAQAELIIDGINDKEEHQ
            LTDEAFDILKFTPTEKMECYRLVAAMMHNGNMKFKQRPREEQAEPDGTDDAERAAKCF
            GIDSEEFIKALTRPRVKVGNEWVNRGQKIEQVWWAVGAMAKGLYSRIFNWLVKKCNQT
            LDQKGISRDHFIGVLDIAGFEIFDFNSFEQLWINFVNEKLQQFFNHHMFVLEQEEYAR
            EGIQWTFIDFGLDLQACIELIEKPLGIIAMLDEECIVPKATDLTIAQKLIDQHLGKHP
            NFEKPKPGKQAEAHFAMRHYAGTVRYNCLNWLEKNKDPLNDTVTVWKASKEHALI
            VEWQDYTTQEEAAAAAKGTAGAKKKGKSGSFMTVSMLYRESLNKLMLTHTHPHF
            IRCIIPNEKASGVIDAGLVLNQLTCNGVLEGIRICRGFPNRTLHPDDVQRALLAA
            DESIIGKIDAKKGSSALMLARLVKEKKLEEENFRVGLHFVFKAGIVAHLEDLRQSLA
            QLITGLQAQIRWYQTIERKRVEKITALKIIQRNIRSWAELRTWWFKLYGKVKPLV
            NSGKIEAQYKELQETVAILKDTVQEEEKKRQLQEGAERLNKETADLLAQLEASKGST
            REVEERMTAMNEQKVALEGRLLADASKLEVEARAVAEINKQKKLVEACADLKKNCQD
            VDLSLRKVEAEKNAKEHQIRALQDEMRQQDENISKLNEKRNQEQQNKKLTEDLQAAE
            EQNLAANKLKAKLMQSLEDSEQTMEREKRNADMDKKNRKAAEGELKIAQELEELNKS
            KSDAENALRRKETELHILGMKLEDEQAAVAKLQKGIQQDEARVKLHDQLADEKDARQ
            RADRSRADQQAEYDELTEQLEQDGKARRAAEQELKGKNEAQARVKLHDQLADEKDARQ
            LTVLKKKGSDAIQELSDQIEQOLQKQKGRIEKEKHGMQREFDESCAALDQEARLRADGE
            RLAKGEYQTSELRLRKADEOSRQLQDFVSSKGRLNSENSDLARQVEELEAKIQAANRL
            KLQFSNLELDHAKRQAEESRERQNLSNLSKNLARELEQLKESIEDEVAGNEASRQLS
            KASVELDQWRKEFETEGLLGADEFDEVKRKRQNQKTSEIQDALDACNAKIVALENARSR
            LTAEAADANRLEAEHHAQAVSLEKKQRAFDKVIDEWKKKVDDLYELEDGQRDARQLS
            GEAHKLRGHDILADQVEGLRRENKSLSDEFDLTESLSEGGRATHALSKNLRRLEME
            KEELQRGLDEAEAELESEESRALRCQEVSQIRAEIEKRIAEKEEEFENHRKVHQQTI
            DSIQAILDSETRAKSELFRVKKLEADINELEIALDHANKANEDAQKNIRRYLDQIRE
            LQQTVDEEQKRREEFRHILAAERKLAVAKQEEEIIVKLEALERARRVESSSVKEHQ
            EHNELNSQNVALAAAKSQLDNEIALLNSDIAEAHTELSASEDRGRRAASDAAKLAED
            LRHEQEQSQOLERFKKQLESAVKDLQERADAEAAVMKGGAKAIQKAEQRLKAFQSDL
            ETESRRAGEASKTLARADRKVREFEFQVAEDKKNIDKLQEIVEKLTAKLKLQKKQLEE
            AEEQANSHLSKYRTVQLSLETAEERADSAEQCLVRIRSRTRANAEQK"
```

```
intron      /number=1
            1790..1899

exon        1900..2028
            /number=2

intron      2029..2083
            /number=2

exon        2084..2224
            /number=3

intron      2225..2273
            /number=3

exon        2274..2748
            /number=4

intron      2749..2802
            /number=4

exon        2804..2985
            /number=5

intron      2986..3033
            /number=5

exon        3034..3193
            /number=6

intron      3194..3453
            /number=6

exon°       3454..4745
            /number=7

intron      4746..4797
            /number=7

exon        4798..7334
            /number=8

intron      7335..7381
            /number=8

exon        7381..7531
            /number=9

intron      7532..7579
            /number=9

exon        7580..7870
            /number=10

intron      7871..8059
            /number=10

exon        8060..8341
            /number=11

intron      8342..8387
            /number=11

exon        8388..>8525
            /number=12
```

```
BASE COUNT    3364 a   2316 c   2266 g   2826 t    8 others
ORIGIN

Query Match              3.3%;     Score 42;    DB 3;   Length 10780;
Best Local Similarity   54.0%;   Pred. No. 1.9;
Matches 107;  Conservative   0;  Mismatches   87;  Indels   4;  Gaps   1;

Qy   1045  AAATAAAAATAATTTAGCCCTTCCTTGGTAGGTAGCTTCCTCTGAGAATTTAATTRTGCTTTTT  1104
           ||   ||| ||| ||||| ||||  || |||||  || || || |  ||   |||| || |||||||
Db    777  AAGGATACTACTCAGATATAAAAATGTTACGACGTTTTCAATACTTTTANATTTCAPTTT  718

Qy   1105  TTTTTTTTTTTTGGGCTTTGGGAAAGTCAAAATAAAACAACCAGA---AAACCCCTGAA  1160
           ||    |||||||| |||||||  || ||||| | |||||| |||     ||| ||| ||
Db    717  TGGTTTCTTGTGAGCTTATGGGGATGTCCACAATAAAACGTCCACAGCACAAAAACCACA  658

Qy   1161  GGAAGTAAGATGTTTGAAGCTTATGGAAAATTTGAGTAACAAAACAGCTTTGANCTGAGAGC  1220
           | || |||| ||| ||||||||| || |||||| ||  |||||   |||| |  ||  |  |
Db    657  TGTACAAGGTATATAATTATGCTTATCAAAAACTCGAATTGCAACCTGGTCAGGAGTAATTAT  598

Qy   1221  AATTYCAAAAGGCGTCGCTG  1238
           |||| ||||| |||| ||||
Db    597  TATTACAGACAGTTACTG  580
```

```
RESULT 11
AC006101/c
LOCUS       AC006101    155644 bp    DNA        HTG       04-DEC-1998
DEFINITION  *** SEQUENCING IN PROGRESS *** Homo sapiens chromosome 10 clone
            CIT-HSP-1338F24; HTGS phase 2, 3 ordered pieces.
ACCESSION   AC006101
NID         g3962485
KEYWORDS    HTG; HTGS_PHASE2.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
            Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 155644)
  AUTHORS   Smith,D.R.
  TITLE     Sequencing of Human Chromosome 10
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 155644)
  AUTHORS   Smith,D.R.
  TITLE     Direct Submission
  JOURNAL   Submitted (04-DEC-1998) Genome Therapeutics Corporation, 100 Beaver
            Street, Waltham, MA 02154, USA
COMMENT     *** WARNING: Phase 2 High Throughput Genome Sequence ***
            *** This sequence is unfinished. It consists of 3 contigs for
            * which the order is known. The lengths of the gaps have been
            * estimated by the submitter but are not known exactly. When
            * sequencing is complete, the sequence data presented in this
            * record will be replaced by a single finished sequence
            * with the same accession number.
FEATURES             Location/Qualifiers
     source          1..155644
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="CIT-HSP-1338F24"
                     /chromosome="10"
     *               1      45025: contig of 45025 bp in length
     *               45026  48270: gap of unknown length
     *               48271  112277: contig of 64007 bp in length
     *               112278 115521: gap of unknown length
     *               115522 155644: contig of 40123 bp in length

BASE COUNT    43051 a   31296 c   30076 g   44716 t   6505 others
ORIGIN

Query Match              3.3%;     Score 41.4;   DB 18;   Length 155644;
Best Local Similarity   45.0%;   Pred. No. 3.2;
Matches 135;  Conservative   2;  Mismatches 163;  Indels   0;  Gaps   0;
```

```
Qy    968  ACTTTGATGTACATTAATGTGTGGGATATGGAATGAAGAGACTTAAGAGCAGGAGAGAGATGGG 1027
           || |||   |||  |||  || | || ||| |||| || | ||| |  || ||||||||||
Db   9426  ATTTTTTATGTATGTAAAATATTTCAAAATAAAACAAAATTACAACTGACTGAATGAGGA 9367

Qy   1028  GAGGGGGTGGGGAGTGGGGAAATAAAATATTTAGCCCTTCCTTGGTAGTAGCTTCTCTAGA 1087
           ||                                          ||     ||||  ||||
Db   9366  GAAAATGTCCCTGATCAAAAATATGGTCTTAGTCCTAAAATGATTGGCTACATTGGTTAAA 9307

Qy   1088  ATTTAATTRTGCTTTTTTTTTTTTTTTTTGGCTTGGAAAAGTCAAAAATAAAAACAACCA 1147
           || |:|  |||    ||  ||||||||||||     ||||| |||| |  ||
Db   9306  ATCACATTGAAAAACTTTTATATGTTGTAATCTTACCCGCAAAGGCAGAAATTTACGAGTT 9247

Qy   1148  GAAAACCCTGAAGGAAGTAAGATGTTTGAAGCTTATGAGTAACAAACAGCTT 1207
           ||||||   |||||      |||||||||| |||||||||||||
Db   9246  GAAAACCATTTAACTGGTCAAGTAAGTACATTGAAATTAGCCTTAATGTTTGAT 9187

Qy   1208  TTGANCTGAGACAAATTCAAAAGGCTCCTTCCCCCCGGGGTGTAGCCCCCGGGTTGCCTNTNTNCTNAA 1267
           || |||    |||   ||| | || ||
Db   9186  TTTAATGCCACTAACCATTAAAATATATGTTCACTCTATTTCATTTCTTTAGAATGTTCATGAA 9127
```

RESULT 12

FEATURES   Location/Qualifiers
     source   1..99689
                     /organism="Arabidopsis thaliana"
                     /db_xref="taxon:3702"
                     /chromosome="1"
     CDS   complement(join(71..672,759..858,941..1801))
                     /note="5' end of T7N9.22 (gi|2213602); 3' partial gene
                     that overlaps Sp6 end of T7N9; similar to EST gb|N96069"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.1"

     CDS   /db_xref="PID:g3935158"
                     /translation="MSVHGRFPASPPISLSPSSSSTSPSSQSPSTPPDLKORVIACLN
                     KLADRDTLALASAELDSIARNLTHDSFSPFLNCIHNTDSSVKSPVRKQCVALLSVLSR
                     YHGDSLTPHLAKMYSTVIRRLRDDEDSSVRSACAVATADMSAHVTRQPFASVAKPLIET
                     LIQEGDSNLQIGAALCLALASVDAAEDPESEOLRKSLPFLRGIKDSGFRAKAALLSAV
                     GSIIPAGAGTKPVLDWLVPVLIEFLSSEDWAARKSAAEALGKVATAEDLASQKKTC
                     TTIALESRRDVKSVREINNRALNLWKEVSTDDEASLSPSRSSTDDGNICFSSVTRS
                     STIDVGLKSARPKKVTPIMKRSPSLPVNRSYAFAROKENPKRNQGNMMLVEEASSV
                     DNKGPHFTPVKKSSEETEKANSGGPDIIKHTISEKSREDSKVSSFGGLRSGSRVAPC
                     SDGDSSVKNCKDVEESKRDSEELSLIREOLALIENQSSLIDLLQQVITWSLISIVSL
                     YVDKLFGYECCR"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.2"

     CDS   /db_xref="PID:g3935159"
                     /translation="MAGEGSKPRATVDDAYAYIRTVKSTFHNDPDKYDDFMAIMKNFK
                     ARKIDRNTCIEEVKELLKGHRDLISGFNAFLPKCLEIADWYNIEGRTYESLLGNTRN
                     FELNLIIEIQHWRKKFSNAIIKWSFRSTNKAADRLAKGELENNVTFVSHSTR"
                     /note="hypothetical protein similar to T7N9.24
                     (gi|2213603)"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.3"

     CDS   join(7691..7830,7965..8093,9131..9329)
                     /db_xref="PID:g3935160"
                     /translation="MVERRVQVEPTLSDAHSYITAVKEAFHDEPTKYEEFIKLMNDIR
                     DHGVDKASGIAKLTELIRGHPRLLRGLSFFPQVNRDIHHEAKRTIILKDKATIPPEA
                     QEEVVDLLYHEDLIDKFFRLRNMRK"
                     /note="hypothetical protein similar to T7N9.25
                     (gi|2213605)"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.4"

     CDS   join(10122..10261,10378..10624,10700..10801,10890..10961)
                     /note="hypothetical protein similar to T7N9.23
                     (gi|2213604)"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.5"

     CDS   join(12453..12613,12749..12879,13398..13479,13874..13939,
                     14016..14285,14382..14499,14602..14703,14781..14852)
                     /db_xref="PID:g3935161"
                     /translation="MVGGSKHVGEGSKPRATKDDAYAYLRAVRARFHNDSKKYIDDFV
                     AWTNFKARRIDRDGCIKEVEDQLLKGHRDLISGFNAFLPKCLEIKNYYFGAEDLEVV
                     YTAKRKLLARSVTKRSSSSSSSFRDEPAKYRQFLSLRDRRARRIDKATFVGLVEL
                     IKDHLDLLGFNALLPARFQIPITPAGFQNVGRSVPPETIEDATSYLNSVKRAFHD
                     EPAKYEELLKLLNDIEARRVDAASFIASVEELMKDHQTLLNGFSVFLSAEMKFIRKLK
                     AKFQGPGGSHVADSVLQILRMYSEGNKSKEAFQEVVPLVQOHEDLVMELIKIIFSDP"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.6"

     CDS   join(15962..16104,16188..16481,16578..16695,16782..16883,
                     16966..17034)
                     /note="hypothetical protein"
                     /codon_start=1
                     /evidence=not_experimental
                     /db_xref="PID:g3935162"
                     /translation="MGKSKSPEFNEEDGMAYFDAVKAVALQDTEPEKYQEEVRIFIDY
                     TANRFGFETLSASLQELLRDHANLHGSNVLLPFRLQTAIPPEEASAEFHNKVVGRSV
                     PPAVAVPTMIDDATSYLNAVKEAFHDEPAKYMEITKLLTDLKARRINAASVIARMELL
                     KDHLNLLGFCVFLSPTRRFITKLKARFLGDGSQOVVDSVLQILRMISEGNKSKDEASQ
                     EVRALIQGHEDLLMLSEIFSDP"

     CDS   join(17912..17988,18081..18639,18726..18875)
                     /note="hypothetical protein"
                     /codon_start=1
                     /evidence=not_experimental
                     /db_xref="PID:g3935163"
                     /translation="MEEVVHDEPEKFNHILHLIRDYFNHRDDRARITACMGELMRDHL
                     NLLVRFDFFPPAEASEGLAQLQTIAATSVSPDSTIDDAVSYINTVKEAFHDEPAKYYE
                     FFQLFYDIRYRVVLLCPSSILFALNFKSOSIOHCEVILFVIYYSICLRIDVAGGITRV
                     DRHVESFLEITLTMYQEGNKSVNDLYOEVGFLVGTLWLDYTFS"
                     /codon_start=1
                     /note="putative polyprotein (AF039376)"
                     /translation="MEEVVHDEPEKFNHILHLIRDYFNHRDDRARITACMGELMRDHL"
     CDS   join(19430..19507,19610..19831,20016..24392)
                     /codon_start=1
                     /evidence=not_experimental
```

CDS
/product="F17L21.7"
/db_xref="PID:g3935164"
/translation="MFININVNIVQVNCWSHTWHEASCLQVFDIKTQTCDRKPICSE
TEGGFDYKTLCLDGKHGPVPVDKTRIRLADYGGGKRAVLMPNNIHSLRKMTWCAASF
KRSLNLNAALLFFIFHYFSFSSMASETVIISDSTISLLNVNMTNVTKLTSSNFLMWR
RQVQALIMGTLDTYIGIDGSIVVPPAITIANGAVYNPAFKIWQRDQLIYSALIGAIS
ISVQPILSRTTTSAEIWTKLMDTYAKPSWSHIQQLRQQIKQWKKDKKSIDEFFQGLVM
RFDQALALGKPMEESEQMEVIVEGLSDDYKQVIDQIQGREVPPSLTEIHEKLLNHEVK
LQAASSLPISANAASYRPPANNKHNNSNNNYRGQNRNNEMVGANSVQQPRRQQSSRG
YQGKCQICGVPGHSARRCSQLQMSGAYSTPSPSQYPNATVPWQPRANMAAMSYNPWLL
DSGAHHLTTLDLNNLALHQPYNGGEEVTIADGSTLPITHTGSSTLTQSRSLALNNIL
YPNLKNLISVKLQNANKRVSVEFFFAPVVKLSVGGARRVSVEFVAENVPFDKELVEYPSN
SHKLPFYSNIIISYFPLEYYVSDVWTSPVISVDNFKYLIIVDHTRYTWIYPLKQKS
QVRETFVAFKALVENRFQTKIRTLYSDNGGEFIALRQFLFLHGISHLTISLPHTPEHNG
IAERKIRHILETGLLTLTQASIPTSWTYARGTAVYLINRLPSSVLNNESPYSKLFKT
SPNLKLRVGCSCFFWLRPYTNHKLLERRSOPCVFLGYSLTQSAVLCLDRSSGRVYTS
RHVQFVEDQFPFSISDTHSVSSSPEEASPSCHQPPSRIPIQSSSPPLVQAPSSLPPL
SDSSHRRPNAETSSSSSSTNNDVVVSKDNTQVDNRNNFIGPTSSSSAQSQNNSNPSSS
IQTQNEPNPSPSPTPQNSSPESSPSSSTSAFSTVPNPPPPPTPNNIPMRFRAKNHITK
PKTKLSLLAVQTRPQIFNTVNQALRDEKWRNANAGEEINAQINRNTFELVPPRKPNQN
VISTRKWIFTLKYLPNGTLDRYKARLVARGFRQQYGLHYSEFFSPVVKSLIIRLVLQLA
VSRWTWIKQLDVNNAFLQGTLTDEVYVTQPPGFIDPDRPHHVCRLKKALTGLKQAPRA
WYQELRNFVCSLGFTNSLADTSVFYIDIQIVCLVYDDIIVITGSSSDALVMAFITA
LSRRFSLKDPDLVFLGIEATRTSOGLHLMQHKYVYDLLSRMKMLDAKRVSTPMATH
PKLSLYSGIRALDEPGEYRTVIGSLQYLAFTRPDIAYAVNRLSOFMRRPTDIHWQAAKR
VLRILAGTAFHGILLRNSPLSLHAFSDADWAGDNDDFVSTNAIVIVILGSTPIWSSK
KQKGVARSSTEAEYRAVAVTSEIRWVCSLTELGITLLPKMPVIVCDVNGAITLSANP
VFHSRMKHLALDYHFIRDNVSAGALRVSHISTHDQLADALTKPLPROHFLQFSSKIGV
SKLPPS"
/evidence=not_experimental
/codon_start=1
join(25673..26084, 26445..26461)
/note="unknown; similar to ESTs gb|T42386, gb|H36247,
gb|N8423, gb|T21830, and gb|AA585725"

CDS
/product="F17L21.8"
/db_xref="PID:g3935165"
/translation="MMRQRDEQOSRVFDLSSLVLNLLRSPPMPISLPDHFPDPAR
IRPPSHRFSSSSPSLAHISPSGFASLLLGISVALMCGSVTFFIGFLLMPWVLALI
LFFVYAGIVSAISMVGRSILCYVLLPPSSGKEISEWKLL"
/evidence=not_experimental
/codon_start=1
join(27209..27349, 27618..28079)
/note="hypothetical protein"

CDS
/product="F17L21.9"
/db_xref="PID:g3935166"
/translation="MESSEDVENLSRAIEKLLHEKRREASGDAFIEDADDQLFSSL
ISQLESPNPKGKEDVITGEEEEKEEEASDSSPKGKGSEGSGQROLEESIEEIAKDIKKVK
KQNRITHVLLSATIILTLWQLSEYSMIFMLKDIHSHPVRSIGGMLNGMFKGRLRPIK
NQLAGTSNSNDQONNHGNGSHTGPOLQVPELLREFGFDDEE"
/evidence=not_experimental
/codon_start=1
complement(join(28500..28571, 28929..29675))
/note="similar to nuclear transport factor 2; similar to
ESTs gb|T21347, gb|N96312, and emb|F20149"

CDS
/product="F17L21.10"
/db_xref="PID:g3935167"
/translation="MDPDAVARAFVEHHYSTFDANRPGLVSLIQEGSMLTFEGKIQG
LISNQGNYYVFNDIFRLNYA"
/evidence=not_experimental
/codon_start=1
join(31665..32171,32453..32734,32937..33106,33195..33690,
33784..33835,33950..34179,34268..34366,34453..33558,
35648..35827,35899..35986,36081..36149)
/note="similar to sensory protein bara (sp|P26607);
similar to histidine kinase A (gi|1136289); similar to
ESTs gb|AA712891 and gb|AA042438"

CDS
/product="F17L21.11"
/db_xref="PID:g3935168"
/translation="MSLFHVLGFGVKIGHLFVMLCCNFVSWWTVDNGIEDKSGLLVGSV
GDLEKTKMTTLKKKNWMFWNKISSSGLKIPSFSYQFLGSVKFNKAPWRKLVVVWVF
WVLVSIWTFWIFSSQAMERKRETLASMCDERARMLQDQFNYSMNHVQAMSILISTFHH
GKIPSAIDQRTFESEYIDRTSFERPLTGSVAYAMRVLHSEREEFERQQGWTIRKMYSLE

QNPVHKDYDLEALEPSPVQEYAYAPVIFAQDTVSHVSLDMLSGKEDRENVLRARSSG
KGVLTAPFPLIKTNRLGVILITFAVYLRDLPSNATPKERIEATNGYLGGVFDIESLVEN
LLQQLASKQTILVNVDIITNHSQPISMYGTNVSADGLERVSPLIFGDPLRKHEMRCRY
LQLAHTVYCNFLFCCELPLCRRKQFPMPVLSMVTISGIVILLALVAH
IIHATVSRIHKYEEDCDRMKQLKKKAEFAADVARKSQFLATVSHEIRTPMNGVLGMIHM
MDTELDVTQQDYVRTAQASGKALVSLINEVLDQAKIESGKLELEEVRFDLRGILDDVL
SLFSSKSQQKGVELAVVISDRVPDMLIGDPGPGRFROIILNLMGNSIKFTEKGHIFVTVH
LVDELFPSIGEEFASSPESTLSGLPVADRORSWENFKAFSSNGHRSEFPSSPPDINLIV
SVEDTGVGIPVEAQSRIFTPFMVGPSISRTHGGTGISLSKCLVGLMKGEIGFSST
PKVGSTFTFAVFSNGMQPAAERRDNNQPOIFSEFGRNAAVVHFPRARAVSWYHFQR
LGIRVEVVPRVEQALHILKIGTTVNMILIEEQIMNREADDIKKLQKDPLFLSPKLI
LLANSVESSISEALCTGIDPPIVIVKFPLRASMLAATLORGLGIGIREPPQHKGPPALI
DIOMPEMDGFEAIRRIRDMEEEMNKRIKNGEALIVENGNKTSMHLPVLAMTADVIQAI
HEECLKCGMDGYRIIRGDGAGRRIAKETQKLYSPMHLEVVEKQIDDCKKSVYRKAGVT
RPRT"
/product="F17L21.13"
/db_xref="PID:g3935170"
/note="unknown; similar to EST gb|AA650671 and gb|T20610"
/codon_start=1
/evidence=not_experimental
join(36949..36951, 37408, 37564, 37737..37783)

CDS
/product="F17L21.12"
/db_xref="PID:g3935169"
/translation="MTTSKRLADRKIEKFDKNILKRGFVPETTTKKGKDYPVGPILLG
FFVFVIGSSLFQIIRTATSGGMA"
/codon_start=1
/evidence=not_experimental
join(39626..39777, 40491..41742)
/note="similar to EST in protein; similar to ESTs gb|T42445,
gb|T76780, gb|AA650733, and emb|Z17748"

CDS
/product="F17L21.13"
/db_xref="PID:g3935170"
/translation="MEEELAMLROLIGOLCELLHNGSPPPSSSSLSSSSPSFLVH
HPQYQNGWCLPCIEDTSADDCCDIVNAGGKRPGIFRMLETVKPPVKRTKERTOGRKSC
TEVDEISGNMDOEIWQEFPQDLFEDVVSRLPMATFFOFRAVCRKWNALIDSDSFSRCF
TELPQIPWFYTIITHENVNSGQVYDSLKKWHHPIIPALPKKSIVLPMASAGGLVCFL
DIGHRNFYVSNPLTKSFRELPARSFKVWSRVAVGWTLNGNSTHGTKVLWVGCEGEYE
VDSLSNVWTKRGTIPSNIKLPVLLNFRKSQPVAIRSTLYFMLTDPEGILSYDMVGSGKW
KQFIIPGFPPDLSDHTLAACGERLMLVGLLIKTNAARCVCIWELOKMTLLWKEVDRMPNI
WCLEEYGKHIRMNCLGNKGCLILLSLRSRQMNRLITYNAVTREWTKVPGCTVPRGRKR
LWIACGTAFHPSPTARA"
/evidence=not_experimental
/codon_start=1
complement(join(42083..42239, 42509..42669, 43186..43188))
/note="unknown; similar to ESTs gb|T20610 and
gb|AA586199"

CDS
/product="F17L21.14"
/db_xref="PID:g3935171"
/translation="MTTSKRLADRKIEKFDKNILKRGFVPETTTKKGKDYPVGPILLG
FFVFVVIGSCESLLGLQLAEAWHKPKHSQARRSFONVESSSVSVELFLSLYCRMCQLSV
YYIM"
/note="putative squamosa-promoter binding protein
(AC002561)"
/codon_start=1
/evidence=not_experimental
join(46024..46685, 46846..46967, 47100..47351, 47455..47600)

CDS
/product="F17L21.15"
/db_xref="PID:g3935172"
/translation="MDCNNVSSSOWDWEHLIMSNPSREDDSKQLPTEWEIEKGEGIE
SIVPHFSGLERVSSGSATSFWHTAVSKSQSTSINSSSPEAKRCKLASESSPGDSCSN
IDFVQVKAPTALEVSAVASAESDLCLKLGKRTYSEYWGRNNNETSAVSMKLLTPSVVA
GKSKLCGQSMPVPRCQIDGCELLSSAAGYHRHKVCKPKVSVSGLERRFCQQ
CSRFHAVSEFDEKKRSCKKRLSHNARRKPQGVFSMNPERVIDRROHRNMLMNGVSL
NARSEEMYEWGNNYIDTKPROTERSFTLSFPQRGNGSEDQLVASSSRMFSTSQTSGGFP
AGRSKFOLHGEDVGEYSGVILHESODIHRALSLLSTSSDPLAQPHVQPFSLLCSYDVVP
K"
/evidence=not_experimental
/codon_start=1
complement(join(49339..49493, 49603..49851, 49967..50088,
50218..50882))
/note="similar to squamosa-promoter binding protein
(gi|12673911)"

CDS
/product="F17L21.16"
/db_xref="PID:g3935173"

CDS
/translation="MDCNMVSSFPWDWENLIMSNQSKTENEKKQQSTEWEFEKGEGIE
SIVPDFGFEKVSXSSSATSFWHTAVSKSSQSTSINSSSPEDKRCNLASQSSPGDSSSN
IDFLQVKPSTALEVPIASASGDLCIKLGKRYTSEWFWGVWNDLSAVSMNLLTPSSVA
RKKTKSCGQSMQVPRCQIDGCELDLSSSKDYHRKHRVCETHSKCPKVVSGLERRCCQ
QCSRHAVSEEFDEKKRSCRRLSHNNARRKPQGYFPLNEERVFDRRQHTSMLWNGLS
LNTRSEEKYTWGTTVIETKPTQMESGHTLSFQRLSFLSGQSGEDQLFTGSTLSFSFAFQTSSFGS
AGKSNIQLPDKGVGEGSGGLHESHDFYSALSLLSTTSDSQGIKHTPVAEPPFIFGTFP
SHFI"
/product="F17L21.17"
/db_xref="PID:g9935174"
/evidence=not_experimental
/codon_start=1
/note="hypothetical protein"
complement(join(52788..52954,53423..53556,53832..53974))

CDS
/translation="MKDRMERLLLPFSLGCSTQSCVAVATHQQKKPNQLIKSTFLL
TFLLVESDAKGSFRKDYTKMENNNNGANISDGIYIRIRSFKSFSHFFIRYEEETKERE
AEMEIGFPTDVKHLSHIGVDGTMTFDTNTSSSFFSFGSFHLFGTVV"
/product="F17L21.18"
/db_xref="PID:g9935175"
/evidence=not_experimental
/codon_start=1
/note="hypothetical protein"
complement(join(55014..55070,55246..55329,55703..55816,
56001..56104,56456..56705))

CDS
/translation="MACKTILRSVEVSESRRTSGARRCFFLPPSPASPVVHGFLPAPK
SLCFGFASVPERATRLNCSHNDQSDQGPPQEAVLKAISEVSKTEDGRVGKTNTMIIGG
TVADDSAKDWLELDQAVNTFPERGFTAIGTGPQNDVHAMVVAVESVIDRQIPEDCVK
QTLSSKGKYVSVNIGFQIQVVSSEQVQAVIVNAMRRDERMKYFL"
/product="F17L21.19"
/db_xref="PID:g9935176"
/evidence=not_experimental
/codon_start=1
/note="similar to 60s ribosomal protein L17-2 (sp|P35267);
similar to TOM20 (X92491); similar to ESTs
gb|T44475, emb|Z26777, and emb|Z26778"
complement(join(57334..57485,57663..57761,57936..57983,
58075..58244,58331..58409,58699..58797))

CDS
/translation="MEFSTADFERLIMFEHARKNSEAQYKNDPLDSENLLKWGGALLE
LSQFQFPEARLMLNDAISKEEALIINPGKHQALMCIANAYTAHAFYVHDPEEAKEH
FDKAFEYFQRAENEDPGNDIYRKSLDSSLKAPELHMQFMNOGMGQQOILGGGGGGGGG
MASSNQSSKKKKRNTEFTDVCGWIILACGIVAWVGMAKSLGPPPPAR"
/product="F17L21.20"
/db_xref="PID:g9935177"
/evidence=not_experimental
/codon_start=1
/note="hypothetical protein"
join(59115..59215,59917..59214,59250,59369,59405,59889..60119,
60204..60464,60563..60610)

CDS
/translation="MVKYSQEPDNITKSCKARGADLRVHFKNTRETAHAIRKLPLNKA
KRYLEDVIAHKQAIPFTRFCRGVGRTRAQAKNRHSNQGRWPAKSAQFVLDLLKNAESN
AEVKLDIQDALFISHIQVNOAAKQRRRTYRAHGRINRNRMSSPLFDCFYNVCFFIHIVLT
LFRGDFGCFIYTGDRWDSDASDEARTLVAAIDEFPVDILYLDNTYCNPIYSFPSRL
VAVQLVADIIASHPSHDIIAVDSLGKEDLLVHVSRILNIKIHVWPERLRTMHLLGFQ
DIFTDTSLRVRVAPVRYSFSIOTLEGLNTMCPTIGIMPSGPLPWVRKPRPGKDKLSGS
VSSSSYVDPLIYFGRICGANQPPQVLLMRDIAEEFRAVRIKSYSASDKTRMLAKEK
RWKDSHSSLKRNKRARIQVKCAKILEVD"
/product="F17L21.21"
/db_xref="PID:g9935178"
/evidence=not_experimental
/codon_start=1
/note="similar to MIPP proteins (gi|2191178, sp|P28575)"
join(62993..63429,63730..63953,64026..64405)

CDS
/translation="MVVESSSSPIIPGLTDDVAELCVSKIPRSSFQITSQVCRRWRSF
LRSQHFAAVRKLTGTVEEFLCVLMESECGRDVYWEVFDASGNKLCQIPYVPGPLKRGF
...
/product="F17L21.22"
/db_xref="PID:g9935179"
/evidence=not_experimental
/codon_start=1
/note="hypothetical protein"

(right column)

CDS
GVAVLDGGKIVFFGGYTEVEVEGSGINSTTVSASADVEEFDPANNSWRKLAGMNIPRYNF
AFAEVNGLLYIVIRGYGSTDIYISLSNAEVYNPKTINQWSLMHCPNRPVWRGFAFAFSSKLY
AVGNGSRFIDIFDKTQTWEELINSEQSVSVSYSTVVRNKVFMDRNMPGRLGVFDPEE
NSWSSVFVPPREGGFWVRLGVWNNKVLLFSRVCGHETLMYDLDKEKGSKWRVCDQIKP
SASQLASVLINF"
/product="F17L21.23"
/db_xref="PID:g9935180"
/evidence=not_experimental
/codon_start=1
complement(join(64930..65189,65274..65411,65541..65868,
68016..68726,68873..68971,69070..69160,69275..70105,
70275..70345,70747..70813)))
/note="unknown; similar to ESTs gb|N96209, gb|R87018,
gb|H76168, and gb|AA395332"

CDS
/translation="MAEGKFDLPDDLIFSKSSDDLKELASDNSIPLSPQWLYTKSSEY
KMDVRSPTPVPMGNPSDPNPKDAWRLDAPEDKKDWKKIVHHENETSRRWREEERETGLL
GARKVDRRKTERRIDSVSSRETGDIKNAAASDRWNDVNSRAAVHEPRRDNKWSSRWGP
DDKEKEARCEKVDINKDKEEEPGSEOSQVSVNVRATSERDSDRDKRPRHRMESQGG
PSSYRAAPGFGLDRGRAEGPNLGFTVGRGRASTIGRGSSSTSLIGACSALSPVFRYRPG
KLLDMYRKOKPDSSLGRRLLTEMDEVASITQVALIEPLAFIAPDAEEEANLNGIWKGRI
ISSEVTYSSGEESLGGNSLLKCRIPESGETKVDGALLGFMNGDNGSMKNNDSGLLGSH
NGGLGAASSVRRLNSVASESYSSGSGAGYQLSHGSSPEAVRSVPTKSSVLDGSESVVGSF
EOAYTGKLQOPPDTEVDHSEGAMPPEEFLFLYIDPQGVIOQGPPFIGSDIISWFEQGFGT
DLQVRLASAPEGTPFDQLGRVMSYIKAESVRAHIHSDDKSELEEITSLKANSEAGGSVAH
VAESNDSSLTGISRSFSVVNNPSGDNFQRKSESEVYGRPPHAEEDQSFLDFSAQDEE
IVFGRARVSGYASSVKSSTSMHDALMEFSGHSDIPVEVTTAATRNQNENKLHPFGVL
WSELEGGSTPVNPLPNRSSGGANGEPGCSIENRPINSRRNSQIDPNISLDALSGNRMSQ
FEHESNFFNHGDLPSNQHQQHFQNRDMLSHLHIGDQDLLEHLEGPPSHSSSSHEGLLERMSDTASRA
OOKIOLQOQOKIOLOOHOLEOEHOLHOKLLQEOQOSHAROLHFQOILOGOPTDTRFGQ
SHDFPRSNSVDQMLLEQQQMLNEQQQQQFKVDGALLGFKYTSNRLMGEIHRADP"
/product="F17L21.24"
/db_xref="PID:g9935181"
/evidence=not_experimental
/codon_start=1
complement(join(73150..73663,73910..74151,74405..74674))
/note="similar to multiple exostoses type II protein
EXT2.1 (U72263); similar to ESTs dbj|D39982, gb|L37635,
and dbj|C28418"

CDS
/translation="MFAAEIFMHRFLLSSPVRTRNPEDEADWFYTPIYPTCDLTPIGLP
LPFKSPRMMRSSIOLISSNWPYWNRFEGACFHYQEEKAIERGIPL
LQRATLVQTFGCQRNHVCLDECSITIPPFAPPQQMQNAHFIPPDIPRSIFVYERGLFYDV
NNDPEGGYYARGARAAVWENFNKNNPLFDISTDHPTTYYEDMQRAIFCLCLPLGWAPWSP
RLVEAAVFFGCIPVIIADDIVLPFADAIPWEEIGVFVAEKDVPELDTILSIPTEVILR
KORLLANPSMKRAMLFPQPAQPGDAFHQILNGLIARKLPHDKSIYLKTGEKALNWTAGP
VADLKPW"
/product="F17L21.25"
/db_xref="PID:g9935182"
/evidence=not_experimental
/codon_start=1
join(78862..79059,79153..79411,79507..80678,80747..80891,
80999..81309)
/note="hypothetical protein"

CDS
/translation="MATEDVQDPRIAKIASSIRVIDPFKFGIMFQDITTLLLDTEAF
KDTIALFVDRIKDGISVVACGVEARGFIFGPPIALAIGAKFVPMRKPKKLPGKVISEE
YSLEYCGTDTIEMHVGAVEPCERAIIIDDLIATGGTLAAAIRLLERVGVKIVECACVIE
IPELKGKEKLGETSLEFVLVKSAA"
/note="putative adenine phosphoribosyltransferase 1
(sp|P31166); similar to ESTs gb|N65531, gb|R90631,
gb|T21275, and gb|AA713070"

CDS

```
/evidence=not_experimental
/product="F17L21.26"
/db_xref="PID:g9935183"
/translation="MLCACSQEQFRFEDQGPSPESLATRDFSASGLSSRNGGDWDSK
LEDIQVDEAESTLKEALSLNYEEARALIGRLEYQRGNFDAALQVFRGIDIKVLTPRII
KAIVETLPCKPRSKAIVLVPPTTMSMHSVSLSLLKARSIELEGSKEAAECKI
ILDVVENALPSGMPGISGFAKLQDIFQKALELLPLLMWKRAGNHETIASYRALSRP
WNLDPQRLATVDTQKSLAIVLLIYGSVEACPKDNIEEAILVLLMLLVKKMVVGDIQWDPELM
DHLTVALMSGQFEVLNANIEEQTLPGVFTRGRWHTLSLCYSAAGIDKAAINILKMAL
GPSESROIPHIPLLFLGAKLCSKDPKHSRDGINFAHRLDLGNSQSEHLLSQAHKFLG
VCYGNAARSKLDSERVFLQKKSLFSLNEAAKRGRADPELDVIFRNLSVENAVQRNVQA
ALDGAVEYSMVGGVSTKQWKHLAIVLSAEKRLKDAESILDFTMEEAAGGIEKIELLRL
KAVLQMAQEQPKKAWKTCSSLIGLIRAQEKSEQSESLLQKFETEAWQDLASVGKLGS
IAEVMRKSGDESLPTAKSFLMNALRLDPRNHDAWMKLGHVAYAKKGGLSQQAAEFYQAAY
ELELSAPVQSFI"
```

complement(join(81833..82924,84388..84580,84662..84922,
85075..85256,85340..85917,86264..86411,86552..86814,
86888..87001,87154..87217,87303..87594,87699..87842,
87945..88103))

/codon_start=1

/note="hypothetical protein"

CDS

```
/product="F17L21.27"
/db_xref="PID:g9935184"
/evidence=not_experimental
/translation="MFEYRCSSIDWKPSPVVALLATSADGSQVAAAREDGSLELMLVSP
GASSWHCQIIHGDPKSRISHLAWFGTGSKGSSSARLFSSSIDGSIEBWDLFDLKQKV
VLDSIGFSTWOIAPLAPISTEAESKEAKLIONGIVLSEKSDDEESGVEEDSELDELDEK
VEALDRHLAAACDDGCVRIYISEEDKLITYRSLPRVTGRALSVTWSADAQRIFSGSS
DGIIRCWDANLCHEVYIRIVGLGGLGNSELCIWSLLSLRIYGVLVSDSTGSVQFWDS
QHGTLQARSNHKGDVANLAASPSHNRVFSAGDGQVIIYKLSGGTSRSQDFKPSSAQ
KWDYIGCVRAHTHDIRALTIVAVPISWEGSIPDRNAKVTSPKQRRKEPAGFSYHKWAHL
GVPMLISAGDDAKLIYAYSVQEFTNFPDDICFAPGVPLGVPLVNPLIVRRHQHVSES
CSLDLRIHISNDSSGRYSTKPLVRVKSKDARKIICSAISNTGSLFAXSDQVRPSLFE
LKNKIKNPWAANRKRLPNLPFAHSMVFSCDCSRLIIAGHDRRIYIYVDGSMELLHS
FIPROEGQEGESPHEPIFIKLYTSSNDDLAAINCFGDIYIVNLETORQHWFISRLD
GASVAAGFHPRDNVVIVISTSSNQVFALDVEARELSKWSLLQTFCLPKSYQNFPGEV
VGLSFSPSPCSSSVIISSRACLIEFGKPAEQDEDTDTPCNLSEKLEGKLASISMKL
GNGAQKRLEEYQKESKSNKRKFEMFFFIILDVMIKILINPHSHSHSQTTLKTAEII
SKYRPIAPKPGTPRVNDDPSSMSHKISOSPYLRNLMPQLQARPTPTRKRGRGMGP
SLAMKRPKSSCGSSSTSITSIORVLGPIKTLSFQATTHHRLPNLPQVGYGFENGVSS
TIVTLPLLQQCSPPSSKCMEPEIKGRGKVGTDLNKTPAGVV1DLDVMIKILINPHSHSHSQTTLKTAEII
SRVISPQFIRPVCSKINVAYINPLTNPSPTSQTSKKSPREVEEDVSEDGTLPSVITDSN
IDWGRDGKEEYHHAFCDVTKLACDSKDYVFWFHTTDRR"
```

join(88492..88892,89156..90053)

/note="similar to lecithin:cholesterol acyltransferase
precursor (M26268)"

/codon_start=1

CDS

```
/evidence=not_experimental
/product="F17L21.28"
/db_xref="PID:g9935185"
/translation="MKKISSHYSVSVIAILVVVTMTSMCQAVGSNVYPLILVPGNGNQ
LEVRLDREYKPSSVWCSSWLTPIHKSGGWFRLWFDAAVLLSPFTRCFSDBRMLYYDP
DLDDYQNAPGVQTRVPHFGSTKSLLILDPRLRDATSYMEHHVKALEKKCGYVNDQTTI
GAPYDERYGLAAASGHPSRVASQFLQDLKOLVEKTSSENEGKPVILLSHSLGGLFLVLHF
LNRTPSWRRXYIKHFVALAAPWGGIISOMKTFAGSNTLGVPLVWPLIVRRHQRISES
NQWLLPSTKVFHDRTKPLVVTPQVNVTAYEMDRFFADIGFSGQVVPYKTRVLPTEEL
MTPGVPVTCIYGRGVDTPEVLMYGKGGFDKQPEIKYGDGDGTVNLASLALKVDSLNT
VEIDGVSHTSLIKDEIALKEIMKQISIINYELANVNAVNE"
```

complement(join(90258..90471,90595..90775,90859..90958))

/note="similar to MYB transcription factor isolog
(AC002335)"

/codon_start=1

CDS

```
/evidence=not_experimental
/product="F17L21.29"
/db_xref="PID:g9935186"
/translation="MEWSLPVDLQEEILSRVPAKSLARWKSTPKQWKGPISIEFLHLL
RSTLKFPLLNLHLKSKSIVIYSFTAMVCFVTAPPSTHGSREGIHVQGKPGGGFLADEQNK
VVCCKWRSDSINTIYFVGENKHVQVDQRRGDLTLGQSCCSFLMNYVPSFVQIQGCTLL
APR*"
```

complement(join(95514..95715,95789..97565,98312..98357,
99010..99108))

BASE COUNT 31054 a 18594 c 18732 g 31309 t

ORIGIN

```

RESULT 13
AC004557/c
ATTTAAATTGTAAAGCTTTACAAGCATCTGTGAAA 11840

Query Match 3.28; Score 41; DB 9; Length 99689;
Best Local Similarity 49.5%; Pred. No. 3.9;
Matches 136; Conservative 0; Mismatches 135; Indels 4; Gaps 1;

```
Qy   662 ACACAGCCAACACATTTAGGAACTTTCTAGATTATAGACATAAGGACATGAGATGTAATTTTTGAAG 721
              ||||| || ||| |||| ||| || || || ||| || | | ||||| | | |||
Db 12114 ACAAACCAGAAAAATTTACTATGGGTATAAGGTTCACCACTAGAACTTGAATGAGATTTTAAT 12055

Qy   722 ACCAAAATGTGATGCATGGGTGGGATCCGAGAAACAAAAAGTAGGAGATACTTACAAAT----CCA 777
               ||||| || | || || | || ||| || | || || || | || ||
Db 12054 TTGACCTGTATAGGTCTTTATATATATATATATAAAAAAAAAATAGACCTTTGCAAT TGTATCA 11995

Qy   778 TAACATCCATATGACTGAGACACTTGTATCGTGTTGTTGTTAATAATTCGAAAGCATGTAGATT 837
              || || ||||| |||||||| || || | |||| || |||| || |||| |||
Db 11994 TAATACTAAAATAATAAAACACACATGTTAGTTGTAAATAAAAATTCACATATTACAAT 11935

Qy   838 TGTTAAAAGTGTGTGTATAGTAACACTGGAAGACTAAAAAATGCAATTTAGGTAATCTTAC 897
              || |||| || | || ||| || || |||| ||||| | || ||
Db 11934 TTACAGATTTTTATGTAAATTTTAATTATACAATATATTTATGTAAATTTAGTAATAAATA 11875

Qy   898 ATGGAGACAGGTCAACCAAAGAGGGAGGCTAGGCAA 932
              ||||| ||| || ||||| |||||| || || ||
Db 11874 ATTTAAATTGTAAAGCTTTACAAGCATCTGTGAAA 11840
```

```
REFERENCE   3  (bases 1 to 99689)
  AUTHORS   Ecker,J.R.
  TITLE     Direct Submission
  JOURNAL   Submitted (16-JUN-1998) Arabidopsis thaliana Genome Center,
            Department of Biology, University of Pennsylvania, 38th Street and
            Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA
REFERENCE   4  (bases 1 to 99689)
  AUTHORS   Ecker,J.R.
  TITLE     Direct Submission
  JOURNAL   Submitted (01-DEC-1998) Arabidopsis thaliana Genome Center,
            Department of Biology, University of Pennsylvania, 38th Street and
            Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA
COMMENT     On Jun 16, 1998 this sequence version replaced gi:3097814.
FEATURES             Location/Qualifiers
     source          1..99689
                     /organism="Arabidopsis thaliana"
                     /db_xref="taxon:3702"
                     /chromosome="1"
     CDS             complement(join(71..672,759..858,941..1801))
                     /note="5' end of T7N9.22 (gi|2213602); 3' partial gene
                     that overlaps Sp6 end of T7N9; similar to EST gb|N96069"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.1"
                     /db_xref="PID:g3935158"
                     /translation="MSVHGRFPASPPISLSPSSSSTSPSPSSQOSPSTPPDLKQRVIACLN
                     KLADRDTLALASAELDSIARNLTHDSEFSPLLNCINHTDSSVKSPVRKQCVALLSVLSR
                     YHGDSITPHLAKVWSTVIRIRLRDPDSSVRSACAVATADMSAHVTRQPFASVAKPLIET
                     LIOEGDSNLQIGAALCLAASVDAATDPESEQLRKSLPKIGKLLKSDGFKARAALLSAV
                     GSIIRAGGAGTKPVLDWLVPLIEFLSSEDWAARKSAAEALGKVATAEDLASQYKKTC
                     TTALESERFDKVKSVARTMNRALNLWKEVSTDDEASLSPSRSSTDDGNIGCFSVSVRS
                     STIDVLKSARPKKVTPIMKRSPSLPVNRSVAATROKENLPKRNQGNMTLVEEASSV
                     DNKGHFFTPVKKSSEETEEKANSGGPDIIKHTISEKSREDSKVSSFEGLRSGSRVAPC
                     SDDGDSVKNCKDDVESKDSEELSIIREQLALIENQQSSLLDLLQVYTWSLISIVSL
                     YVDKLFGYECCR"
     CDS             join(7691..7830,7965..8093,9131..9329)
                     /note="hypothetical protein similar to T7N9.23
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.2"
                     /db_xref="PID:g3935159"
                     /translation="MAGEGSRPKATVDDAYAYIRTVKSTFHNDPDKYDDFMAIMKNFK
                     ARKIDRNTCIEEVKELLKGHRDLISGFNAFLPKCLEIADWNIEGRVESLLNGNTRN
                     FELHNLIEIOHWRKKFSNAIIKWSFRSTKRAADRLAKGELENNTFVSHSTR"
     CDS             join(10122..10261,10378..10624,10700..10801,10890..10961)
                     /note="hypothetical protein similar to T7N9.24
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.3"
                     /db_xref="PID:g3935160"
                     /translation="MYERRVQVEPTLSDAHSYITAVKEAFHDEPTKYEEFIKLMNDIR
                     DHGVDKASGIAKLTELIKGHPRLLRGLSFFFPQVNRDIHHEAKRIIILKDKATIPPEA
                     AYRGAKSTYTRIKQIEPDWENFMPNMNMLKTRFRSLDTHVVESFLKIMIYDEGKKSKEV
                     OEEVVDLLYHEDLLIDKFFRLFNMRK"
     CDS             join(12453..12613,12749..12879,13398..13479,13874..13939,
                     14016..14285,14382..14499,14602..14703,14781..14852)
                     /note="hypothetical protein similar to T7N9.25
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.4"
                     /db_xref="PID:g3935161"
                     /translation="MVGGSRHVGESSKPRATKDDAYAYLRAVRAKFHNDSKKYDDFV
                     AVMNFKARRIDRDGCIKEVEQLKGHRDLISGFNAFLPKCLEIKNYYFGAGEDLEVV
                     IKDHLDLLGFNALLPARFQIPITPAGFQONVVGRSVPPETTIEDATSYLNSVKRAFHD
                     YTAKRLLARSVTKRSSSSSSSSFRDEPAKYRFGLSLLRDRARRIDAATFVGLVEL
                     EPAKYEELLKLLNDIEARVDAAASFIASVEELMKDHQTLLNGFSVFLSAEMKFIRKLK
                     AKFQGDGSHVADSVLQIILRMYSEGNKSKSEAFQXEVVPLVQDHVLMELIKIIFSDP"
```

```
                     16966..17034))
                     /note="hypothetical protein"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.5"
                     /db_xref="PID:g3935162"
                     /translation="MVGKSKSPEFNEDGMAYFDAVKVALQOTEPEKYQEVRIFIDY
                     TANRGFETLSASLQELLRDHANLCHGGSNVLLPFRLQTAIPPEASAEFHINKVVGRSV
                     PPAVAVFTMDDATSYLNAVKEAFHDEPAKYMEITIKLLTDLKARRINAASVIARMEELL
                     KDHLNLLLGFCVFLSPTRRFFIRKLKARFLGDGSQVVDSVLQIIRMHSEGNKSKDEASQ
                     EVRALIQGHEDLLMELSEIFSDP"
     CDS             join(17912..17988,18081..18639,18726..18875)
                     /note="hypothetical protein"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.6"
                     /db_xref="PID:g3935163"
                     /translation="MEEVYHDEPEKFNHILHLIRDYFNHRDDRARITACMGELMRDHL
                     NLLVRFDFFPAEASEGLAQLQTIAARSVSPDSTIDDAVSYINTVKEAFHDEPAKYYE
                     FFQLFYDIRYRVVLLCPSSILFALNFKSQSOIQHCEVILFVIYSLCRLIDVAGGITRV
                     EELLKARKNLLVRLNAFLPPEAQRILHLKIEQRAASDINKRRVASFIGKLKERFQGD
                     DRHVYESPLEILTMYQQGNKSVNDLYQEVGFLVGTLWLDYTFS"
     CDS             join(19430..19507,19610..19831,20015..24392)
                     /note="putative polyprotein (AF039376)"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.7"
                     /db_xref="PID:g3935164"
                     /translation="MFININRVIQVWCWSHTWHEASCLQVFDTKTQTCDPKPIPCSE
                     TFGGFDYKTLCLDGKFWLRPYTNHKLERRSQPCVEFLGYSLTQSAYLCLDRSSGRVTS
                     RHVQFVEDFOFFSISDTHSVSNSSPEEASPCCHQPPSRRIPIQOSSPPLVQAPSSLPPL
                     SDSHRRPNAETSSSSSSTNHDVNTQVDNRNMYEEQHQHGIGFTSSAQSONMNNSPSSS
                     IQTQNENPSPSPTPONSSPESSPSSSSTSAATSTVPNPPPPPTPTNNHPMRTRAKNHITK
                     PKTKLSLLAKTVQTRPQIPNTVNQALRDEKWRNAMGEEINAQIRNTFELYPPKPNQON
                     RFDQLALLGKMESEEDMEVIVEGLSDDYKQVIDQICIQMKKDIKSIDEFFQGLVM
                     VISTKWIFTLKYLPNGFLDRYKARLVARGFRQQYGLGHSYEFFSVVWSLTRLVLQLA
                     VSRSWTIKQLDVNNAFLQGTLTDEVVTVQPPGFIDPDPRHVCRLKKALYGLKQARPA
                     WYQELRNFVCSLGFTNSLADISVFVVIINDIQIVCLYVDDIIITGSSDALVMAFITA
                     LSRRFSLKDPIDLVYFLGIEARTSQGLHLMQHKVYDLLSRMKMLDAKPVSTPMATH
                     PKLSLISGIALDEPGEYRTVIGSLQYLAFTRPDIAYAVNRLSQFMHRPTDIHWQAAKR
                     VLRYLAGTATHGILLRSNSPLSHAFSDADWAGNDNDDFVSINAYIYVLGSTPIAWSSK
                     KQKGVARSSTEAEYRAVANTSEIRWCSLITELGTILPKMPVIYCDNVGATYLSANP
                     VFHSRMKHLALDYHFIRDNVSAGALRVSHISTHDQLADALTFKLPRQHFLQESSKIGV
                     SKLPPS"
     CDS             join(25673..26084,26445..26461)
                     /note="unknown; similar to ESTs gb|T42386, gb|H36247,
                     gb|N38423, gb|T21830, and gb|AA585725"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.8"
                     /db_xref="PID:g3935165"
                     /translation="MMRORDEQOSRVFYDLSSLVLNLLRSPPMPISLPDHFPDPAR
                     IRPPFSSHRFSSSSSPSLAHISPSGFASLLGISVALMLCGSVTFFIGFLLMPVLALI
                     LVFYVAGIVSAISMVGRSICVLTPPSPSGKEISEWKLL"
     CDS             join(27209..27349,27618..28079)
                     /note="hypothetical protein"
                     /codon_start=1
                     /evidence=not_experimental
                     /product="F17L21.9"
                     /db_xref="PID:g3935166"
                     /translation="MESSEDVENLSRAIEKLLHEKRREASGDAFIEDADDQLFLSSL
```

```
                ISQLESPNPRGKEDVITGEEEHEKEEESADSSPSKGKSEGQORLEESIEIAKDIKKVK
                KQNKIHVILSATIILLTLWOLSEYSMIFMLKDRISHPYRSIGGMLNGMFKGKLRPIK
                NOLAGTSNSNDQNHRGNGSHTGPQLQVPELLREPGFDDEE"
CDS    complement(join(28500..28571,29379..29675))
                /note="similar to nuclear transport factor 2; similar to
                ESTs gb|T21347, gb|N96312, and emb|F20149"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.10"
                /db_xref="PID:g9935167"

CDS             /translation="MDPDAVAKAFVEHYYSTFDANRPGLVSLYOEGSMLTFEGQKIQG
                SQNIVAKIIGLIFPQQCRNITIVDCQPSGPAGGMLVFVSGNLQLAGEQHALKFSQMEH
                LISNQGNYYVFNDIFRLNYA"
       join(31665..32171,32453..32734,32937..33106,33195..33690,
                3784..33835,33950..34179,34268..34366,34453..35558,
                35548..35827,35899..35986,36081..36149)
                /note="similar to histidine kinase A (gi|1136289); similar
                to sensory protein barA (spl|P26607); similar to
                ESTs gb|AA712891 and gb|AA042438"
                /codon_start=1
                /product="F17L21.11"
                /db_xref="PID:g9935168"

CDS             /translation="MSIFHVILGFGVKIGHLFWMLCCMFVSMFVDNGIEDKSGLLVGSV
                GDLEKTRMTILKKNKNMWFWKNKISSSGSLKIPSFSVQFLGSVKFNKAWWRKLIVVWWVF
                WLVSIWTFWYRFSSQAMEKRKETLASMCDERARMLQDOFNVSMNHVQAMSILIISTFH
                GKIPSAIDQRFSEYFDRTSFERPLTSGVATAYAMRVLHSEREEFERQQGWTIRKMYSLE
                QNPVHKDDVDLEALEPSPVQOEEYAPVIFAQDYSHVVSLDMLSGKEDRENVLRARSSG
                KGVLTAPPFLIKTNRLGVILFAVYKRDLPSNATPKERIEATNGILGGVEDIESIVEN
                LLQOLASKQTIIVNVDITNHSQPISMYGTNVSADGLERVSPLLFGDPLRKHEMCRY
                IIHATVSRIHKVEEDCDKMKQLKKAEAADVAKSQFLATVSHEIRTPMNGVLGMLHML
                MDTELDVTQQDVYRTAQASGRALVSLINEVLDQAKIESGKLELEEVRFDLRGILDDVL
                SLFSKSQQKGVELAYYISDRVPDMLIGDPGRFRQILTNLMGNSIKFTEKGHIFVTVH
                LVEDLEPSIDGETASSPESTLSGLPVADRQRSWENKFASSNGHRSFEPSPPDINLIV
                SVEDTGVGIPVEAQSRIFTPFEMQVGPSISRTHGGTGIGLSISKCLVGLMKGEIGFSST
                PKVGSTFTFAVFSNGMQPAERKNDNNOPIFSEERGMKAVVVDHRPARAKVSWHFQR
                LGIRVEVVPRVEQALHYKIGTTVTVNMILIEQEIWNREADDFIKRLQKDFLFSPKLI
                LANSVESSISEALCTGIDPIVIVPLRASMLAATLQRCLGIGTIREPPOHKGPPALI
                LRNLLGRKILIVDDNNVNLRVAAGALKYGADVVCAEEGSIKAISLLKPPHEFDACFM
                DIQMPEMDGFEATRRIRDMEEEMNKRIKNGEALIVENGNRTNWSHHLPVLAMTADVIQAT
                HEECLKCGMDGYRIIRGDGAGRRTAKETOKLVSPMHLEVVEKQIDDCKKSVYRKAGVT
                RPRT"
       join(36949..36951,37408..37564,37737..37783)
                /note="unknown; similar to EST gb|AA650671 and gb|T20610"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.12"
                /db_xref="PID:g9935169"

CDS             /translation="MTTSKRLADRKIEKFDKNILKRGYVPETTTKKGKDYPVGPILLG
                FPVFVVIGSSLFQIIRTATSGGMA"
       join(39626..39777,40491..41742)
                /note="similar to fim protein; similar to ESTs gb|T42445,
                gb|I76780, gb|AA650733, and emb|Z17748"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.13"
                /db_xref="PID:g9935170"

CDS             /translation="MEEELAMLROLIGQLOELLHNGSPPPPSSSSSSSSSPSFVLH
                HPQONGWCLPCIEDTSADDCCDIVMAGGKRPGIFKMLETVKPPVKRTRKERTQGKSC
                TEVDEIGSNMDDEHWOEEPQDLFEDVVSRLPMATFFQFRAVCRKWNALIDSDFSRCF
                TELPQTIPWFYITHENVNSQGVTPDSLKKWHHPIIPALPKRSIVLPMASAGGLVCFL
                DIGHRNFVVSNPLTKSRELPARSFKVWSRVAVGMTLNGNSTHSGYKVLWVGCGEYE
                VDSLSNVWTKRGTIPSNIKLPVILVNEKSQPVAIHSTLYFMLTDPEGILSYDMVSGKW
                KQFIPGPDLSDHTLAACGERMLLLWKAATCVCIHELQKRMLLMKEVDRMNI
                WCLEFYGKHIRMNCLGNNGCLILLSLRSRQMRLITNAVTREWTKVPGCTVPRGRKR
                LWIACGTAFHPSPTARA"
       complement(join(42083..42239,42509..42669,43186..43188))
                /note="unknown; similar to ESTs gb|T20610 and
                gb|AA58619"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.14"
                /db_xref="PID:g9935171"
```

```
CDS             /translation="MTTSKRLADRKIEKFDKNILKRGYVPETTTKKGKDYPVGPILLG
                FPVFVVIGSSLFQIIRTATSGGMA"
       join(46024..46685,46846..46967,47100..47351,47455..47600)
                /note="putative squamosa-promoter binding protein
                (AC002561)"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.15"
                /db_xref="PID:g9935172"

CDS             /translation="MDCNMVSSGQWDWEHLIMSNPSRIEDDSKQLPTEWEIEKGEGIE
                SIVPHFSGIERVSSGSATSFWHHAVSKSSQSTSINSSSPEAKRCKLASESSPGDSCSN
                IDPVQVKAPTALEVSVASAESDLCLKLGKRTYSEEYWGRNNNEISAVSMKLLTPSVVA
                GRSKLCGQSMPVPRCQIDGCEELDLSSARGYHRHKVCEKHSKCPKVSVSGLERRFCQQ
                CSRFHAVSEFDEKKRSCRKRLSHHNARRKPQVFSMNPERVDRQHITNMLMNGVSL
                NARSEEMYEWGNNTYDIKPQRQTEKSFTLSFQRGNGSEDQIVASSSRMFSTSQTSGGFP
                AGRSKFQLHGEDVGEYSGVLHESQDIHRALSLLSTSSDPLAQPHVQPFSLICSYDVVP
                K"
       complement(join(49339..49493,49603..49851,49967..50088,
                50218..50882))
                /note="similar to squamosa-promoter binding protein
                (gi|2673911)"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.16"
                /db_xref="PID:g9935173"

CDS             /translation="MDCNMVSSFPWDWENLIMSNQSKTENEKKQQSTEWEFEKGEGIE
                SIVPDFLGFEKVSSGSATSFWHTAVSKSSQSTSINSSSPEDKRCNLASQSSPGDSSSN
                IDFLQVKPSTALEVPIASAESDLCLKLGLKRIYSEEFVGRNNNDLSAVSMNLLTPSVVA
                RKKTKSCGQSMQVPRCQIDGCEELDLSSKDVHRKHVCETHSKCPKVVSGLERRCQ
                QCSRFHAVSEFDEKKRSCRKRLSHHNARRKPQGVFPLNSERVFDRQHTSMWNGLS
                LNTRSEEKYTWGTTVETKPTQMESGFTLSFQRGNGSSEDQLFTGSSTLSFSAFQTSGGFS
                AGKSNIQLPDKGVGECSGGLHESHDYSALSLLSTISDSQGIKHTFVAEPPFIFGTFP
                SHFI"
       complement(join(52788..52954,53423..53556,53832..53974))
                /note="hypothetical protein"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.17"
                /db_xref="PID:g9935174"

CDS             /translation="MKDRMERLLLPFSLGCSTOSCVAVATTHQQKKPNQLIKSTFLL
                TFLIVESDARGSFRKDYTKMENNNNNGANISDGIYKIIRSFKSFSHFFIREEETRERE
                AEMEIGFPIDVKHLSHIGVDGTMTTFPDNTSSSFPSFGFHLTGTVV"
       complement(join(55014..55070,55246..55329,55703..55816,
                56001..56104,56456..56705))
                /note="hypothetical protein"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.18"
                /db_xref="PID:g9935175"

CDS             /translation="MACKIILRSVFVSESRRTSGARRCFLPSPASVPVHGLFPAPK
                SLCFNGFASVPERATRLNGSHNDQSDGPPQEAVLKAISEVSKIDGRVCKTTNMIGG
                TVADDSAKDWLELDDQKVNTYPTERGFTAIGTIGGNDFVHAMVAVAVESVIDRQIPEDCVK
                QTLSSKGKVSVNIGPIQVVSSEQVQAYVNAMRDERMKYFL"
       complement(join(57354..57485,57663..57761,57936..57983,
                58075..58244,58331..58409,58699..58797))
                /note="similar to TOM20 (X92491); similar to ESTs
                gb|T44475, emb|Z26777, and emb|Z26778"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.19"
                /db_xref="PID:g9935176"

CDS             /translation="MEFSTADFERILMFEHARKNSEAQYKNDPLDSENILKWGGALLE
                LSQFQPIPEAKLMNDAISKLEEALTINPGKHQALMCIANATAHAFIVHDPEAKEN
                FDKATEIFQRAENEDPGNDTYRSLDSSLKAPELHMQPMNGQQLLGGGGGGGGGGGG
                MASNQSSKKKRNTEFTYDVGVWIILACGIVAWVGMAKSLGPPPAR"
       join(59115..59117,59214..59250,59369..59409,59889..60119,
                60204..60464,60563..60610)
                /note="similar to 60S ribosomal protein L17-2 (spl|P35267);
                similar to ESTs gb|L35542 and gb|AA600016"
                /codon_start=1
                /evidence=not_experimental
                /product="F17L21.20"
                /db_xref="PID:g9935177"
```

CDS
```
/translation="MVKYSQEPDNITKSCKARGADLRVHFKNTRETAHAIRKLPLNKA
KRYLEDVIAHKQAIPFRFCRGVGVRTAQAKNRHSNGQGRWPAKSAQFVLDLLKNAESN
AEVKLDVDALIFSHIQVNOAAORRIYIRAHGRGINQOAGRPIWAGFDCFINVCFIHIVLT
LDLILSVAAYMSNPCHIELILSEKEEPVKKEPETQLAAKSKKGASS"
join(61111..61402, 61486..61688, 61772..62628)
/codon_start=1
/note="hypothetical protein"
/product="F17L21.21"
/db_xref="PID:g9335178"
/evidence=not_experimental
```

CDS
```
/translation="MESGLISVDRWRNGSQAYFLTHIHSDHIRGLSGGWSQGPLYCSR
TTASLFPSRFPDLSLLRVPLFSWTSLSLRSPSGGSTVRLHLMAIDAHHCPGSIMF
LFRGDEGCFLYTGDFRWDSDASDEARTTLVAAIEFPVDILLDNTYCNPIYSFPSRL
VAVQLVADIIASHPSHDIIIAVDSLGKEDLLVHVSRILNIKIWVWPERLRTMHLLGFQ
DIFTTDTSLTRVRAVPRYSFSIQTLEGLNTMCPTIGIMPSGLPWVKRPFKGDDKLSGG
FLTASMKNETVSAKKELEAAAVHKFHDYMYSVHYSDHSCYEIIGEFIKLVEKSMKGI
VVSSSVVDPLYFGRICGANQOPPQVLLMRPDIAEEFRAVRIKSYSASDKTRMLAKEK
RWKRDSHSSLKRNKRARIQVKCAKILEVD"
join(62993..63429, 63730..63953, 64026..64405)
/codon_start=1
/note="similar to MIPP proteins (gi|2191178, sp|P28575)"
/product="F17L21.22"
/db_xref="PID:g9335179"
/evidence=not_experimental
```

CDS
```
/translation="MVVESSSSPIIPGLTDDVAELCVSKIPRSSFQIISQVCRWRSF
LRSQHFRAAVRKLIGTVEEFLCVLMESECGRDVVWEVFDASGNKLGQIPPVPGVRGF
GVAVLDGVIVFFGGTYEVEGSGINSTTVSASADVIFEDFPADPANNSWRKLAGMPINRF
AFAEVNGLLYVIRGYSTDTYSLSNAEVYNPKINQWSLMHCPNRPVWRGFAFAFSSKLY
AVGNGSRFIDIDPKTQTWEELNSEQSVSVISYTVVRNKVIFMDRNMPGRLGVFDPEE
NSWSSVPVPREGGFWRLGVWNNKVLLFSRVCGHETLMYDLDKEKGSKWRVCDQIKP
SASQLASVLINF"
complement(join(64930..65189, 65274..65411, 65541..67868,
68016..68726, 68873..68971, 69070..69160, 69275..70105,
70275..70345, 70747..70813))
/codon_start=1
/note="unknown; similar to ESTs gb|N96209, gb|R87018,
gb|H76168, and gb|AA395332"
/product="F17L21.23"
/db_xref="PID:g9335180"
/evidence=not_experimental
```

CDS
```
/translation="MAEGKFDLPDDLIFSKSSDQLKELASDNSIPLSPQWLYTKSSEY
KMDVRSPTPVPMGNPSDPNPKDWKRIKVHENETSRRWREEERETGLL
GARKVDRRKTERRIDSVSSRETGDIKNAASSDRWDVNSRAAVHEPPRDNKWSSRWGP
DDKEKEARCEKVDINRDKEEPQSESQSVSVNVRATSERDSDTRDKWRPRHMESOSGG
PSSYRRAPGFGLDRGRAGEPNLGFTVGRRAPSTSLLGAGSALSPVFRYPRG
KLLDMYRKQKPDSSLGRILTEMDEVASTTQVALIEPLAFIAPADAEEEANLGIWKGRI
ISSEVTVSSGEESLGGNSLLKCRIPESGETKVDGALLGFMNGDNGSMKKNNDSGLLGSH
NGLGAAASSVPRLNSVASESTGSGGAGYQLSHGSPEAVRVSRTVSSVSVLDGSEVVGSF
EOAYTGKLOQPDTEVDHSEGAMPPEEELFLYIDPQGVIQGPFIGSDLIISWEFQGEFGT
DLQVRLASAPEGTFPQDLGIRWMSYIKAESVRAHISDQKSELEETSLKANSBAGGSVAH
VAENDSSSLTGISRSFSEVVNNPSGQDNFORKSESEVEVTFAATRNONENKLHPFGVL
IVFPGRARVSGTYASSVSKSSTSMHDALMEFSGHSDIVPEVTVRSKDARKIICSAISNTGSLFAYSDQVRPSLFE"
/translation=...
```

CDS
```
/product="F17L21.24"
/db_xref="PID:g9335181"
/translation="MFAAEIFIMRIFLLSSPVRFRNPDEADWFYTPIYPTCDLIPTGLP
LPFKSPRMRSSIQLISSNWPYWNRTEGADHFPYVPHDFGACHYQEKAIERGILPL
LQRATLVQFTPGQRNHVCLDEGSIIPFPAPPOKMQAHFIPPDIPRSIFYVFRGLFYDV
NNDPEGGYYARGARAAVWENFNRKNNPLFPISTDHPTYEDMQNRAIFCLCPLGWAPWSP
RLVEAVVPGCIPVIIADDIVLPFADAIPWEEIGVFVAEKDVPELDTILTSIPTEVIR
KQRLLANPSMKRAMLFPQPAQPGDAFHQILNGLARKLPHDKSIYLKTGEKALNWTAGP
VADLKPW"
join(76306..76387, 76478..76588, 76756..76848, 77250..77399,
77484..77542, 77636..77692)
/codon_start=1
/note="putative adenine phosphoribosyltransferase 1
(sp|P31166); similar to ESTs gb|N65531, gb|R90631,
gb|T21275, and gb|AA713070"
```

CDS
```
/product="F17L21.25"
/db_xref="PID:g9335182"
/translation="MATEDVQDPRIAKIASSIRVIPDPKPGIMFQDITTLLDTEAF
KDTIALFVDRYKDKGISVVAGVEARGFIFGPPIIALAIGAKFVPMRKPKKLPGKVISEE
YSLEYGTDIIEMHVGAVEPGERAIIIDDLIATGGTLAAAIRLLERVGVKIVECACVIE
LPELKGKERLGETSLFVLVKSAA"
join(78862..79059, 79153..79411, 79507..80678, 80747..80891,
80999..81309)
/codon_start=1
/note="hypothetical protein"
```

CDS
```
/product="F17L21.26"
/db_xref="PID:g9335183"
/translation="MLCACSGEQFRFEDQPGSPESLATRDFSASGLSSRNGGGDWDSK
LEDIQVDEAESTLKEALSLNYEARALLGRLEYQRGNFDAALQVFKGIDIKVLTPRII
KAIVEKTLPCKPRSKAVIVPPTTMSMSVSLLLEAILLRKARSLEELGSYKEAAEECKI
ILDVVENALPSGMPDGISGFAKLQDIFQKALELLPLWKKAGNHHETIASYRRALSRP
WNLDPQRLAVTQKSLALVLLYGSVEACPKDNIEEAIVILLMLLVKKMVVGDIQWDPELM
DHITYALSMTGQFEVLANYLEQTLPGVYTRGERWYLLSCYSRAGIDKAAINLLKMAL
GPSESRQIPHLLFGARLCSKRDPHKSRDGINFAHRLDLIGNSQSEHELLSQAHKFLG
VCYGNARRSSKLDSERVFLQKKSLFSINEAAKRGKADPELDVIFNLSVENAVQRNVQA
ALDGAVEYISSMVGGVSRKGWKHLIAIVLSAEKRLKDAESILDFTMEEAGDIEKIELLRL
KAVLQMAGEQPKRAMKTCSSLLGLIRAQEKSEQSESSLLQKFTTEAWDLPLASTVQGKLVGS
WSDAETCLEKARSMCYSPRGWNETLGLCLEAKSLHEEALISFFLSLSTEPDHVPSIVS
IAEVMMKSGDESLPTAKSFLMNRALRLDPRNHDAWMKLGHVAKKQGLSQQAAEFYQAAY
ELELSAPVQSFI"
complement(join(81833..82924, 84388..84580, 84662..84922,
85075..85255, 85340..85917, 86264..86411, 86652..86814,
86888..87001, 87154..87217, 87303..87594, 87699..87842,
87945..88103))
/codon_start=1
/note="hypothetical protein"
```

CDS
```
/product="F17L21.27"
/db_xref="PID:g9335184"
/translation="MFEYRCSSIDWKPSPVVALATSADGSQVAAAREDGSLEWLVSP
GASSWHCQLIIHGDPKSRISHLAAWFGTGSKGSGSSAARLFSSSIDGSISEWDLPDLKQKV
VLDSIGFSIWOIRLAPISIEAEASKEAKLIIQNGYLSEKSDEEESSGEDSLDEDEDEK
VEALDRHLAAACDDGCVRIYISESDKLTYYRSLPRVTGRALSVTWSADAQRIFSGSS
DGLIRCWDANCHEVVRITVGLGGLGNGSELCIWSLLSRYGVLVSGSDSTGSSVQFWDS
QHGTLLQAHSNHKGDVNALAASPSHNRVFSAGADGQVILYKLSGGTSRKSQDFRPSSAQ
KWYIGCVRAHTHDIRALTVAVPISWEGSIPDRNAKVTSPKQRRKEPAGFSYHKWAHL
GVPMLSAGDDAKLYAISVQEETKFPPHDICPAPQRVPMQMVHNTVENQTSLLLVQDS
CSLDILRIHISNDSGGRVSTKPLVRVKSKDARKIICSAISNTGSLFAYSDQVRPSLFE
LKRNKIGRNPWSANRKLPLNLPPAHSWVFSCDCSRLIIAGHDRRIYIVDVGSMELLHS
FPPROEGQEGESPPHEPPIIKLYTSSNDDWLAAINCFGDIYVFNLETQROHWFISRLD
GASVAAAGHFPDRNNVVISTSSNQVLDVAREARELSKWSLLQTFCLPKSYONFPGEV
VGLSFSPSPCSSSVVIIYSSRAKCLLIEGKPAEQDEDTDTPCNLSEKLGEKLASISMKL
GNGAOKRRLEEIQOKESKSNRKKFEMFEFFFIILDVMIKILNPSHSHSQOTTLKTAEIL
SKYRPIAPKGPGRVNDDGPSSMSHKISQSPYLIMWPQLOARPTRTRKRGGMGP
SSLAMKRPKSSCGCSSSTSTISTORVLGPIKTLSFOQATHHRLPNLPQVGPGENGVSS
TLVTLPLLQCSPPSSSKCMEPEIKGKGVIDLNKTPAEVIOERDFLTLQLOGPITTTYATT
SRVISPQPIRPVCSKINVAYINPLTNPSPISTRGSKINMISPTSDDMVRGKRICGEVMINFCESKIPVMTENNGFSCWVR
IDMGRDGKEEYMHAFCDVTKLACDSKDYVFTWRFHTTDRR"
join(88492..88892, 89156..90053)
/note="similar to lecithin:cholesterol acyltransferase
```

CDS
```
complement(join(73150..73663, 73910..74151, 74405..74674))
/note="similar to multiple exostoses type II protein
EXT2.1 (U72263); similar to ESTs dbj|D39982, gb|L37635,
and dbj|C28418"
/codon_start=1
/evidence=not_experimental
```

RESULT 14

LOCUS   AC000348/c

ACCESSION   AC000348

DEFINITION Genomic sequence for Arabidopsis thaliana BAC T7N9, complete
            sequence.

AC000348   111390 bp   DNA   PLN   24-JUN-1997

NID   g2182287

KEYWORDS   HTG.

SOURCE   thale cress.

ORGANISM   Arabidopsis thaliana
            Eukaryotae; mitochondrial eukaryotes; Viridiplantae;
            Charophyta/Embryophyta group; Embryophyta; Tracheophyta; vascular plants; seed
            plants; Magnoliophyta; Magnoliopsida; Capparales; Brassicaceae;
            Arabidopsis.

REFERENCE   1 (bases 1 to 111390)

AUTHORS   Buehler,E., Dewar,K., Feng,J., Kim,C., Li,Y., Shinn,P., Sun,H.,
            Conway,A., Conway,A., Kurtz,D., Oji,O., Osborne,B., Shen,Y.K.,
            Toriumi,M., Vysotskaia,V., Yu,G., Davis,R.W., Federspiel,N.A.,
            Theologis,A. and Ecker,J.R.

TITLE   Genomic sequence for Arabidopsis thaliana BAC T7N9

JOURNAL   Unpublished (1997)

REFERENCE   2 (bases 1 to 111390)

AUTHORS   Ecker,J.R.

TITLE   Direct Submission

JOURNAL   Submitted (06-MAR-1997) Arabidopsis thaliana Genome Center,
            Department of Biology, University of Pennsylvania,
            Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA

REFERENCE   3 (bases 1 to 111390)

AUTHORS   Ecker,J.R.

TITLE   Direct Submission

JOURNAL   Submitted (24-APR-1997) Arabidopsis thaliana Genome Center,
            Department of Biology, University of Pennsylvania,
            Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA

REFERENCE   4 (bases 1 to 111390)

AUTHORS   Ecker,J.R.

TITLE   Direct Submission

JOURNAL   Submitted (03-JUN-1997) Arabidopsis thaliana Genome Center,
            Department of Biology, University of Pennsylvania,
            Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA

REFERENCE   5 (bases 1 to 111390)

AUTHORS   Ecker,J.R.

TITLE   Direct Submission

JOURNAL   Submitted (09-JUN-1997) Arabidopsis thaliana Genome Center,
            Department of Biology, University of Pennsylvania,
            Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA

REFERENCE   6 (bases 1 to 111390)

AUTHORS   Ecker,J.R.

TITLE   Direct Submission

JOURNAL   Submitted (24-JUN-1997) Arabidopsis thaliana Genome Center,
            Department of Biology, University of Pennsylvania,
            Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA

COMMENT   On Jun 10, 1997 this sequence version replaced gi:2155227.

FEATURES   Location/Qualifiers

source   1..111390
          /organism="Arabidopsis thaliana"
          /db_xref="taxon:3702"
          /chromosome="1"

CDS   join(1465..1811,1909..2068,2232..2362,2562..3125)
          /note="similar to protein kinase; 5' incomplete; similar
          to EST gb|T14833"
          /codon_start=3
          /evidence=not_experimental
          /product="T7N9.1"
          /db_xref="PID:g2215581"
          /translation="SSRISAKRSQSSRLSSLTIQSSSYNDITSVASLQTPRSEGELLA
          SPTLKAFTFNELKFATRNFRPDSVIGEGGFGGVYKGWIDERTLSPSKPGSGMVAVKK
          LKEEGFQGHRQWLAEVDCLGRLHHNLVKLIGYCSKGDHIRLLVYEYMPKGSLENHLF
          RRKTCLLSGGAEPIPWRTRIKVAIGAARGLAFLHEAQVIRDFKASNILLDSEFNAKL
          SDFGLAKVGPTGDRHVSTQVMGTQGYAAPEYVAATGRITAKSDVYSFGVVLLELISGR
          RKTKTKGVERNIVDWAIPYLGDKRKVFRIMDTKLGGQYPHKGACLITANTALCCLNQ
          EPKLRPKMSDVLSTLEELEMTLKSGSISNSVMKLTSSSSSFTAKQRVRTPVADPVLSS
          RCRRVR"

CDS   complement(join(90258..90471,90555..90775,90859..90958))
          /note="similar to MYB transcription factor isolog"
          /codon_start=1
          /evidence=not_experimental
          /product="T17L21.30"
          /db_xref="PID:g935187"
          /translation="MQLASYRGQGKIADFGFKKPRWVEGKLLKLNGKCRPYITIGIEN
          RNRPYSCLFEIKKMEGGSVNESHSNADQMFDTTIEELCKNLCELQSSNQSPSRQSFGS
          YGDESKIDSDLQHLALGEMRDILEDEGDEDEAVAKPEEDVKSNSSNDLEVMPRDM
          EKQTGKKNVTKSNVGVGGMRKKKVGGTKLQNGNEPPSSENVELARFLLNQARNLVSSG
          DSTHKALELFHRAAKLFEASAENGKPCLEWIMCLHVTAAVHCKLKEYNEAIPVLQRSV
          EIPVVEEGEHALAKFAGLMQLGDIYAMVGQLESSISCYTEGLNIQKKVLGENDPRVG
          ETCRYLAFALVQALRFDEAQOVCETALSIHRESGLPGSIAEAADRLMGLICETKGDH
          ENALEHLVLASMANANGQESEVAFVDTSIGDSYLSLSRFDEAICAYQKSITALKTAK
          GENHPAVGSVYIRLADLNRTGKVREAKSYCENALRIYESHNLEISPEIASGLIDIS
          SAISKLRANGKKQSTFGLALNQMGLACLOLDAIEEAVELFEEAKCILEQEEGPYHPE
          TLGIYSNLAGAYDAIGIRLDDAIKLLGHVVGVREEKLGTANPVTEDEKRLAQLLKEAG
          NVTGRKAKSLKILTLIDSDLTSSSALR"

ORIGIN
BASE COUNT 31054 a 18594 c 18732 g 31309 t

Query Match 49.5%; Score 41; DB 39; Length 99689;
Best Local Similarity 3.28;
Matches 136; Conservative 0; Mismatches 135; Indels 4; Gaps 1;
Pred No. 3.9;

Qy 662 ACACAGCCAACACATTTAGGAACTTTCTAGATTATAGCATAAGGACACATGTAATTTTTGAAG 721
        |||| | || ||| |||||||| |||||| | |||| ||| | ||||||||
Db 12114 ACAAACCAGAAAAATTTACTATGGGTATAAGGTTCACCACTAGAACTTGAATGATTTTAAT 12055

Qy 722 ACCAAAATGTGATGATGGCATGGTGGATTCAGAAAACAAAAAGTAGGATACTTACAAT----CCA 777
        | ||| ||| | ||||||| ||| |||| ||| |||||| ||
Db 12054 TTGAGCTGTATAGGTCTTTATATATATTGTTAAATATTCGAAATGCCATGTAGATT 11995

Qy 778 TAACATCCATATGACTGAACACTTGTATGTCTTTGTTAAAATATTCGAAATGCCATGTAGATT 837
        ||| | |||| | | ||||| || |||| ||||| | |||||| || |||||||||
Db 11994 TAATACTAATAATAAACACATGTTAGTTGTAATAAAATTCACAATAATTAACAAT 11935

Qy 838 TGTTAAATGTGTGTGTATAGTAACACTGAAGAACTAAAAATGCAATTAGGTAATCTTAC 897
        |||| | |||||| ||||||||||||| ||||| |||| |||| | |||| |||
Db 11934 TTACAGATTTTATGTAAAATTTAATTATTATATATAATTTATGTAAATTTAGTAATAAATA 11875

Qy 898 ATGGAGACAGGTCAACCAAAGAGGAGGAGCTAGGCAA 932
        || | || ||||| ||||||||||||||||
Db 11874 ATTTAAATGTAAAGCTTTACAGCCATCTGTGAAA 11840

Query Match 49.5%; Score 41.0; DB 39; ...

CDS   complement(join(9987..11012,11109..12706,12764..13970,
        14075..14464))
        /note="Tal-like retrotransposon"
        /codon_start=1
        /evidence=not_experimental
        /product="T7N9.2"
        /db_xref="PID:g2213582"
        /translation="MVKKGGKMKTRGSTPDDEGSAVRSVREAAILEDOKLITLKQQLA
        QRSDYGYGNGFKVSDSGENPLLIHSSDDHPGLSIVAHILDGSNYNSWSIAMRISLDAKN
        KLGEYDGSLLRPSVDDSTFRIWSRCNSMVNNLPRRYQLEQAAWTLQQGKLDLSIYFTK
        KRTWEQLANTKRSVKKDCDQVKELLEEAFSRVIQFIMGLSDDFNIIRSQIFNMK
        PRPGLNNLMLDQDESQRLVGFRAAKSVPSPSPAAFQTQGVLNDQNTILLAQGNFKKP
        KCTHCNRIGHTVDKCYKVHGTPPGHPRAKENTVVGSTNLASTDQIETQAPPTMSAIGH
        ETMSNDHIQQLISTKLLDSPSIYSCISCFDRAIASSSNPVFSISOITGGTIGLTLYDSTYV
        EMLTSSIPIETELSLRAWVIDSGASHHVTHERNLYHTYKALDRITEVRLPNGHTVKIEG
        TGFIQLTDALSLHNVLFIPEFKFNLLSVSVLTKTLOSKVSFTSDECMIQALTKELMLG
        KGSQYGNVIILNLDSLVDSSFPGHPSFAKIDTLSDVLMLPKQKINKDSSHCHVCHL
        OKSDVLTVFPSFLKMVETGYHTKVCSVRSDNAHELKFNELFAKEGIKADHPCPEPTEQ
        NFVVERKHQHLLNVARALMFQSGIPLEYWGDVCLTAVFLINRLLSPVINNTPVERLT
        KGKPDYSSLRAFGCLCYCSTSPKSRFKFDPRAKACIFLGYPMGYKGYKLLDIETYSVS
        ISRHVIFYEDIPFASSNITDAAKDFFPHIILPAPNNDEHLPLVQSSSDAPHNDESS
        SMIFVPSEPKSTRQRKLPSHLQDFHCKNTNTPTTTKTSPYPLPLTNYISYSLSEPFGAPI
        NIITAIRLPQKYSEARLDKVWNDAMGKEISARVRTGTWSICDLPAGKVAVCGKWIIII
        KFLADGSIERHKARLVAKGYTQOEGIDFDFNTFSPVAKMVTAVVVLLSLAPKMKWYLHQL
        DISNALLNGDLEEEYWKLPGYSEIOGOEVSPNAKCHGDHTLFVKAQGFGFLVVLVI
        VDDILIASTEAASAELTSOLSSFFQLRDLGEPKFFLGIEIARNADGISLCORKYVLD
        LIASSDFSDCKPSSIPMEPNQKLSKDGTLLEDGKQYRRILGKLOYLCLTRPDINAV
        LLASSDFSDCKPSSIPMEPNQKLSKDGTLLEDGKQYRRILGKLOYLCLTRPDINAV
        SKLAQVSSAPIDIHLQALHKILRYLKGTIGQGLFYGADTNFDLRGFSDSDWQTCPDTR
        RCVTGFAIFVGNGLVSWRSKKQDVVSMSSAEAEYRAMSVATKELIWLGYIILTAFKIPF
        THPAYLYCDNEAALHIANNSVFHERTKHIENDCHKVRECIEAGILKIIFVRIDNQLAD
        TLTKPLYPKFRENNSKLLGLLNIYEAQA"
        /codon_start=1
        join(15527..15581,15687..15748,15834..15911,15991..16066,
        16164..16234,16347..16448,16539..16628,16756..16830,
        17067..17099,17201..17272,17475..17525,17658..17773,
        17834..17927)
        gb|AA391193, and gb|T75928"

CDS   /evidence=not_experimental
        /note="unknown; similar to ESTs gb|R87028, gb|W43320,
        /product="T7N9.3"
        /db_xref="PID:g2213583"
        /translation="MAMQAGVGLSRIFLLAGAGYTGTIMMKNGKLSDLLGELOSLVKG
        MEKSGEGSEGSDSDVSDATAAQVRLAMEIRQLASQQHITVMNGVSGANLQALAVPAAA
        LGALGIGYMWWKGLSFTDLMYVTKANMAAVANLTKNLEQVSETLAAARHLTQRION
        LDDKVEKQIDLSKEINSQVTSARENISSLEMDLESLHNIITGLDGKLIDYLEYKQDVTN
        VFMLNIYNFPGGKSTKLPEMLPVNORARNLLADVETRGLKLALEEELFKSNGTQVTTTV
        KQISLSKVNVKSRPLLSRCDKGNVNAGILOLSVDMEVFLMAVVWLAGCI"
        join(20094..20132,20210..20362,20796..21105..21220,
        21317..21480,21572..21726,21798..21877)
        /note="similar to T7N9.5; similar to ESTs gb|T21578,
        gb|T46181, gb|H36893, gb|T46690, and gb|T46636"

CDS   /codon_start=1
        /product="T7N9.4"
        /db_xref="PID:g2213584"
        /evidence=experimental
        /translation="MGSLDLPYASSFKGGSETFLQNVFESILKTYLRKNPMAKTIWEL
        VKSVDNEKISYDHFFRTFKVDGYGIDSLASFFMDYGYKVGGRLDFPKKKVQVLRLSP
        PDVHFPDNGIGINGPLPRIVIAELLVEELSPESOEIIRKYLKPEGGKQAVNLSSTLGS
        LIWEKPTSTIDTNQLAKESEFAAWTLYGYTMNHLAFAVHRLKHRFESDIKCYKEYEEN
        GFELNDGGVLKVSEDSLLLOVSAMSKLVVEFADGVTQIVPASYIEFVERLVLPQFK
        DMPCDEICFHRREGLEQASAYHIMSTRFIA"

CDS   join(23301..23339,23416..23568,23660..23878,23967..24082,
        24559..24722,24830..24993,25085..25171)
        /note="similar to T7N9.4; similar to ESTs gb|T46181,
        gb|R29915, gb|H74776, gb|H36893, gb|T46690, and gb|T46636"
        /codon_start=1
        /product="T7N9.5"
        /evidence=not_experimental
        /db_xref="PID:g2213585"
        /translation="MGSFDLPHSSSFKGESEIFLRNVFENILKTYLRKNPTAKTIWEL
        VQSLDNEKICYDHFTFFRLKVDGYGIDSLSSFMAYGYKIGGGLDFPKKLRVLWFSP
        PDVHVPNDHGLGNGPLPRLVIAEVLDELSPESQGIIRKYLKQEGGKQAVLSSTLGS

        LIWEKPTWIDFKQLAKESEFAAWTLIHGYTMNHLAFAVHRFKHRFESDIKFVKQRLEEK
        GFKLNSDGEILKVSQDGLLFQVSSISERLPVTFADGVTETIPASYIEFFTQRQVLPEFK
        DVPLDEVIIKEFHRREAFELDNANHVMESTRFFTKF"
CDS   complement(join(28352..29284,29376..29813,30850..31067,
        31195..31297))
        /note="similar to transport protein; similar to ESTs
        emb|Z17614, gb|T14067, and emb|Z17615"
        /codon_start=1
        /product="T7N9.6"
        /evidence=not_experimental
        /db_xref="PID:g2213586"
        /translation="MHGDVSKWEGYADWRNTAALRGRHGGMLAASFVLAVEILENLAF
        LANASNVILVKNFMFMMSLARSSSEVTTFMATAFLLALLGGFLADAFFSTFVIFLSA
        SIEFLGLTLLTIQARRSLMPPPCKSSAALRCEVVGGSKAAFLFVGLLYLVSLGIGGIK
        GSLPSHGAEOFDEGTPGRKQRSTFENYVFCLSCGGALVAVTFVWIEDNKGWEWGFG
        VSTISFLSILVFLLGSRFYKNKIPRGSPLITFIFKVLLAASIVSCSSKTSNHFTSRE
        VQSEHEEKTPSQSLTNSLTCLNKAIEGKTHHIWLECTVOQYEDVKIVLKMLPIFGCTI
        MLNCCLAQLSTYSVHQAATMRKIVNFNVPSASLPVFPVAVFMLLAPTYDHLIPPAR
        KVTKSEIGITHLQRIGVGLVLSIVAMAVAALVELLKRQVAREAGLLDSEEELPITFLW
        IALQYLFLGSADLFTLAGLLEFFTEAPSSMRSLATISLSWASLALGYYLLSGVMPVIVN
        RVTKSAGOSPWLGEKLNVNFLFYWLMCCVLSVVNFLHYLFWAKRYKYISTGSIS"
        join(33352..33469,33706..34339,34852..34978,35132..35506,
        35592..35867)
CDS   /note="similar to leucine zipper protein; similar to ESTs
        gb|T21286 and gb|T04740"
        /codon_start=1
        /product="T7N9.7"
        /evidence=not_experimental
        /db_xref="PID:g2213587"
        /translation="MENSDTDSEVFVWFWFQNQNQNHSHKFPSSCGFPPSSHSAFYGSSSM
        INTATWDEEDVCESYVMREIIKKRKLTPIQLRLLEESFEEEKRLEPDRKLMLAEKL
        GLQPSQVAVWFQNRRARYKTKQLEHDCDSLKASYAKLKTDWDILFVQNQTLKSKVQFL
        EHDEIIDKPITKPPPPALVVMGLPANCSVLELKSRFEIYGSISRIRIHKDGIGSVSY
        RIAESAEAIAGSHEPSGISIDSKKLEVVWATDPLVKKEGVTAGEKERTSSFPSSK
        LLRPVMPLRKHGRSSRLASAIVNPRSDNTKGISGDGGISSPATTSEVKORNIVYDDI
        V"
CDS   join(36482..36677,36759..36911,36993..37151,37225..37383,
        37476..37607,37687..38132)
        /note="unknown"
        /codon_start=1
        /evidence=not_experimental
        /product="T7N9.8"
        /db_xref="PID:g2213588"
        /translation="MAEHGETQADEEEEQVWSNGAGTDCQLGTTKLODELLPQLLSI
        TSLPISIMLACGGAHVILATSGGKVFTWRGRSSGQLGHGDILNILPKLVSFFDSVI
        TQAAAGWHSGFVSDSGCIFTGCNGSPGLGHGDTSLSTPAKVSHFNDSVKMVACG
        MRHSLVLFAGNQVCGFGSGKRQGLGFSSDRIKSVNLPCVVSGLKDVEVVRISANDHS
        AAISADGQFSWGRGFCGCGPDVHAPGLSPLSFFREVAGWNHALLTVDGEVFKLSS
        TLNKQPEKQOLQIDSSEALEEKVPDGVKWQIAAGAEHSAAVTGKRGGAILFLSS
        LHSANIKQTTFECLLAENGEVKTWGWGEHGQLGINTNDQISPELVSLGSIDLRTREIK
        VYCGSGFTYAVKRKELSPTSS"
CDS   complement(join(38404..38499,38806..38953,39043..39188,
        39284..39498,39579..39756,39845..40010,40104..40453))
        /note="unknown"
        /codon_start=1
        /evidence=not_experimental
        /product="T7N9.9"
        /db_xref="PID:g2213589"
        /translation="MCNRNLGWDSEGSKDLETEIEFMKNSEKPGMFPSKKDLIRSG
        REDLVERIVNGGWLSMGWDDEQEEKRVRVNENVTPQDLHIEKQVPNCGNPSPEMDKTLN
        HGDLDLSSNLSSTEQVESRNDSGIEGILTRLEKERNLSLGISVRENGKSNGAMHDIS
        PNGSVPWSSRIVTASEIQEVDGSRGSGEYAQSRYQGAKSVSGKPGLSGDSPTSETWRTW
        SMRRAGFTDEDEAAEISSSGILGVKDTKDSGDSMNGKDRIASSSEDVNKTHIKH
        RLQQLOESLSSVLHSLRSPPDKVVTSKDSETTAGNLENLSDDWEYKENEIIHAQNKLR
        STRAKLAVLEGKNAMAIIDAQRIVREKQRRIDHASRALRLRTASIVWPNSASEVLLT
        GSFDGWSTQIKFIVDGOWKVDLRPIVTSGGVENNLIIIS"
        join(42641..42830,43041,43258,43725..44287,44375..45248)
        /note="similar to transport protein; similar to ESTs
        gb|T43913 and gb|L46413"
        /codon_start=1

CDS

/evidence=not_experimental
/product="T7N9.10"
/db_xref="PID:g2215590"
/translation="MPSLFSFLIGSSCVQHHANIMTHEHTKLLRVMQFNNLRKYIVAI
EMESEIKLSDFKIFISTVSSNETLEKLGSIGVSANFMILLRNVFHMEPVEAFNYYILW
DECDDPNKLQLGILFLGLGFLSIGSGGIRPCSIPFGVDQFDQREQGLKGVASFFNWY
YLILTMVLLFSHTVVVVLLQTVSWIGFSIPTSLMACAVVLFFYGMRFVYVVKPEGSVF
SGIARVIVAARKDLKISLVDDGTEEYEYPPVKPGVLSKLPLTDQFKFLDKRAAVILD
DRHMGPHFFIPAAGTIVSIYITIGIWVPIYEHLLVPFIWMRMKFPVTLLQRMGTGIVF
AILSMFTAGFVEGVRVRTRATEMTQMSVWLALPLILMGLCESSNFIGLIEFNSQFPE
HMRSIANSLFPLSFAAANYLSSLLVTIVTHKVSGTKHPDWLNDLDRGKLDYFYILIA
VLGVVNLVFWYCAHRYQYKAGSQIEDFNEEKSLLDIEPNQRHDQSPS"

CDS

complement(join(45500..45856,45940..46014,46641..46814,
46865..47557))
/note="unknown; similar to ESTs gbjT44556, gbjU74100,
gbjL38131, gbjAA395480,"
/codon_start=1
/evidence=not_experimental
/product="T7N9.11"
/db_xref="PID:g2215591"
/translation="MAATASSEASEGPVMGLINKRLRALRKKYNRIFQMEESISQGKI
LNKEQEEVLRSKPAVVILIDELEKIRAPLSAAVTEEISIATQLNRASSDQTTASEQKE
VTIDFQEVSGGDGAKLEDLVNFLFGSLFDVKSQNEFTSIMLTRTHERSCCLISDYV
TDDATLDLIGDRDLDISQLWSLMVSRPVDSSLSHKNALERCVEHAKLWLANSEQPIES
NCNTSCKIKIPKSICIDADADALREKLKIKMASDYFTITPEMKAPVDVAAAAGNYTSIQV
PVDVEASGHGYQQKEEDASNSKEVESVVNDGSOQDEHOKVELVTEGEVVHGOQEOGTTQ
VGGAENAKRDIYPRGSTQNQRGRARRGGGSYQNGRGGGRGGGGGTYQNGRYESYDQSG
GNGYQRNYNNRGRGGGGGGGGGGNGHSYNNYQDPVNAVAS"

CDS

complement(join(49016..50053,51910..52533))
/note="unknown, similar to ESTs dbjjC22029, gbjT46021, and
gbjT04347, gbjN37850"
/codon_start=1
/evidence=not_experimental
/product="T7N9.12"
/db_xref="PID:g2215592"
/translation="MELFTKGNNVKLRSHLDKFLVADDDQETIRQSRKGDARRAWTV
EPVVDKPNLRLKSSHGTYLPASNKPLLGMTGEKYTQTASFNKLMDWQTOWEPERDG
FQVKLKSWCGKWMRANGGTPPWRNSVTHDEPHISKTRNWLIWDVIIIDGSDLENMSDG
DESSVSPVGSEFGSEPGSPVSARSTKSSSIRFASLGLSTSPRWSSKPSTPASSSENQK
ETPVSVSAMEFFQKAKAIRMRNSHNKYLTADDDEETVTONRNGSTKNARWTVEPVRDS
FHVIRLKSCYGKYLTASNERFLGAYGKKVIOLKLSRVDSSVEWEPLREGSKIKLRTR
SGNYLRGNGGLPPWRNSVTHDVPHLSATODSISWDVDVELILDSEFKTESAKAPPPK
TISPPHRRPEPSSPLSAESSRTSSSLSDRDSDVSTFPKLKLHLWFCLKLQLYRFPVI
ENFDFDFDQSVESPPKSDGGRTIYIYHVADEGHSVEDETTVIAFTFRGNSVAELTQTLR
EETCMDAVCTRSPLNGKLFPLRLQLPNNGTLHVILLFPSSASL"

CDS

complement(join(54477..54572,54654..54754,54815..54899,
54991..55080,55175..55226,55321..55427,55516..55623,
55710..55839,55935..56029,56119..56262,56383..56484,
56600..56698,56843..56978,57249..57307))
/note="unknown; similar to EST gbjAA394730"
/codon_start=1
/evidence=not_experimental
/product="T7N9.13"
/db_xref="PID:g2215593"
/translation="MRSTPLQMIALLPLILILIREKKVILEAPNYDNDCVLANILAAH
YLSSFDPVRARSYALAAAESRLGKRATLYEKAVFEAVSYLLSENMDDDVALELHSKLLKK
FPKDLLSWKRVETLCSYMGRHDLSLPLFRKILPQNEGQYTVNGMLAFCLIELGHLREA
EEAARKGCEINENDSWAHHALCHVLLQTECRFKEAVKFMEEHSDSNDSCSSLRFSHNWW
HVAVCLEGGSHISKVEEVYDHQWMKELEKDDAVARDVTTDACLLLRLDTRGKLDDG
FQDRLEKLADSLTDKAMVTQDWLFDITTIWALSKVEKTISLAHELLEGLKSRTSAMNPK
KQKLMQKAILLAEAVYEGVGKGNYEIALELLGLDFDAANYKVIGGSGLQMDVFNEIWYK
LLLNGKSSTATNSAAFTTPEPAAIEVLEVKTKQRDGAPFLWRLLEESTSMEGKEKAGI
SAGKKAKALESSYFKSA"

CDS

join(62848..63715,63803..64056,64127..64417,64491..64619,
64694..64867..64960..65067,65160..65369)
/codon_start=1
/evidence=not_experimental
/product="T7N9.14"
/db_xref="PID:g2215594"
/translation="MKKSKLDNSSSQIRFGLVQFLLVLLFYLCMSFEIPFIFRTGS

CDS

GSGSDVSSSFADALPRMVVGGGSREANWVVGEEEEADPHRHFKDPGRVQLRLPER
KMREFKSVSEIFVNESFFDNGGFSDEFSIFHKTAKHAISNGRKMWDGLDSGLIRPDKA
PVKTREKCPDMVSVSESEFVNRSRILVIPCGLTLGSHTIVVAFTPWAHVEKDGDKTA
MVSQFMMELQGLKAVDGEDPPRILHFNNRIIRKGGWSGRPVIEQNTCYRMQWGSGLRCDG
RESSDDEEYGIEFPDGEVKGCERWRDDDDGGNNHDFPDEDESKKTWNLRMGRRKMIT
HDWIFPAEGKLFVLLRAQMEGYHISVNGRHIIHSFPYRRGFVLEDATGLAVKGNIDV
HSVYAAASLLRSTSNPSFAPQKHLEMORIWRAPSLPQKPVELFIGILSAGNHPAERMAVRK
SWMQOKLVRSSKVVARFFVALHARKENVNDLKEAEVFKLDFGIVIYPMDHRYDLVLKTV
AICEGVNTVAAKRYMCDDTIFRVDAVTQEAERKVGRESLYIGNINNHKPLRTGK
NETRPVAVVHSLKFCQFGIYILSYDVAKFIVDDFEOKRLRLFKMEDVSGMGMWVEKF
join(67041..67367,67700..68056)
/note="similar to Bronze-2 protein; similar to ESTs
gbjH76491, gbjH36232, gbjH37163, gbjAA389825, gbjH37163,
embjI26546"
/codon_start=1
/evidence=not_experimental
/product="T7N9.15"
/db_xref="PID:g2215595"
/translation="MAQNDTVKLIGGSWSSPYSLRARVALHLKSVKYEYIEDPVLKEK
SELLLKSNPIHKKVPVLLHGDLSISESLNVVQVYDEAMPSVPSTLPSDAYDRASARFW
AQYIDDKCFAAVDAVVGAKDDEGKMAAVGKIMECLAILEETFQKSSKGLGFFGGETIG
YLDIACSALLGPISVIEAFSGVKFLRQETTPGLIKWAERFRAHEAVKPYMPTVEEVVA
FAKQKFNVQ"

CDS

join(69317..69699,69740..70175)
/note="similar to Bronze-2 protein; similar to ESTs
gbjH76491, gbjH36232, gbjH37163, gbjAA389825, gbjH37163,
embjI26546"
/codon_start=1
/evidence=not_experimental
/product="T7N9.16"
/db_xref="PID:g2215596"
/translation="MAQNDTVKLIGCSDDPFSTRPRVALHLKSIKYEYLEEPDDLGE
KSQLLLKSNPIHKKTPVLIHGDLAICESLNIVQYLDEAWPSDPSILPSNAYDRASARF
WAQYIDDKVKQFRDSLLHALFCFLSKIVKSRVNCLKQCFEAANALTGANNDERIAAT
GKLTECLAILEETFQKSSKGLGFFGGGEIGIYLDIACAALLGPISVIEMFSADKFVREE
TTPGLLQWAVRFRAHEAVRPYMPTVEEVTELVKDIVERIEEGFKRNFKSNVTSEYE"

CDS

join(71067..71225,71312..71410,71569..71670,71750..71893,
72009..72103,72210..72339,72415..72519,72624..72730,
72806..72857,72941..73030,73120..73204,73290..73354,
73441..73527)
/note="unknown; similar to ESTs gbjI88591 and gbjAA394730"
/codon_start=1
/evidence=not_experimental
/product="T7N9.17"
/db_xref="PID:g2215597"
/translation="MKVLSYGRKRVKILEAPLYDKDCVLGSTIAAHFLSSSDPSRANS
YVEAAASNLEQSTPYEKAVVEAVTILSEDRDDLAFEMHTKLLKRFPKDLASLKRAQ
LLSFYWGQPDFPLGLVQQVLPANQEESYIHGLLAFPLLELGMEEAAAASRGYEINK
EDAWAHHCLCHVLLQHECRFKEAVEFMEALAGTWPSCCSSFMYTHNWMVALCYLEGGSP
MSKVEEIYDHHIWKELEKDDAVPPEYVLNALGLLRLDVRDALDGFEDRLKNLAVRLT
NQANWLEWHLDLLIVWALAKVGETSRAHELLEGLKFRLSKNKNKKQQVMQKGIQLGE
AVYEYARGNVEKALELLGSEFNAIGYKIVGASDEOIDVFNEMWCQLLLKTGQSSTAKE
VIRERIKARDGIPFMWRLLEKSYSMEGNAFAESSARERAKKLESCYF"

misc_feature

73851..74562
/note="similarity to valyl tRNA synthetase; predicted
non-functional because of reading frame shift"
/translation="MVKTGDVSDQRSRLEWDVFLSFQRDARHKTERLVEVLVEKQVR
WNNDDVERGNHELGASLVEAMEDSVALVVVLSPNYAKSWCLELAMLCDLKSSLGR
LVLFIFYEVEPCMLRKQNGPYEMDFEEHSKRFSEEKIQRRRALNIIGNIPGFYYRLK
YDVFLSFRGADTIRDNFGDHLYKALKDKVRFRDNEGMERGDEISSSLKAGMEDSAASV
IVISRNYSGSRWCLDELAMLCKMKSSLDRRILPIFYHVDPSHVRKQSDHIKKDFEEHQ
VRFSEEKEKVQEWREALLVGNLAGYVCDKDSKDDDMIELVVKRVLAELSNTPEKVGE
FIVGLESPLKDLTGLIDLTESSSGVGVLGIYGMGGIGKTLAKAYVLAEELSNTPEKVGE
SDIRERSSAENGLVTLLQKILIELFRLVPEIEDVSIGLEKIAKAYNHEKKIIVVLDDVD
HIDQVHALVGETRWYGQGTLIVITTRDSELLSKILSVNQQYEVKCLTEPOALKLFSYHS

CDS

CDS   /note="unknown; similar to ESTs emb|F14134, gb|T21189,
gb|T43096, gb|T1189, gb|T37659"
/codon_start=1
/evidence=not_experimental
/product="T7N9.21"
/db_xref="PID:g2213601"
/translation="MTEVENGKRRRVRNKQQVKVQFLSORYLLICCFCFVLLEFLSS
DRISTLSVRSDSLRPSLRVPTLSVLSSSMDSFHRGRFPPLSVEDERVQFPDHLLILSH
GIGKGEKNIVCVARVGKEETLVLPISISSDEFDERSIVERGYMKLGVERWFIVMH
LVKKMKKQSRVHNWEKVGYEAVIDGDTVVFVKGLIRRPHKSDDPSYYKCQPFEIN
SEKKEVTQAIAAAQEVVRCGLPESLKLNPEMMFRVSVIHIDPRGRTTPALPSVARIYG
SDSIEKRKKSGVKHELCVCTIMLMNQAPFLRENIMHSWLGVERWFIVNNSSDGIQE
EIELLSENYNVSRHVWEWPWIKTQEAGFSHCAVRAKEEQCVWVGFEPDVEEYYFPHRSQ
GLPSKNALKSLVSNYTSWDLVGEIRTDCHSIYGPSGLTSVPSQGVTVGITCRQANPERH
KSIIRPELLTSSLLNEVHFHPQLKEGVGHMSILVESVAVAVNHYKQVWDTFKAKFYRRVA
TYVVDWQENNQQGSKDRAPGLIGTEAIEEPDWKRRFCEVWDTGLKDLVMSNFAQGVTGY
LPWQROQQF"

CDS   complement(join(97226..97606,97721..98247,98334..98433,
98516..99376))
/note="unknown; similar to EST gb|N96069"
/codon_start=1
/evidence=not_experimental
/product="T7N9.22"
/db_xref="PID:g2213602"
/translation="MSVHGRFPASPPIGLSPSSSSTSPSSQSQSPSTPPDLKQRVIACLN
KLADRDTLALASAELDSIARNLTHDSFPFLNCIHNTDDSSVKSPVRKQCVALLSVLSR
YHGDSLTPHLAKMVSTVIRLRPDHSSSQELRKSLPRIGLKLSDGEKRAKAALLSAV
LIQEGDSNLQIGAALCLAASVDAATDPESEQLRKSLPKIGKLLKSDGFKAKALLSAV
GSIITAGGAGTKPVLDWLVPVLIEFLSSEDWAARKSAAEALGKVATAEDLASQYKKTC
TTALESRRFDKVSVREFMNRALNLEWVSTDDAASLSPSRSTDDGNGITGTRS
STIDVGLKSARPKKVTPIMKRSPSLPVNRSYAATRQKENLPKRNQGNMTMLVEEASSV
DNKGPHFTPVKKSSEETEEKANSGGPDIIKHTIISEKSREDSKVSSFGGLRSGSRVAPC
SDDGSWKNCKDVENKPDEEKSADEESLLIREQLALIENQQSSLLDLLOKFMGTSQSGIOS
LESRVSGLEMALDEISCDLAVSNGRVPRNSSGCAGDSCSKLPGTEFLSPKFWRKTEOR
PRNRTANEMAAYDQGMRESTDINGQRGGSVFQKRSRRDQFQDCMHTTLQKPTTR"

CDS   join(105265..105404,105539..105663,106614..106903)
/note="unknown"
/codon_start=1
/evidence=not_experimental
/product="T7N9.23"
/db_xref="PID:g2213603"
/translation="MAGEGKKPATVDDAYAYIRTVKSTFHNDPDKYDDFMAIMKNFK
ARKIDRNTCIEEVKELLKGHRDLISGENAFLPKCLEIADWYNIEVLEAELQALLMAMQ
HTWSKGYRKIIFEEGDNRIVESLLNGNIRNFELHNLIIEIQHWRKKFSNAIIKNSFRST
NKAADRLAKGELENNVIFVHSHSTR"

CDS   join(107696..107835,107952..108198,108274..108375,
108464..108535)
/note="unknown"
/codon_start=1
/evidence=not_experimental
/product="T7N9.24"
/db_xref="PID:g2213604"
/translation="MVERRVQVEPTLSDDAHSYITAVKEAFHDEPTKYEEFIKLMNDIR
DHGVDKASGIAKLTELIGHPRLLRGLSFFFPQVNRDIHHEARTIILKDKAIIPPEA
AYRGAKSYTKIKQIEPDWENEFNMLLKTRFRSLDTHVVESFLKIMIMYDEGRKSKEKEV
QEEVVDLIYHEDLIDKFFRLFNMRK"

CDS   join(110027..110187,110323..110453,110972..111093)
/note="unknown"
/codon_start=1
/evidence=not_experimental
/product="T7N9.25"
/db_xref="PID:g2213605"
/translation="MVGGGSKHVGEGSKPRATKDDAYAYLRAVRAKFHNDSKKYDDFV
AVWMNFKARRIDRDGCIKEVEOLLKGHRDLISGFNAFLPKCLEIKNYFGAGEDLEVV
YTAKRKLLARSVTKRSSSSSSSSSSSSVYFLFRSCEII"

CDS   /note="unknown, similar to ESTs
gb|T20510, gb|T45307, gb|R30033, gb|Z26201, gb|AA394682,
gb|Z26201, and gb|T43096"
/codon_start=1
/evidence=not_experimental
/product="T7N9.20"
/translation="MKKIFITLLMLFISSFLCSSSSAEDDVLCLQGLKNSLIDPSSR
LSWSFPNSSASSICKLIGVSCWNENKENRIISLQLQMSOLAGEIPESLKICRSLQSLD
LSGNDLSGSIPSOICSWLPYLVTLDLSGNKLGGSIPTQIVECKFLNALILSDNKLSGS
IPSQLSRLDRLRRLSLAGNDLSGTIPSELAREGGDDFSGSNGLCGKPLSRCGALNGRN
LSIIIVAGVLGAVGSLCVGLVIFWFFIREGSRKKGVGSAGSKDDSDWIGLRSHKL
VQVTLFORPIVKILGDLMAATNNFSSGNIDVSSRTGVSYKADLPDSSALAVKRLSAC
GFGEKOFRSEMNKLGELRHPNLVPLLGYCVEDERLLVKHWVNGTLFSOLHNGGLCD
AVLDWPTRRAIGVGAAAGLAWLHHGCQPPYLHGPPILGYGFGTVLLLELVTGQKPLSVI
VGSRDSNDSSFNNGDLCELGYAPEYSSTMVASLKGDVYGFGTVLLLELVTGQKPLSVI
NGVEGFKGSLVDWVSOYLGTGRSKDAIDRSICDGHDEEILQFLKIRACSCVVSRPKER
PTMIQVYESLKNMADKHGVSEHVDEFPLVFNKQEA"
complement(91271..92998)

CDS   complement(88382..90187)
/note="similar to S-receptor kinase; similar to ESTs
gb|T20510, gb|T45307, gb|R30033, gb|Z26201, gb|AA394682.
/codon_start=1
/evidence=not_experimental
/product="T7N9.19"
/db_xref="PID:g2213600"
/translation="MMKTGAVAVSNPRSRVKWDAFLSFQRDTSHNFTDRLYEALVKEEL
RVNNDLERVDHDHELPVSLVEAIEDSVAFVVVLSPENYANSHLRVEEALRLKLCDLKC
LMYFIYKVEPFREVKEQNGPFEKDFEEHSRFGEEKIQRWKGAMTTVGNISGICGYE
IOLEMEGVVPNRLKYSVFLLSRGFDRTNFCERLYIALNEKONVRVPRDNGMEKGD
KIDPSLFEAIEDSAASVILLSTNYANSSWCLDEIALCLDIRSSLKRPMFPIFGVNPE
DVRKOSGEFRKDEEKAKSEDEETIQRKRAMNLVGNIPGYVCTAKTYGDDNGINRE
KVDDMIDLVVKKKVVAAVRNRPEIIVADYTVGLESPIKDLMKLNTNESSSGIQVMGLYGM
GGIKDTILAKAFYNKIIVNRNRIVFIESVRGKSDDGDLVGNTLIKELFRLVPEI
EDVSIGLEKIKENVHEKKIIIVVLDDVDHIDQVNALVGEISWYGEGSLIVITTRDSEIL
SKLSVNQQYEVKCLTEPOALKLFSYSLRKRPPTOGLLEEKKKIAEVTLGLLPLAVKV
FGSHFYDENEMQVELEKNLKTQODKLGVLALSFKSLDEEEKKIFDIACLFLKMDI
TKEEVDILKGCGLNAEAALRVLIOKSLTLIILDDTLMHDQIRDMGROMVRKESSDD
PEMRSRLWDRGEIMNVLDYMKGTSSIGIVLDLHDKKFARDHFADEIISSNLNNPGIY
SVFNYLKNKLVRPPAEKPKRSEIIIPVESFAPMKKLLSLLFPEAFKMKLALNVELEGLKLLPSEL
KWIOWKGPFLENLPPDILSRQLGVLDLSESGVSRVKTLPRKRGDENLKVVNLRGCHGL
CLEKFLSGCSNLSVLPENIGSMKFLKELLDLSTNSNLKYPISFRLQKLEKLSLMGCR
SIEELPSCVGLYLSLEDLYLDDTALRNLPSSIGDLKNLQKLHLMRCTSLSTIPEINNR
LMSLKELPINGSAVEELPIETGSLLCLTDLSAGDCKFLKQVPSSIGGLNSLLQOLDS
TPIEALPEEIGDLHFIRQLDLRNCKSIKALPRFPIGLYSNLVEGEPSLMVLEML
KLENLVELRMNNCKMLRLPKSEGDLKSLHRLIVMQETLVAEELPESFGNLSNLMVLEML
KKPLFRISESNVPGTSEEPREVEVPNPSKLLKLEELDACSWRISGKIPDDLEKLSLCL
MKLNLGNNYFHSLPSSLVKLSNLQELSLRDCRELKRLPLPLPCKLEQLNLANCFSLESV
SDLSELTLTDLNLTNCAKVDIPGLIEHLTALKRLIYMTGCNSNYSLAVKRLSKASIK
MRNLSLPGNRVPDWFSOGPVTFSAQNRELRGVIIAVVALNDETEDDDQLPDVME
VQAOIHKLDHKCTNTLHLSGVPRTNNDQLHICRYSAFHPLVTMLKDGYTIQVIKRNP
PIKQGVELKMHGIHLVYEGDDLEGRENTLPEAQOTVSOKLANFSSFEEGEASAKGD
STVA"

CDS   join(81318..8179,82255..83236,83326..84475,84562..84972,
85047..86648,86729..87277)
/note="similar to disease resistance kinase"
/codon_start=1
/evidence=not_experimental
/product="T7N9.18"
/db_xref="PID:g2213599"
/translation="LRKEEPTKNLLALSKKIVQISGLLPLAYEVFGSLLYDKKEEKWQTOLDRLKTQPGN
LQDVLELSFKSLDDEEKKVFLDIACLFLKMEIKKDEVVILVKGCGLNAEAALSVLRQK
SLVILANDTLWMHDQIRDMGRQMVLRESREDPGIRSRLWDRGEIMTVLNNMGTSSI
RGIVLDFKKFARDPTADEIVSSNLRNNPGIYSVFNYLKNLVRFPAEKPKSSEITI
PVESFAPMTKLRLLQINNVELEGPLENIPPDFLARQLSVLD
LSESGIROVTLRNKMVDENLKVILRGCHSIEALFIVVILPEOCTLLVKV
PKSVGNLRLIHLDFRRCSKLSEFLVDVSGLIKLLEELFLSGCSDLSVLPENIGAMTSL
KELLDGTAIKNLPESINRLQNLEILSLRGCKIOELPLCIGTLKSLEKLYLDDTALKN
LPSSIGDLKINLQDLHLYSLSINELKSKINFIGNGAVFEGDGKLYPISSVDLQFRGD
FSKLLKLEELDACSWRISGKIPDDLEKLSCLMKLNLGNNYFHSLPSSLVKLSNLQELS
LRDCRELKRLPLPCKLEQLNLANCFSLESVSDLSELTLTDLNLTNCAKVDIPGLIE
HITALKRLIYMTGCNSNYSLAVKRLSKASLKMRNLSLPGNRVPDWFSQGPVTFSAQP
NRELRGVIIAVVALNDETEDDQLPDVMEVQAOIHKLDHHCTNTLHLSGVPRTNN
DQLHICRYSAFHPLVTMLKDGYTIQVIKRNPPIKQGVELKMHGIHLVYEGDDLEGRE
NTLPETOQTVSOKLANFSSFEEEGEGEFISESESTVI"

```
Qy     662 ACACAGCCAACATTTTAGGAACTTTCTACATTATAGCATAAGACAATGTAAATTTGAAG 721
           ||||| || ||||||  |||| |||||      ||||| ||  |  | || ||  |  ||
Db  109688 ACAAACCAGAAAATTACTATGGGTATAAGGTTCCACTAGTAGAACTGAATGATTTAAT 109629

Qy     722 ACCAAATGTGATGCCATGGGATCCAGAAAACAAAAAGTAGGATAGTTACAAT----CCA 777
           ||| ||||  |  |  |  | | |||||||||| |||   |  |   |||||    |||
Db  109628 TTGAGCTGTATAGGTCTTTATATATATATAAAAAAACAAAAAATAGACCTTTGCAATTGTATCA 109569

Qy     778 TAACATCCATATGACTGAACACTGTATATGTTTGTTAAATATTCGAATGCATGTAGATT 837
           ||| ||  ||| | || ||||||||| |  || |||||||||  |||| |  ||  ||
Db  109568 TAATACTTAAAATATATAAAACACATGTTAGTTGTTGTTAAATATAAAATTTCACATTAATTACAAT 109509

Qy     838 TGTTAAAGTGTGTGTATAGTAACACTGAAGAACTAAAATGCAATTAGGTAATCTTAC 897
           |  |  | ||||  | |||| |  |  |||   || ||| |  ||   | ||| |||
Db  109508 TTACAGATTTTAATGTAAGGATAAAATTTTAATTATATACAATATAATTTATGTAATAAAATA 109449

Qy     898 ATGGAGACAGGTCACCAAAAGAGGAGGCTAGGCAA 932
           ||  | ||| | |||||||||||||||| || |||
Db  109448 ATTTAAATTGTAAAGCTTTACAAGCACTGTGAAA 109414
```

RESULT 15
LOCUS   AC000348   111390 bp   DNA   PLN   24-JUN-1997
DEFINITION Genomic sequence for Arabidopsis thaliana BAC T7N9, complete
           sequence.
ACCESSION   AC000348
NID   g2182287
KEYWORDS   HTG.
SOURCE   thale cress.
  ORGANISM Arabidopsis thaliana
           Eukaryotae; mitochondrial eukaryotes; Viridiplantae;
           Charophyta/Embryophyta group; Embryophyta; vascular plants; seed
           plants; Magnoliophyta; Magnoliopsida; Capparales; Brassicaceae;
           Arabidopsis.
REFERENCE   1 (bases 1 to 111390)
  AUTHORS   Buehler,E., Dewar,K., Feng,J., Kim,C., Li,Y., Shinn,P., Sun,H.,
           Conway,A., Conway,A., Kurtz,D., Oji,O., Osborne,B., Shen,Y.K.,
           Toriumi,M., Vysotskaia,V., Yu,G., Davis,R.W., Federspiel,N.A.,
           Theologis,A. and Ecker,J.R.
  TITLE   Genomic sequence for Arabidopsis thaliana
  JOURNAL   Unpublished (1997)
REFERENCE   2 (bases 1 to 111390)
  AUTHORS   Ecker,J.R.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-MAR-1997) Arabidopsis thaliana Genome Center,
           Department of Biology, University of Pennsylvania, 38th Street and
           Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA
REFERENCE   3 (bases 1 to 111390)
  AUTHORS   Ecker,J.R.
  TITLE   Direct Submission
  JOURNAL   Submitted (24-APR-1997) Arabidopsis thaliana Genome Center,
           Department of Biology, University of Pennsylvania, 38th Street and
           Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA
REFERENCE   4 (bases 1 to 111390)
  AUTHORS   Ecker,J.R.
  TITLE   Direct Submission
  JOURNAL   Submitted (03-JUN-1997) Arabidopsis thaliana Genome Center,
           Department of Biology, University of Pennsylvania, 38th Street and
           Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA
REFERENCE   5 (bases 1 to 111390)
  AUTHORS   Ecker,J.R.
  TITLE   Direct Submission
  JOURNAL   Submitted (09-JUN-1997) Arabidopsis thaliana Genome Center,
           Department of Biology, University of Pennsylvania, 38th Street and
           Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA
REFERENCE   6 (bases 1 to 111390)
  AUTHORS   Ecker,J.R.
  TITLE   Direct Submission
  JOURNAL   Submitted (24-JUN-1997) Arabidopsis thaliana Genome Center,
           Department of Biology, University of Pennsylvania, 38th Street and
           Hamilton Walk, Philadelphia, Pennsylvania 19104-6018, USA
COMMENT   On Jun 10, 1997 this sequence version replaced gi:2155227.

FEATURES   Location/Qualifiers
    source   1..111390
                  /organism="Arabidopsis thaliana"
                  /db_xref="taxon:3702"
                  /chromosome="1"
    CDS   join(1465..1811,1909..2068,2232..2362,2562..3125)
                  /note="similar to protein kinase, 5' incomplete; similar
                  to EST gb|T14833"
                  /codon_start=3
                  /db_xref="PID:g2213581"
                  /product="T7N9.1"
                  /evidence=not_experimental
                  /translation="SSRISAKRSQSSRLSSLIIQSSSYNDDISVASLQSTPRSEGELLA
                  SFTLKAFTFNELKTATRNFRPDSVIGEGGFGYVYKGWIDERTLSPSRPGSGMVVAVKK
                  LKEEGFQGHRQWLAEVDCLGRLHHMNLVKLLIGYCSKGDHIRLLVYEYMPKGSLENHLF
                  RRKKTCLSSGAEPIPWETRIKYAIGAARGLAFLHEAQVIYRDFKASNILLDSEFNAKL
                  SDFGLAKVGPTGDRTHVSTQVMGTGYLAPEYAVTGRLTIAKSDVYSFGVVLLELLSGR
                  LIVDKTKVGEVRNLVDRAIPYLGDKRVFRIMDTKLGQGYPHKGACLTANTALQCLNQ
                  EPKLRPKMSDVLSTLEELEMTLKSGSISNSVNMKLTSSSSFTAKQRVRTPVADPVLSS
                  RRCRRVR"
    CDS   complement(join(9987..11012,11109..12706,12764..13970,
                  14075..14464))
                  /note="TA1-like retrotransposon"
                  /codon_start=1
                  /evidence=not_experimental
                  /product="T7N9.2"
                  /db_xref="PID:g2213582"
                  /translation="MYKKGGKMKTRGSTPDDEGSAVRSVREAAILEDQKILTTLKQQLA
                  QRSDVTGGNGRFKVSDSGGENPLILHSSDHPGLSIVAHILDGSNYNSWSIAMRISLDAKN
                  KLGFVDGSLLRPSVDDSTFRTWSRCNSMVVNLPRKVLEQEAVVMLLQQGKLDLTYFTK
                  QRSDVLTVFPSFLKMVETQVHTKVCSVRSDNAHELKENFLFAKEGIKADHPCPEPEQ
                  NFVVERKHQHLLNVARALMFQSGIPLEYWGDCVLTAVFLINRLLSPVINNETPYERLT
                  GKPDYSSLKAFGCICSTPSPKSRTKFDPRAKACIFLGYPMGYKGYINKDSSHCHVCHL
                  ISRHIFVEDIFPFASSNIIDAAKDEFPHIYLPAPNNDEHLPLVQSSSDAPHNDESS
                  SMIFVPSEEKSTRQRKLPSHLQDFHCIVNNTPTTIKTSPIPLTNISYSILSEPEGAFI
                  NIITATKLPQKYSEARLDKVWNDAMGKEISAFVSRIGTWSICDLPAGKVAVGCKHIITI
                  KFILADGSIERHKARLVAKGYTQOEGIDFENTFSPVAKMVTVKVLLSLAPKMKWLHQL
                  DISNALLNGDLEEIYKLPGFSEIQGOEVSPNAKCHGDHTLVKVAQDGFFLVVLVY
                  VDDIILASSTEAASAELTSQLSSFPQLRDLGEPKFFLGLEIARNADGISLCQRKYLD
                  LLASSDFSDCKPSSIPMEENQKLSKDTGITLLEDGKOYRTLGKLQYLCLTRPDINFAV
                  SKLAQYSAPTDIHLQALHKILRYLKGTIGQGLFYGADINFDLRGFSDSDWOTCPDTR
                  RCVTGFAIFVGNSLVSWRSKKQDVVSMSSAEAFYRAMSVATKELIWLGYILLTEKIPF
                  THPAYLYCDNEAALHIANNSVFHERTKHIENDCHKVRECIEAGILKTIFVRTDNQLAD
                  TLKPLYEKPFRENNSKLGILNIYEAOA"
    CDS   join(15527..15581,15687..15748,15834..15911,15991..16056,
                  16164..16234,16347..16448,16539..16628,16756..16830,
                  17067..17099,17201..17272,17475..17525,17658..17773,
                  17834..17927)
                  /note="unknown; similar to ESTs gb|R87028, gb|W43320,
                  gb|AA395193, and gb|T75928"
                  /codon_start=1
                  /evidence=not_experimental
                  /product="T7N9.3"
                  /db_xref="PID:g2213583"
                  /translation="MAMOAGVGLSRIFLLAGAGYTGTIMMKNGKLSDLLGELOSLVKG
                  MEKSGEGSSEGSDSDVSDAIAAOVRRLAMEIROLASOQHITVMNGVSGANLOALAVPAAA
                  IGALGYGTMWWGLSFFDLMYVTKANMAAVANLTKNLEOVSETLAAAKRHLTORION
                  LDDKVEROIDLSKEINSOVISARENISSLEMDLESLHNLITGLDGKLTLEYKQDVTN
                  VFMLNLYNYFGGKSTKLLPEMLPVNORARNLLADVETKGLKINLAEELLFKSNGTQVTTY
                  KOISLSKVNVKSRPLLSRCDKGNVNAGTLQLSVDHWVFLMAVWLAGCI"
                  join(20094..20132,20210..20362,20796..21014,21105..21220,
                  21317..21480,21572..21726,21798..21878)
                  /note="similar to T7N9.5; similar to ESTs gb|T21578,
                  gb|T46181, gb|H36893, gb|T46690, and gb|T46636"
                  /codon_start=1

```
                                    /evidence=experimental
                                    /product="T7N9.4"
                                    /db_xref="PID:g2213584"
                             CDS    join(23301..23339,23416..23568,23660..23878,23967..24082,
                                    24559..24722,24830..24993,25085..25171)
                                    /note="similar to T7N9.4; similar to ESTs gb|T46181,
                                    gb|R29915, gb|H74776, gb|H36893, gb|T46690, and gb|T46636"
                                    /codon_start=1
                                    /evidence=not_experimental
                                    /product="T7N9.5"
                                    /db_xref="PID:g2213585"
                             CDS    complement(join(28352..29284,29376..29813,30850..31067,
                                    31195..31297))
                                    /note="similar to transport protein; similar to ESTs
                                    embl217614, gb|T14067, and embl217615"
                                    /codon_start=1
                                    /evidence=not_experimental
                                    /product="T7N9.6"
                                    /db_xref="PID:g2213586"
                             CDS    join(33352,33469,33706..34339,34852..34978,35132..35506,
                                    35592..35867)
                                    /note="similar to leucine zipper protein; similar to ESTs
                                    gb|T21286 and gb|T04740"
                                    /codon_start=1
                                    /evidence=not_experimental
                                    /product="T7N9.7"
                                    /db_xref="PID:g2213587"
                             CDS    complement(join(36482..36677,36759,36911,36993..37151,37225..37383,
                                    37476..37607,37687..38132)
                                    /note="similar to Human p619"
                                    /codon_start=1
                                    /evidence=not_experimental
                                    /product="T7N9.8"
                                    /db_xref="PID:g2213588"
```

```
                             CDS    VCGGSGFYAVRKQELSPTSS"
                                    complement(join(38404..38499,38806..38953,39043..39188,
                                    39284..39498,39579..39756,39845..40010,40104..40453))
                                    /note="unknown"
                                    /codon_start=1
                                    /evidence=not_experimental
                                    /product="T7N9.9"
                                    /db_xref="PID:g2213589"
                             CDS    join(42641..42830,43041,43258,43725..44287,44375..45248)
                                    /note="similar to transport protein; similar to ESTs
                                    gb|T43913 and gb|L46413"
                                    /codon_start=1
                                    /evidence=not_experimental
                                    /product="T7N9.10"
                                    /db_xref="PID:g2213590"
                             CDS    complement(join(45500..45856,45940..46014,46641..46814,
                                    46865..47557))
                                    /note="unknown; similar to ESTs gb|T44556, gb|T74100,
                                    gb|L38131, gb|AA395480,"
                                    /codon_start=1
                                    /evidence=not_experimental
                                    /product="T7N9.11"
                                    /db_xref="PID:g2213591"
                             CDS    complement(join(49016..50053,51910..52533))
                                    /note="unknown, similar to ESTs dbj|C22029, gb|T46021, and
                                    gb|T04347, gb|N37850"
                                    /codon_start=1
                                    /evidence=not_experimental
                                    /product="T7N9.12"
                                    /db_xref="PID:g2213592"
                             CDS    complement(join(54477,54572,54654,54754,54815,54899,
                                    54991,55080,55171,55226,55321,55423,55516,55623,
                                    55710,55839,55935,56029,56119,56262,56383,56484,
                                    56600,56698,56843,56978,57249,57307))
                                    /note="unknown; similar to EST gb|AA394730"
                                    /codon_start=1
```

CDS
```
/evidence=not_experimental
/product="T7N9.13"
/db_xref="PID:g2213593"
/translation="MRSPLQMTAILPLTILLTREKRVILEAPNYNDNDCVLANILAAH
YLSSFDVRARSYALAAAESRGKATIYEKAVFEAVSYLLSENMDDDVALELHSKLLKK
FPKDLLSWKRVETLCSTMGRHDLSIPLLPIIPNEQGVYNGMLAPCLIELGHLREA
EEAARKGCEINENDSWAHHALCHVLQECRKEAVKPMEEHSDSWHCSCSSLRFSHNWW
HVAVCLEGGHSIKVEEVYDHQMWKELEKDDAVARDVTDALGLIRLDTRGKLDDG
FDRLEKLADSLTDKAWNPYQDWLFDTTTIWALSKVKTSLAHELLEGLKSRTSAMNPK
KQKLMQKAILLAEAVXEYGKGNYEIALELGLLDFDAANYKIVIGGSGLQMDVFNEIWYK
LILLNGKSSTAINSAFTTEPAAIEVELEKVTIKQRDGAPFLWRLLEESYSMEGKEKAGI
SAGKKAKALESSYFKSA"
```

CDS
```
join(62848..63715,63803..64055,64127..64417,64491..64619,
64694..64867,64960..65067,65160..65369)
/codon_start=1
/evidence=not_experimental
/product="T7N9.14"
/db_xref="PID:g2213594"
/translation="MKKSKLDNSSQIRFGLVQFLLVLLFYFLCMSFEIPFIFIRGS
GSGSDVSSSFADALPRPMVVGGGSREANWVGEEEEADPRHFHFKDPGRVQLRLPER
KMREFKSVSELFVNDSFFDNGGFSDDEFSIFHKTAKHAISMGRKMWDGLDSCLIKFDKA
PVKTIREKCPDMVSVSESEFVNRSRIVLVPLPCGLTLGSHITVVATPWHAHVEKDGDKTA
MVSQFMEMLQGLKAVDEGDPRILFNPRIKGDWGGRPVIEQNICYRMQWGSGLRCDG
RESSDDEEYGIDFFDPGEVKGCERWKRDDDGGNNGDDFDESKKTIWLNRLMGRRKKMIT
HDWDYPFAEGKLFVILIRAGMEGYHISVNGQHITSPYRGFVFIGLISAGNRFAERNAVRK
AICEYGVNYAAKVYMKCDDDTFVRVDAVIQEAEKVKGRESLYINNINENKPLRTGK
NETRPVAVVHSLKFCQFGCIEDYFFAHQSPRQMICMWDKLQRLGKPQCCNMR"
```

CDS
```
join(67041..67367,67700..68056)
/note="similar to Bronze-2 protein; similar to ESTs
gb|H76491, gb|H36232, gb|AA389825, gb|H37163,
emb|Z26546"
/codon_start=1
/evidence=not_experimental
/product="T7N9.15"
/db_xref="PID:g2213595"
/translation="MAQNDTVKLIGSWSSPYSLRARVALHLKSVKYEYLDEPDVLKEK
SELLIKSNPIHKKVPVLIHGDLSIISESLNVQVYDEARPSVPSILPSDAYDRASARFW
AQIIDDKCFPAAVDAVVGARDDEGKMAAVAGKLMICLAIILEETFQKSSKGLGFFGGETIG
YLDIACSALLGPISVIEAFSGVKFLRQETTPGILIKWAERFRAHEAVKPYMPTVEEVVA
FAKQKFNVQ"
```

CDS
```
join(66317..66999,69740..70175)
/note="similar to Bronze-2 protein; similar to ESTs
gb|H76491, gb|H36232, gb|H37163, gb|A389825, gb|H37163,
emb|Z26546"
/codon_start=1
/evidence=not_experimental
/product="T7N9.16"
/db_xref="PID:g2213596"
/translation="MAQNDTVKLIGCSDDPFSIRPRVALHLKSIKYEYLEEPDDLGE
KSQLLLRKSNPIHKKTPVLIHGDLAICSLNIVQYLDEAWPSDPSILPSNAIVDRASARF
WAQYIDDKVKQFRDSLLHALFCPLSKLVKSRVWCLKQCFEAANALTGANNDERIAAT
GKLTECLAILEETFQKSSKGLGFFGGETIGYIDIACAALLGPISVIEMFSADKFVREE
TTPGLIQWAVRFRAHEAVRPYMPTVEEYVLVKQRIEEGFFRNFKSNVSTEYE"
```

CDS
```
join(71067..71225,71312..71410,71569..71670,71750..71893,
72009..72103,72210..72339,72415..72519,72624..72730,
72806..72857,72941..73030,73120..73204,73290..73354,
73441..73527)
/codon_start=1
/evidence=not_experimental
/product="T7N9.17"
/db_xref="PID:g2213597"
/note="unknown; similar to ESTs gb|T88591 and gb|AA394730"
/translation="MKVLSYGRKRKVILEAPLYDKDCVLGSILAAHFLSSSDPSRANS
YVEAAASNLEQSTPYEKAVIYEAVTYLISEDRDDLAFEMHTKLLKRFPKDLASLKRAQ
LLSFYMGQDPDFGLQVQOVLPANQEESYIHGLLAPFLLELGHMEEAAAASRKGYEINK
EDAWAIHCLCHVLQHECRFKEAVEPMEAFLACTWPSCSSFMTHNWHVALCYLEGGSP
MSKVEEIYDHHIWKELEKDDAVPPEVLNALGLLIRLDVRDALDGFEDRLKNLAVRLI
NQANWLEWHLDILIYWALARVGETSRAHELLEGLKFRLSKKNKKKQQVMOQKGIQLGE
AVYEYARGNYEKALELLGSEFNAIGYKIVGASDEQIDVFNEMWCQLLLKTGQSSTAKE"
```

CDS
```
misc_feature
73851..74562
/note="similarity to valyl tRNA synthetase; predicted
non-functional because of reading frame shift"
join(75036..75508,76209..76649,76746..77862,77947..78357,
78445..80043,80124..80678)
/codon_start=1
/note="similar to disease resistance kinase"
/product="T7N9.18"
/db_xref="PID:g2213598"
/evidence=not_experimental
/translation="VIRERIKARDGIPFMWRLLEKSYSMEGNAEAESSARERAKKLESCYF
VWNNDDVERGNHELGASLVEAMEDSVALVVVLSPNYAKSHWCLEELAMLCDLKSSLGR
LVLPIFYEVEPOCHMLRKQNGPFEMDFEEHSKRFSEEKIQRWRALNILIGNIPGFVYRLK
YDVFLSPRGADTRDNEGDHLYKALHDKVRVFRDNEGMERGDEISSLKAGMEDSAASY
IVISRNYSGSRWCLDELAMLCKMKSSLDRRILPIFYHVDPSHVRKQSDHIKKDFEEHQ
VRFSEEKEKVQEWREALTLVGNLAGYCVCDKDSKDDMEILVVKRVLAELSNTPEKVGE
SDIRERSSAAENGLVYLQKTLIKELFRLVPEIEDVSIGLEKIKANVHEKKIIVVLDDVD
HIDQVRALVGETRWYGQGTLIVITTRDSRTLIRSLSKLSVNQVEVKCLTEPQALKLFSHS
LRKEEPTKNILALSKKIVQISGLLPLAVEVGSLLVDKEKDWQLLKKKTQPGN
LDVELELSFKSLDDEEKKVFLDIACLFKMEIKKDEVVIVLKGGLNAEAALSVLRQK
SLVKILANDTIWRHDVIQRMGRETRMVSRLRRNPGIYSRNLRNPPRLKELEKWNPEKPKSSEIII
RGIVLDFKKRFARDPFADEIVSRNLRNNPGIYSRNLRNNPGIYSVFNYLKKNLVPPAEEKPKSSEIII
PVESFAPMTKLRLLQINNVELEGNIKLLPSELKWIQWKGCPLENLPPDFLARQLSVLD
PKSVGNLRKILIHLDFRRCSKLSEFLVDSGLLKLERLFLSGCSDLSVLPENIGAMTSL
LSEGIRQVTNLRKILIHLDFRRCSKLSEFLVDSGLLKLERLFLSGCSDLSVLPENIGAMTSL
KELLLDGTAIKNLPSINRLQNLEILSLRGCKIQELPLCIGTLKSLEKLILDDTALKN
LPSSIGDLKNQLLHLDFRRCSKLSEFLVDSGLLKLERLFLSGCSDLSVLPENIGAMTSL
YDFSAGDCKFLKQVPSSIGRLNSLLQLSSTPIEALPEEIGALHIRELELRNCKFL
KFLPKSIGDMDTLVSLNLEGSNIEELPEEGKLEKVELRMSNCKMLKRLPSSFGDLK
SLHRIYMKEFLVSELPESFGNLSNLMVLEMLKKPLFRISESNVPGTSEEPRFVEPNS
FSKLLKEELDACSRRISGKIPDLEKLSCLMKILNLGNNYFHSLPSSLVKLSNLQELS
LRDCRELKRLPPLCKLENLANCFRSLEEPESFGNLSNLMVL
HLTALKRLYMTGCNSNYSLAVKRLSKASLKMMRNSLPGNRVPDWFSQGPVTFSAQP
NRELRGVIIAVVVALNDETEDDDYQLPDVMEVQAQIHKLDHHKCNTLHLSGVPTNN
DQLHICRYSAFHPLVTMLKDGYTIQVIKRNPPIKQGVELKMHGIHLVYEGDDDLEGRE
NTLPETQQTYSOKLANFFSFEEEEGETISESESTVI"
```

CDS
```
/codon_start=1
/note="similar to disease resistance kinase"
/product="T7N9.19"
/db_xref="PID:g2213599"
/evidence=not_experimental
join(81318..81794,82755..83236,83326..84475,84562..84972,
85047..86648,86729..87277)
/translation="MMKIGAVVSNPRSRVKWDAFLSFQRDTSHNFTDRLYEALVKEEL
RVWNDLERVDHDHDHELRPSLVEAIEDSVAFVVVLSPNYANSHLRLEELALKLCDLKC
LMPIFYKVEPREVKEQNGPFEKDFEEHSKRFGGEEKIQRWKGAMTTVGNISGFICGYE
IQLEMETGVVPNRLKYSVFLSFRGEDTRTNFCERLYIALNEKQNVRVRFRDNEGMEKGD
KIPDSLFRAIEDSAASVIIISTNYANSWCLDELALLCDLRCSLKRPMIPIFYGVNPE
DVRKOSGEFRKDFEEKAKSFDEEIQRKRANMNLGNIPGYVCTAKTVGDDNEGINRE
KVDDMIDLVVKKVAAVNRPEIVADTTVGLESPIKDLMKLFNTESSSGIQVMGLYGM
GGIGKTTLAKAFYNRIIVNFNHRRVFIESVRKSSDDGLVNLQKTLLSELILKIEPEI
EDVSIGLEKINEVHEKKIIVVLDDVDHIDQVNALVGETSWIGEGSLIVITTRDSEIL
SKLSVNQVEVKCLTEPQALKLFSYSLRKEKPTQGLLELSKKIAEVTGLLPLAVKV
FGSHFYDKDENKQVELEKLKTQQDKHGMVLASFKLSLDEEKKIFLDIACLFKMDI
TKEEVDILKGGLNAEALRVLIQKSLLTLIVDDTLWMHDQLRDMGROMVHKESSDD
PEMRSRLWDRGEIMNVLDYMKGTSSIRGIVLDFPNKKFARDHTADEIFSSNLRNPGIY
SVFNYLKNKLVRFPAEEKPKRSEITIVVESFAPMKKLRLLQINNVELEGDLKLLPSEL
KWIQWKGFPLENLPDILSRQLGVLDLSESGVRVKVLPRKRGDENLKVVNLRGCHGL
FAIPDLSNHALEKLVLERCNLLVKRCNLLVKVRPSVGNLGKLLQLDLRRCCSSLSEFLGDVSGLK
CLEKFFLSGCSNLSVLPENIGSMPCLKELLLDGTAINLPSSTGDLKNLQKLHLRRCTSLLSTIPETINK
SIEELPSCVGLVTSLEDLYLDDTALRNLPSSTGDLKNLQKLHLRRCTSLLSTIPETINK
LMSIKELFINGSAVEELPIETGSLLCLTDLSAGDCKFKLQVPSSIGGLNSLLQLDLS
TPIEALPEEIGDLHFIRQLDFRNCSKLKALRLYMTGHDTILSLNLVGSNIEELPEEG
KLENLVELRMNNCKMLKRLPKSFGDLKSLRYMQEILVAELPESFGNLSNLMVLEML
KKPLFRISESNVPGTSEEPREVEPNSFSKLLKEELDACSRRISGKIPDLEKLSCL
MKILNLGNNYFHSLPSSLVKLSNLQELSLRDCRELKRLPPLCKLENLANCFRSLEE
SDLSELRILTDLNLTNCAKVDIPGLEHLTALKRLYMTGCNSNYSLAVKRLSKASLK
MMRNSLPGNRVPDWFSQGPVTFSAQPNRELRGVIIAVVVALNDETEDDDYQLPDVME
VQAQIHKLDHHKCTNTLHLSGVPRTNNDQLHICRYSAFHPLVTMLKDGYTIQVIKRNP
PIKQGVELKMHGIHLVYEGDDDLEGRENTLPEAQQTVSOKLANFFSFEEGEASAGD
STVA"
```

CDS   complement(88382..90187)
                /note="similar to S-receptor kinase; similar to ESTs
                gb|T20510, gb|T45307, gb|R30033, gb|Z26201, gb|AA394682..
                gb|Z26201, and gb|AA43096."
                /evidence=not_experimental
                /product="T7N9.20"
                /db_xref="PID:g2213600"
                /codon_start=1
                /translation="MKKIFITLLWLLFISSFLCSSSSAEDDVLCLQGLKNSLIDPSSR
                LSSWSFPNSSASSICKLTGVSCWNEKENRIISLQLQSMQLAGEIPESLKLCRSLQSLD
                LSGNDLSGSIPSQICSWLPYLVTLDLSGNKLGGSIPTQIVECKFLNALLISDNKLSGS
                IPSQLSRDRLRLSLAGFGDGATGPIPSELARFGDGFDGNSGPLCGKRGPSRCGALNGRN
                LSIIIVAGYLGAVGSLCVLVIFWWFFIREGSRRKGYGAGKSKDDSDWIGLLRSHKL
                VQVTLFQRPIVKIKLGDLMAATNNFSSGNIDVSSRTGVSYAKADLPDGSALAVKRLSAC
                GFGEKVFRSEMNKLGELRHPNLVPLLGYCVVEDERLLVYKHMVNGTLFSQLHNGGLCD
                AVLDWPTRRAIGYGAAKGLAWLHHGCQPPYLHQPISSNVILLDDDFDARITDYGLAKL
                VGSRDSNDSSFNNGDLGELGYVAPEYSSTMVASLKGDVYGFGIVLLELVTGQRPLSVI
                NGVEGFKGSLVDWVSQYLGTGRSKDAIDRSICDKGHDEEILQFIKIACSCVVSRPKER
                PTMIQVYESLKNMADKHGVSEHYDEFPLVFNKQEA"

CDS   complement(91271..92998)
                /note="unknown, similar to ESTs emb|F14134, gb|T21189,
                gb|T43096, gb|T11189, gb|T37659"
                /evidence=not_experimental
                /product="T7N9.21"
                /db_xref="PID:g2213601"
                /codon_start=1
                /translation="MTEYENGKKRKVRNKQQVKVQFLSQRYLLICFCCFFVLLFFLSS
                DRISTLSVRSDSLRPSLRVPTLSVLSSSMDSFHRGFPPLSVEDRVQFPDHLLILSH
                GIGKGEKNLVCYRGVKEETLVLPSISSDEFDEFRSIVRCPNAPLNYSSSVDLQOFRGD
                LVKKMKQSRRVHNWEKYGEAVIDGTVVVFVKGLTRRPHKESDFSYYKCQFEIEN
                SEKEVTQAIAAOEVVRGLPESLKLNPEMMFRVSVIHIDPRGRTTPALPSVARIYG
                SDSIEKKEKKSGVKHELCVCTMLWNQAPFLREWIMYHSWLGVERWFIYDNNSDDGIQE
                EIELLSSENYNVSRHVHWPWIKTQEAGFSHCAVARAKEECMWVGFPVFDVDEFYYFPTHRSQ
                GLPSKNALKSLVSNYISWDLVGEIRTDCHSGYPSGLTSVPSQGVTVGYTCRQANPERH
                KSIIRPELLTSSLLNEVHHFQLKEGVGHMSLVESVAVNHYKYQVWDFKAKFYRRVA
                TYVVDWQENQNQGSKDRAPGLGTEAIEPPDWKRRFCEVWDTGLKDLVMSNFADQVTGY
                LPWQRQQQ8"

CDS   complement(join(97226..97606,97721..98247,98334..98433,
                98516..99376))
                /note="unknown; similar to EST gb|N96069"
                /evidence=not_experimental
                /product="T7N9.22"
                /db_xref="PID:g2213602"
                /codon_start=1
                /translation="MSVHGRFPASPPISLSPSSSSTSPSSQSPSTPPDLKORVIACLN
                KLADRDTIALASAELDSIARNLTHIDSFSPFLNCTHNTDSSVKSPVRKQCVALLSVLSR
                YHGDSLTPHLAKMVSTVIRRLRDPDDSVRSACAVATADMSAHVTRQPEASVAKPLIET
                LIQEGDSNQIQAALCLAAASVDAATDPESEQLRKSLPIKGKLLKSDGFRAKAALLSAV
                GSITAGGAGTKPVLDWLVPVLIEFLSSEDWARKSAAEALGKVATAEDLASQYKKTC
                TTALESRFDKVKSVREIMNRALNIWKEVSTDDEASLSPSRSSTDDGNIGCFSSVTRS
                STIDVGLKSARPKKVTPIMKRSPSLPVNRSYAATRQKENLPKRNQGNMTMLVEAKSSV
                DNKGPHFPVKKSSEETEEKANSGPDIIKHTISEKSREDSKVSSFGLRSGSRVAPC
                SDDGDSVKNCKDDVEESKKDSEELSLIREQLLIENQQSLLDLLQKFMGISQSGIOS
                PRNRTANEMAAYDQGMRESTDTNNGQRGGSVFOKRSRRDQFQDCMHTTLQKPTTR"

CDS   join(105265..105404,105539..105663,106614..106903)
                /evidence=not_experimental
                /product="T7N9.23"
                /db_xref="PID:g2213603"
                /note="unknown"
                /codon_start=1
                /translation="MAGEGSKPRATVDDAYAYIRTVKSTFHNDPDKIYDDFMAIMKNEK
                ARIDRNTCIEEVKELLRGHRDIISGFNAFLPKCLEIARDVNIEVLAELQALLMAMQ
                HTWSKGYRIIFEGDNRTVESLLNGNTNFELINLIEIQHWRKKFSNAIIKWSFRST
                NKAADRLAKGELENNVFEVSHSTR"

CDS   join(107696..107835,107952..108198,108274..108375,
                108464..108535)
                /evidence=not_experimental
                /product="T7N9.24"
                /db_xref="PID:g2213604"
                /note="unknown"
                /codon_start=1
                /translation="MVERRVQEPTLSDAHSYITAVKEAFHDEPTKYEEFIKLMNDIR

CDS   join(110027..110187,110323..110453,110972..111093)
                /evidence=not_experimental
                /product="T7N9.25"
                /db_xref="PID:g2213605"
                /note="unknown"
                /codon_start=1
                /translation="MVGGGSKHVGEGSKPRATKDDAYAYLRAVRAKFHNDSKKYDDFV
                AVMINFKARRIDRDGCIKEVEOLLKGHRDLISGFNAFLPKCLEIKNYIFGAGEDLEVV
                YTAKRKLLARSVTKRSSSSSSSSSSVYFLFRSCEII"
                DHGVDKASGTAKLTELIKGHSPRLLRGLSFFPPVONRDIHHEAKRTIILKDKATIPPEA
                AYRGAKSTYIKIKQIEPDWENFMNMLKTRFRSLDTHVVESFLKIMIMYDEGKKSEKEV
                QEEVVDLLIYHEDIIDKFFRLFNMRK"

BASE COUNT   35883 a   19310 c   20289 g   35908 t
ORIGIN

Query Match   3.2%;   Score 41;   DB 38;   Length 111390;
Best Local Similarity 49.5%;   Pred. No. 3.9;
Matches   136;   Conservative   0;   Mismatches 135;   Indels 4;   Gaps   1;

Qy   662 ACACAGCCAACATTTTAGGAACTTTCTAGATTATTAGCATAAGGACATGTAAATTTTGAAG 721
            |||| || || ||| || ||| | | || | || ||| ||| ||||| ||||| ||
Db 109688 ACAAACCAGAAAAATTTACTATTGGGTATAAGGTTCACCACTACAGAACTTGAAGATGATTTAAT 109629

Qy   722 ACCAAATGTGATGCAtGGTGGATCCAGAAAAACAAAAAGTAGGGATACTTCACAAT---CCA 777
            || || ||| ||| ||||| |||| | |||||| ||| ||| |||| || ||
Db 109628 TTGAGCTGTAtAGGTCTTTATATATAAAAAAATAGACCTTTTGCAAATGTATCA 109569

Qy   778 TAACATCCATATGACTGAACACACTTGTATGTGTTGTTAAATATTCGAATCGCATGTAGATT 837
            ||| | |||| | ||| | || | || |||| |||||| | | || | ||| || |||
Db 109568 TAATACTAAATATAAAACACATCGTAGTTGTTAAAAATTTCACATTAATTAATTACAAT 109509

Qy   838 TGTTAAATGTGTGTGTGTATAGTAACACTGAAGAGAACTAAAAAATGCAATTAGGTAATCTTAC 897
            | | |||| || |||| | ||| | | ||| | | ||| ||| || ||| |||||
Db 109508 TTACAGATTTTTATGTAAAATTTTAATTATACACATATATTATGTAAATTGAGTAATAAAAATA 109449

Qy   898 ATGGAGACAGGTCAACCAAAGAGAGGAGCTAGGCAA 932
            ||| || ||| || ||| || | | || ||| ||
Db 109448 ATTTAAAATTGTAAAGCTTTACAAGCATCTGTGAAA 109414

Search completed: May 3, 1999, 22:21:25
Job time: 2813 sec

OM nucleic - nucleic search, using sw model

Run on:　May 3, 1999, 21:33:44 ; Search time 46.99 Seconds
　　　　　　　　　　　　　　　　(without alignments)
　　　　　　　　　　　　　　　5088.631 Million cell updates/sec

GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

Title:　　　　US-09-037-460-1
Perfect score:　1271
Sequence:　　1 CTGCTTCCCACCAGCAAAGA..........GTTNCCTNTNTCTNAAGGAC 1271

Scoring table:　IDENTITY_NUC
Searched:　　240622 seqs, 94065609 residues
Database :　　N_Geneseq_34:*

Homo sapiens.

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	1263.2	99.4	1271	1	T34991	Vascular IBP-like
c 2	37.6	3.0	1198	1	T47647	Pineal gland speci
c 3	36.4	2.9	654	1	T47675	Human G protein ga
c 4	36.4	2.9	2267	1	T94700	Vascular IBF-like cDNA
5	36.4	2.9	2330	1	Q26422	Murine F1sp12 cDNA
c 6	34.4	2.7	230	1	Q36033	Gene for beta-IG-M
7	33.2	2.6	83	1	066926	Chicken nov gene e
8	35.8	2.8	1975	1	066031	PolyA detection p
9	34.6	2.7	833	1	Q36031	Chicken nov coding
c 10	34.6	2.7	833	1	T51381	D. immitis VA5 nuc
11	35.2	2.8	833	1	T51376	D. immitis venom a
12	35.2	2.8	2075	1	T04226	Connective tissue
13	35.2	2.8	2075	1	T51234	Connective tissue
14	35.2	2.8	2075	1	T45360	Human connective t
15	34	2.8	2075	1	V38085	Human connective t
c 16	34.6	2.7	581	1	T69172	Trypanosoma cruzi
c 17	34.6	2.7	1592	1	Q14501	Usp45 gene. Lactoc
18	34.6	2.7	1920	1	Q13830	MSP gene in pUCRS
19	35.2	2.8	4212	1	V65380	Connective tissue
20	35.2	2.8	4214	1	T58534	Connective tissue
21	34.8	2.7	4214	1	T59618	Human connective t
22	33.8	2.7	3238	1	083532	Sequence encoding
c 23	34.4	2.7	1285	1	V29260	Human connective t
c 24	33.4	2.7	2769	1	T59196	Neuronal alpha-bun
25	33.4	2.6	1042	1	V30303	Bacillus thuringie
c 26	34	2.7	1045	1	V30301	Bacillus thuringie
27	33.8	2.7	2418	1	027886	P.falciparum GBP13
28	32.8	2.6	2105	1	T88022	Murine TRAF5 cDNA.
c 29	32.8	2.6	684	1	Q36032	Chicken nov gene f
c 30	32.8	2.6	713	1	Q48773	Aphrodisine. DNA a
c 31	33.2	2.6	713	1	Q49210	Hamster Aphrodisin
c 32	33.2	2.6	1723	1	T91745	Tobacco calcium/ca
33	34.8	2.7	16550	1	V21211	Methanococcus jann
c 34	32.8	2.6	1847	1	V59649	Human secreted pro
35	30.2	2.4	102	1	T26575	Human gene signatu
36	32.8	2.6	2414	1	T04895	Rat SCF genomic DN
37	31.4	2.5	552	1	N06612	Chloroplast promot
38	31.8	2.5	1046	1	V3012	Bacillus thuringie
39	33.2	2.6	5852	1	011710	Dictyostelium plas
c 40	31	2.4	428	1	060816	Human brain Expres
40	32.2	2.5	1892	1	Q74063	The mouse beta-act
41	32.8	2.6	4590	1	N60472	Sequence encoding
c 42	33	2.6	5852	1	011710	Dictyostelium plas
c 43	32	2.5	1835	1	T62654	DNA encoding prote

ALIGNMENTS

RESULT　1

| 44 | 32.8 | 2.6 | 4854 | 1 | Q11538 | Rat Stem Cell Fact |
| 45 | 31.6 | 2.5 | 1133 | 1 | T74986 | Human HLA DR alpha |

T34991

ID　T34991 standard; cDNA; 1271 BP.
AC　T34991;
DT　06-NOV-1996 (first entry)
DE　T34991; Vascular IBF-like growth factor cDNA.
KW　Vascular IBP-like growth factor binding protein; agonist; antagonist;
KW　insulin-like growth factor binding protein; VIGF;
KW　muscle wastage; osteoporosis; implant fixation; wound healing;
KW　therapy; diagnosis; ss.
OS　Homo sapiens.
FH　Key　　　　　Location/Qualifiers
FT　cds　　　　　58..612
FT　misc_difference 653
FT　　　　　　/*tag= d
FT　　　　　　/note= "base 653 is given as y in the
FT　　　　　　specification"
FT　signal_peptide 58..120
FT　　　　　　/*tag= a
FT　mat_peptide 121..609
FT　　　　　　/*tag= b
FT　misc_difference 1096
FT　　　　　　/*tag= c
FT　　　　　　/note= "base 1096 is given as r in the
FT　　　　　　specification"
FT　misc_difference 1212
FT　　　　　　/*tag= e
FT　　　　　　/note= "base 1212 is given as n in the
FT　　　　　　specification"
FT　misc_difference 1225
FT　　　　　　/*tag= f
FT　　　　　　/note= "base 1225 is given as y in the
FT　　　　　　specification"
FT　misc_difference 1255
FT　　　　　　/*tag= g
FT　　　　　　/note= "base 1255 is given as n in the
FT　　　　　　specification"
FT　misc_difference 1259
FT　　　　　　/*tag= h
FT　　　　　　/note= "base 1259 is given as n in the
FT　　　　　　specification"
FT　misc_difference 1261
FT　　　　　　/*tag= i
FT　　　　　　/note= "base 1261 is given as n in the
FT　　　　　　specification"
FT　misc_difference 1265
FT　　　　　　/*tag= j
FT　　　　　　/note= "base 1265 is given as n in the
FT　　　　　　specification".
FT　　　　　　/*tag= k
FT　　　　　　/note= "base 1265 is given as n in the
FT　　　　　　specification"
PN　WO9617931-A1.
PD　13-JUN-1996.
PF　09-DEC-1994; WO-U14388.
PR　09-DEC-1994; U14388.
PA　(HOMA-) HUMAN GENOME SCI INC.
PI　Hastings GA, Rosen CA;
PR　WPI; 96-287176/29.
DR　P-PSDB; R98994.
CC　Human vascular insulin-like growth factor binding protein-like
CC　growth factor, and its nucleic acid sequence and (ant)agonists -
PT　used, e.g. to treat muscle wasting diseases or aid implant fixation,
PT　or limit excess connective tissue prodn. during wound healing.
PS　Claim 1: Page 42-43; 61pp; English.
PI　A cDNA clone (T34991) codes for human vascular insulin-like
DR　growth factor binding protein-like growth factor (R98994),
CC　or VIGF, a protein structurally related to the IBP and CCN

CC   families. It was discovered in a cDNA library derived from human
CC   umbilical vein endothelial cells. The cDNA can be used for
CC   prodn. of recombinant VIGF, e.g. by expression in E. coli, CHO
CC   or insect host cells. It is also useful therapeutically e.g.
CC   to treat muscle wasting diseases or osteoporosis, or to design
CC   probes for the detection of diseases associated with under- or
CC   over-expression of VIGF.
SQ   Sequence 1271 BP; 360 A; 246 C; 337 G; 320 T;

Query Match   99.4%; Score 1263.2; DB 1; Length 1271;
Best Local Similarity 99.9%; Pred. No. 0;
Matches 1270; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy   1 CTGCTTCCCACCAGCAAAAGACCACGAACTCGTGAGAGCCGAGCACATG 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 CTGCTTCCCACCAGCAAAAGACCACGAACTCGTGAGAGCCGAGCACATG 60

Qy   61 AAGAGACGTCTTGCTGCTGACCACGCTCCTCGTGCTGCCGCCGCCTGGAGC 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 AAGAGACGTCTTGCTGCTGACCACGCTCCTCGTGCTGCCGCCGCCTGGAGC 120

Qy   121 AATAATTATGCGGTGGGAGGGGCGCCCTCAACACTGTCGACAGAGCAGCCCG 180
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 AATAATTATGCGGTGGGAGGGGCGCCCTCAACACTGTCGACAGAGCAGCCCG 180

Qy   181 CGCTGCAAGAGAGCAGTGCTCGACGACTGTGTGCCGAGTGTGCCAGGGCGG 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 CGCTGCAAGAGAGCAGTGCTCGACGACTGTGTGCCGAGTGTGCCAGGGCGG 240

Qy   241 GGAGAAACTTGCTACCGCACAGTCTCAGCGCATGGATGGCGTGGCCCGGCTG 300
          |||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 GGAGAAACTTGCTACCGCACAGTCTCAGCGCATGGATGGCGTGGCCCGGCTG 300

Qy   301 AGGTGTCAGCCTTCTAAATGGGAGGAGGATCCTTTTGGTGAAGAGTGTATCTGCAAAGAC 360
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 AGGTGTCAGCCTTCTAAATGGGAGGAGGATCCTTTTGGTGAAGAGTGTATCTGCAAAGAC 360

Qy   361 TGTCCCTACGGCACCTTCGGGATGGATTGCGAGAAGGACCTGCCAGTCAGGCATC 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 TGTCCCTACGGCACCTTCGGGATGGATTGCGAGAAGGACCTGCCAGTCAGGCATC 420

Qy   421 TGTGACAGGGGGACGGGAAAATGCTGAAATTCCCTTCTTCCAATATTCAGTAACCAAG 480
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 TGTGACAGGGGGACGGGAAAATGCTGAAATTCCCTTCTTCCAATATTCAGTAACCAAG 480

Qy   481 TCTTCCAACAGATTGTTTCTCTCACGGAGCATGACATGGCAATATT 540
          ||||||||||||||||||||||||||||||||||||||||||||||
Db   481 TCTTCCAACAGATTGTTTCTCTCACGGAGCATGACATGGCAATATT 540

Qy   541 GTGAGAGAAGAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGTAATGAGGAAATGGTTA 600
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541 GTGAGAGAAGAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGTAATGAGGAAATGGTTA 600

Qy   601 AATCCACGCTGATCCCGGCGTGTGATTCTGAGAGAAGGCTCTATTTCGTGAYTGTTCAA 660
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   601 AATCCACGCTGATCCCGGCGTGTGATTCTGAGAGAAGGCTCTATTTCGTGAYTGTTCAA 660

Qy   661 CACACAGCCAACACATTTAGGAACATTTCTAGATTATAGCACAAAAGACACATGTAATTTTGAA 720
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   661 CACACAGCCAACACATTTAGGAACATTTCTAGATTATAGCACAAAAGACACATGTAATTTTGAA 720

Qy   721 GACCAAAATGTGATGCATGGTGGATCCAGAAAACAAAAGTAGGAGTACTTACAATCCATAA 780
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   721 GACCAAAGTGATGCATGGTGGATCCAGAAAACAAAAGTAGGATAACTTACAATCCATAA 780

Qy   781 CATCCATAATGACTGAACACTTGTATGTGTTGTTTAAATATTCGAATGCAGTAGATTTGT 840
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   781 CATCCATAATGACTGAACACTTGTATGTGTTGTTTAAATATTCGAATGCAGTAGATTTGT 840

Qy   841 TAAATGTGTGTGTATAGTAGTAACACTCAAGAACTAAAAATCCAATTAAGGTAATCTTACATG 900
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   841 TAAATGTGTGTGTATAGTAGTAACACTCAAGAACTAAAAATCCAATTAAGGTAATCTTACATG 900

Qy   901 GAGACAGGTCAACCAAAGAGAGAGGGAGGGAGCTAGGCCAAAGCTGAAGAGCTGAAGAGTCAAATTAG 960
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   901 GAGACAGGTCAACCAAAGAGAGAGGGAGGGAGCTAGGCCAAAGCTGAAGAGCTGAAGAGTCAAATTAG 960

Qy   961 TTCTTTGACTTTGAYGTACATTAAGTGTGGGATAYGGAATTAAGAGACTTAAGAGGAGGAGGAGA 1020
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   961 TTCTTTGACTTTGAYGTACATTAAGTGTGGGATAYGGAATTAAGAGACTTAAGAGGAGGAGGAGA 1020

Qy   1021 AGATGGGGAGGGGAGTGGGAGTGGGGAAATAAAATAATTTAGCCCTTCCTTGGTAGGGTAGGTCTT 1080
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1021 AGATGGGGAGGGGAGTGGGGGGGGGTGGGAGTGGGGAAATAAAATAATTTAGCCCTTCCTTGGTAGGGTAGGTCTT 1080

Qy   1081 CTCTAGAAATTTAAATTRGCTTTTTTTTTTTTTTGGGCTTTGGGAAAGTCAAAATAAA 1140
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1081 CTCTAGAAATTTAAATTRGCTTTTTTTTTTTTTTGGGCTTTGGGAAAGTCAAAATAAA 1140

Qy   1141 ACAACAGAAAAACCCCTGAAGGAAGTAAGAGTAAGAGTTTGAAGCTTATGGAAATTTGAGTAACA 1200
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1141 ACAACAGAAAAACCCCTGAAGGAAGTAAGAGTAAGAGTTTGAAGCTTATGGAAATTTGAGTAACA 1200

Qy   1201 AACAGCTTTGANCTGAGAGCAATTYCAAAAAGGCTGCTGATGTGAYGTAGCCCCCGGGGTTNCCTNT 1260
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1201 AACAGCTTTGANCTGAGAGCAATTYCAAAAAGGCTGCTGATGTGAYGTAGCCCCCGGGGTTNCCTNT 1260

Qy   1261 NTCTNAAGGAC 1271
          |||||||||||
Db   1261 NTCTNAAGGAC 1271

RESULT 2
T47647/c
ID   T47647 standard; cDNA; 1198 BP.
AC   T47647;
DT   17-SEP-1997 (first entry)
DE   Pineal gland specific gene-1 encoding cDNA.
KW   PGSG-1; pineal gland; epiphysis cerebri; tumour; precocious puberty;
KW   hydrocephalus; papilledema; intracranial pressure; circadian rhythm;
KW   pituitary secretion; luteinising hormone; growth hormone;
KW   follicular stimulating hormone; ss.
OS   Homo sapiens.
OS   Homo sapiens.
FH   Key   Location/Qualifiers
FT   signal_peptide   37..99
FT   /*tag= a
FT   mat_peptide   100..1071
FT   /note= "Putative leader sequence"
FT   /*tag= b
FT   /product= Pineal_gland_specific_gene-1
PN   WO9639158-A1.
PD   12-DEC-1996.
PF   05-JUN-1995; U07067.
PR   05-JUN-1995; WO-U07067.
PA   (HUMA-) HUMAN GENOME SCI INC.
PI   He WW, Rosen CA;
DR   WPI; 97-042840/04.
DR   P-PSDB; W09405.
PT   Pineal gland specific gene-1 and corresponding protein - used in the
PT   treatment of pineal tumours and alleviation of side effect, e.g.
PT   precocious puberty, hydrocephalus etc.
PS   Claim 1; Page 42; 56pp; English.
CC   The present sequence represents a novel isolated polynucleotide
CC   pineal gland specific gene-1 (PGSG-1), which was derived from a human
CC   pineal gland tissue cDNA library. The PGSG-1 polypeptide may be used
CC   to treat pineal tumours and thereby treat the side effects, including
CC   precocious puberty, hydrocephalus, papilledema and other signs of
CC   increased intracranial pressure. PGSG-1 and its protein may be used to
CC   regulate biological rhythms, in particular circadian rhythms, and to
CC   regulate pituitary secretion of hormones which regulate the onset of
CC   puberty, e.g. luteinising hormone, follicular stimulating hormone (FSH)
CC   and growth hormone (GH) released by the pituitary. The (antagonists
CC   which act against the protein may also be used to regulate the secretion
CC   of these hormones. The PGSG-1 gene and proteins may also be used to
CC   diagnose a mutation in the PGSG-1 gene and hence susceptibility to a

CC   disease mentioned above.
SQ   Sequence 1198 BP; 300 A; 320 C; 279 G; 299 T;

Query Match   3.0%; Score 37.6; DB 1; Length 1198;
Best Local Similarity   76.7%; Pred. No. 0.28;
Matches   46; Conservative   0; Mismatches   14; Indels   0; Gaps   0;

Qy   1100 TTTTTTTTTTTTTTTGGGCTTTGGGAAAAGTCAAAATAAAACACACCAGAAAACCCCTGA 1159
Db   1194 TTTTTTTTTTTTTTTTTTTTTGTCTTTTGGCAAAAGCAAAATCAGACTAACAGGAAACACATCA 1135

RESULT 3

ID   T47675/c
AC   T47675;
DT   19-MAY-1997 (first entry)
DE   Human G protein gamma-11 subunit cDNA.
KW   G protein; signal transduction; agonist; antagonist; diagnosis;
KW   therapy; ss.
OS   Homo sapiens.
FH   Key   Location/Qualifiers
FT   5'utr   1..107
FT   /*tag= a
FT   cds   108..329
FT   /*tag= b
FT   3'utr   330..654
FT   /*tag= c
FT   polya_signal   607..612
FT   /*tag= d
PN   WO9637513-A1.
PD   28-NOV-1996.
PF   22-MAY-1995; WO-US06406.
PR   22-MAY-1995; US-U06406.
PA   (HUMA-) HUMAN GENOME SCI INC.
PA   (SMK) SMITHKLINE BEECHAM CORP.
PA   (WEIS-) WEIS CENT RES.
PI   Kunsch CA, Robishaw JD;
DR   WPI; 97-021140/02.
DR   P-PSDB; W09418.
CC   New nucleic acid encoding gamma subunits of human G protein - used
CC   to detect mutation(s) in, or altered levels of, the subunits and to
CC   screen for agonists and antagonists of G protein interaction
PS   Claim 1; Page 29; 40pp; English.
PT   cDNA clones (T47669-75) respectively code for human G protein
PT   gamma-2, gamma-3, gamma-4, gamma-5, gamma-7, gamma-10 and gamma-11
PT   subunits (W09412-18). Several human cDNA libraries were partially
PT   sequenced to identify expressed sequence tags (EST). By matching
PT   sequences of EST to genes of known structure, the 7 new subunit
PT   sequences were isolated. The cDNA clone for gamma-11 has been
PT   deposited as ATCC 97139. The isolated cDNA clones can be used to
PT   produce recombinant gamma subunits in prokaryotic or eukaryotic
PT   host cells for use in the development of therapeutic and diagnostic
PT   agents. The nucleic acids can also be used to produce probes to
PT   detect mutations in human G protein subunit sequences and for
PT   chromosome identification.
SQ   Sequence 654 BP; 231 A; 116 C; 142 G; 165 T;

Query Match   2.9%; Score 36.4; DB 1; Length 654;
Best Local Similarity   58.2%; Pred. No. 0.45;
Matches   64; Conservative   0; Mismatches   46; Indels   0; Gaps   0;

Qy   1089 TTTAATRTRGCTTTTTTTTTTTTTTTGGGCTTTGGGAAAAGTCAAAATAAAACACACCAG 1148
Db   654 TTTTTTTTTTTTTTTTTTTTTTTTTTTAAGACAAAACTTTATTTGAGACATCAA 595

Qy   1149 AAAACCCCTGAGAGGAAGTAAGGAAGTGTCATGCTCAAGTAATGTTGTTATTTCCATAA 1198
Db   594 CAATATACTGAAAAGAAGTGTCATGCTCAAGTAATGTTGTTATTTCCATAA 545

RESULT 4

ID   T94700
AC   T94700;
DT   27-MAR-1998 (first entry)
DE   Murine Fisp12 cDNA.
KW   Fisp12; cysteine rich protein; mouse; Cyr61;
KW   extracellular matrix signalling molecule; cell adhesion;
KW   cell migration; cell proliferation; angiogenesis; chondrogenesis;
KW   oncogenesis; ss.
OS   Mus musculus.
FH   Key   Location/Qualifiers
FT   CDS   138..1284
FT   /*tag= a
PN   WO9733995-A2.
PD   18-SEP-1997.
PF   14-MAR-1997; U04193.
PF   15-MAR-1996; US-013958.
PA   (MUNI-) MUNIN CORP.
PI   Lau LF;
DR   WPI; 97-470875/43.
DR   P-PSDB; W35731.
CC   Isolated and purified cysteine rich protein 61, Cyr61 - useful to
CC   modulate e.g. haematostasis. Induce wound healing, promote organ
CC   regeneration etc.
PS   Example 2; Page 113-114; 133pp; English.
PT   This cDNA clone codes for murine Fisp12 (see W35731), an
PT   extracellular matrix signalling molecule (ECM) and that exhibits
PT   structural similarity to Cyr61 (see W35730) and which, like
PT   Cyr61, influences cell adhesion, proliferation and migration.
PT   The human orthologue of Fisp12 is connective tissue growth
PT   factor. Fisp12 polynucleotides can be used for the production
PT   of Fisp12 polypeptides by recombinant methods. Polypeptide
PT   compositions are provided that comprise mammalian ECM signalling
PT   molecules, peptide fragments, inhibitory peptides capable of
PT   interacting with receptors for ECM signalling molecules, and
PT   antibody products. Further provided are methods for using
PT   mammalian ECM signalling molecules to screen for, and/or modulate
PT   disorders associated with angiogenesis, chondrogenesis and
PT   oncogenesis; ex vivo methods for using ECM signalling molecules
PT   to prepare blood products are also provided.
SQ   Sequence 2267 BP; 570 A; 568 C; 582 G; 547 T;

Query Match   2.9%; Score 36.4; DB 1; Length 2267;
Best Local Similarity   66.7%; Pred. No. 0.89;
Matches   52; Conservative   0; Mismatches   26; Indels   0; Gaps   0;

Qy   174 CAGCCCGCCGCTGCAAGGAGGACAGTGCCGACGACTGGCGTGCCGACGAGTGTGCCCTGC 233
Db   260 CTGCCCCGCCGCGGCGTGAGCCTGGTCGTGCTGGACGGCTCGCGCGGCGTGCGGCGCCAA 319

Qy   234 AGGGCGGGGGAGAAACTTG 251
Db   320 GCAGCTGGGGAGAACTGTG 337

RESULT 5

ID   Q26422
AC   Q26422;
DT   18-JAN-1993 (first entry)
DE   Gene for beta-IG-M2.
KW   Transforming growth factor beta; induced; CEF-10; v-src; chicken;
KW   embryo; fibroblast; TGF-beta; ss.
OS   Mus musculus.
FH   Key   Location/Qualifiers
FT   cds   204..1247
FT   /*tag= a
PN   EP-495674-A.
PD   22-JUL-1992.
PF   17-JAN-1992; 300429.
PR   18-JAN-1991; US-642991.

```
PR   10-JAN-1992; US-816270.
PA   (BRIM ) BRISTOL-MYERS SQUIBB CO.
PI   Brunner AM, Chinn J, Neubauer MG, Purchio AF;
DR   WPI; 92-243508/30.
DR   P-PSDB; R25565.
PT   TGF-beta induced gene family - encodes proteins involved in
PT   growth and differentiation effects of TGF-beta-1
PS   Claim 7; Fig 2; 35pp; English.
CC   The DNA encoding mouse beta-IG-M2 was obtd. from AKR-2B mouse cells
CC   induced with TGF-betal and cycloheximide. Poly RNA extracted from
CC   these cells was used to create a cDNA library which was screened
CC   using two probes. The probes were prepd. from untreated AKR-2B mRNA
CC   and AKR-2B mRNA from cells treated with cycloheximide and TGF-betal.
CC   Hybridising colonies were isolated and two clones (beta-IG-M1 and
CC   beta-IG-M2) were then sequenced. The DNA encodes proteins that
CC   have a 80 and 50 percent homology respectively with the CEF-10
CC   protein induced by v-src in chicken embryo fibroblasts. The
CC   proteins encoded by TGF-beta induced genes are likely to be
CC   involved in mediation of the biological effects of TGF-beta
CC   relating to cell growth and differentiation.
CC   See also Q26421.
SQ   Sequence    2330 BP;    589 A;    598 C;    595 G;    548 T;

Qy   174 CAGGCCCGCGCCTGCAAGAGGACAGTGCTCGACGACTGTGGCTTGCCGAGTGTGCGGCTG 233
         ||||||||||||||||||||||||||||| |||||||||| ||||||| |||||||||
Db   326 CTGCCCCGCCGCGTGAGCCTGGTCTGCTGGACGGCGTGCCTCCCGCGCTCTGCGCCCAA 385

Qy   234 AGGCGGGGGAGAAACTTG 251
         |||  ||||||| ||
Db   386 GCAGCTGGGAGAACTGTG 403

RESULT   6

ID   Q36033 standard; cDNA; 230 BP.
AC   Q36033;
DT   24-MAY-1993 (first entry)
DE   Chicken nov gene exon 2 fragment III.
KW   avian nephroblastoma; avian myeloblastoma virus;
OS   Gallus domesticus.
PN   WO9300430-A.
PD   07-JAN-1993.
PF   25-JUN-1992; F00589.
PR   25-JUN-1991; FR-007807.
PA   (CNRS ) CENT NAT RECH SCI.
PI   Martinerie C, Perbal B;
DR   WPI; 93-036377/04.
DR   P-PSDB; R31600.
PT   Nucleotide sequences hybridising to regions of chicken nov gene -
PT   useful as probes for detecting complementary sequences to
PT   evaluate development and/or differentiation of tumours
PS   Claim 2; Page 27; 67pp; French.
CC   The chicken nov gene is stimulated in avian nephroblastoma induced
CC   by avian myeloblastoma virus but not in normal adult kidney. A
CC   1975bp cDNA sequence was isolated from a gene bank prepared from
CC   chicken embryonic fibroblasts screened with a tumour-derived probe.
CC   Fragment III is derived from the 2nd. exon of the nov gene;
CC   nucleotide sequences which hybridise to Fragment III under stringent
CC   conditions (i.e. 50% formamide, 5 x SCC) are claimed. The claimed
CC   sequences preferably encode a protein with at least 70% homology to
CC   R31600 which is encoded by Fragment III.
SQ   Sequence    230 BP;    18 A;    89 C;    97 G;    26 T;

Query Match           2.7%;  Score 34.4; DB 1; Length 230;
Best Local Similarity 63.1%; Pred. No. 0.96; 
Matches   53; Conservative   0; Mismatches   31; Indels   0; Gaps   0;
```

```
Qy   173 GCAGCCCGCGCCTGCAAGAGGACAGTGCTCGACGACTGTGGCTTGCCGAGTGTGCGGCTG 232
         |||||||||||| | ||||| || ||||| |||||| | |||||||| || ||||||
Db    67 GCTGCGCCCCGGGAGTGCCCGCGCCTCGACGGCCTGCGGCGGTCGCCTTGTCGGTGTGCGCC 126

Qy   233 CAGGCGGGGGAGAAACTTGCTACC 256
         ||||| |||| ||| || || ||
Db   127 GGCAGCGCGCGGCGAGAGCTGTCCC 150

RESULT   7

ID   Q66926 standard; DNA; 83 BP.
AC   Q66926;
DT   25-JAN-1995 (first entry)
DE   PolydA detection probe containing flourophores.
KW   Target sequence; binding ability; hairpin forming; probes;
KW   Imperfect hairpin; acceptor label moiety; donor moiety label;
KW   fluorescence; fluorophores; specificity; base pair mismatches;
KW   competitive arms; ss.
OS   Synthetic.
FH   Key             Location/qualifiers
FT   modified_base   1
FT                   /tag= a
FT                   /note= "Three-site aminoalkyl-derivatised
FT                   oligonucleotide with a 6-carbon linker arm
FT                   attached to an additional fluorophore molecule"
FT   stem_loop       1..41
FT                   /tag= b
FT                   /note= "Forms imperfect hairpin with the competitive
FT                   arm containing 4 mismatches"
FT   misc_difference 42
FT                   /tag= c
FT                   /note= "6-carbon molecular linker containing a
FT                   flourescein molecule and occupying the same
FT                   space as a base"
FT   stem_loop       43..83
FT                   /tag= d
FT                   /note= "Forms imperfect hairpin with the competitive
FT                   arm containing 4 mismatches"
FT   modified_base   83
FT                   /tag= e
FT                   /note= "Three-site aminoalkyl-derivatised
FT                   oligonucleotide with a 6-carbon linker arm
FT                   attached to an additional fluorophore molecule"
OS   Synthetic.
PN   EP-601889-A.
PD   15-JUN-1994.
PF   10-DEC-1993; 310007.
PR   10-DEC-1992; US-990298.
PA   (MAIN-) MAINE MEDICAL CENT RES INST.
PI   Bagwell BC;
DR   WPI; 94-185245/23.
DR   P-PSDB; R31600.
PT   Nucleic acid probe for use in DNA or RNA hybridisation assays -
PT   comprises a nucleotide sequence which is capable of forming one
PT   or more hairpins
PS   Disclosure; Fig 4; 25pp; English.
CC   This sequence represents a hairpin forming probe of the invention. The
CC   probes comprise a segment complementary to the target nucleotide and are
CC   capable of forming at least 1 imperfect hairpin. The probes contain at
CC   least one acceptor label moiety and at least one donor moiety label
CC   which are covalently attached to the nucleotide sequence so that when
CC   the hairpins are formed the moieties are in close proximity to allow
CC   resonance energy transfer between them. This causes a reduction in the
CC   fluorescence of the two fluorophores. The target sequence contains at
CC   least 22 nucleotides to ensure specificity and avidity of the probe-
CC   target hybridisation. The hairpins formed are imperfect hairpins and
CC   the intentional base pair mismatches are introduced into the competitive
CC   arms such that the specificity sequence will favour binding to the
CC   target sequence. Therefore when the probe interacts with the target
CC   sequence the competitive arm is displaced, increasing the distance
CC   between the fluorophores, resulting in a change in fluorescent emission.
SQ   Sequence    83 BP;    26 A;    4 C;    9 G;    43 T;
```

RESULT 8

Query Match   Best Local Similarity   2.6%;   Score 33.2;   DB 1;   Length 83;
Matches   41;   Conservative   0;   Mismatches   14;   Indels   0;   Gaps   0;

Qy   1089   TTTAATTATRTGCGTTTTTTTTTTTTTTTGGGCTTTGGAAAAGTCAAAATAAAACA   1143
              ||| || | ||||||||||||||||||||||| || | ||| ||||| || |||||
Db   29   TTTTTTTTTTTTTTTTNTTTTTTTTTTTTTTTGGTGAAAGTTCAAAAACAAAAA   83

ID   Q36031   standard; cDNA; 1975 BP.
AC   Q36031;
DT   24-MAY-1993   (first entry)
DE   Chicken nov coding sequence.
KW   avian nephroblastoma; avian myeloblastoma virus; ss.
OS   Gallus domesticus.
FH   Key   Location/Qualifiers
FT   cds   24..1079
FT   polya_signal   1814..1818
FT   /*tag= a
FT   polya_signal   1932..1937
FT   /*tag= b
FT   signal_peptide 24..95
FT   /*tag= c
FT   exon   1..92
FT   /*tag= d
FT   /number= 1
FT   exon   93..321
FT   /*tag= e
FT   /number= 2
FT   exon   322..573
FT   /*tag= f
FT   /number= 3
FT   exon   574..782
FT   /*tag= g
FT   /number= 4
FT   exon   783..1975
FT   /*tag= h
FT   /number= 5
PN   WO9300430-A.
PD   07-JAN-1993.
PF   25-JUN-1991; FR-007807.
PR   25-JUN-1991; F00589.
PA   (CNRS) CENT NAT RECH SCI.
PI   Martinerie C, Perbal B;
DR   WPI; 93-036377/04.
DR   P-PSDB; R31599.
PS   Claim 1; Fig 1; 67pp; French.
PT   The chicken nov gene is stimulated in avian nephroblastoma induced
PT   by avian myeloblastoma virus but not in normal adult kidney. The
PT   1975bp cDNA sequence was isolated from a gene bank prepared from
PT   chicken embryonic fibroblasts screened with a gene-derived probe.
CC   The cDNA was cloned in Bluescript KS+ to form plasmid pC1K which was
CC   labelled and used to screen a human placental DNA library. A nov-
CC   analogous gene was isolated from the human library. Nucleotide
CC   sequences which hybridise to the chicken nov gene under stringent
CC   conditions (i.e. 50% formamide, 5 × SCC) are claimed.
SQ   Sequence   1975 BP;   522 A;   451 C;   486 G;   516 T;

Qy   66   CGTTCTTGCTCTGTGACCACGCTCCTCGTGCCTCGCACCTGTGTCGCCGGCTGGCTGGCGGCGGCGGCGGCGTGAGCGGAGCGCGGC   53
             ||||||||||||||||||||| ||||||||||||||||||||||| ||||||| ||
Db   53   CGTCCTGCTGCTGCTGCTCCTCCTCCGCCGGCCGGGGCTGCGAGGTGAGCGGGGAGGGGCA   112

Query Match   Best Local Similarity   2.8%;   Score 35.8;   DB 1;   Length 1975;
Matches   101;   Conservative   0;   Mismatches   87;   Indels   3;   Gaps   1;

RESULT 9

Query Match   Best Local Similarity   2.6%;   Score 34.6;   DB 1;   Length 833;
Matches   73;   Conservative   0;   Mismatches   66;   Indels   0;   Gaps   0;

Qy   1100   TTTTTTTTTTTTTTTTTGGGCTTTGGGAAAAGTCAAAATAAAACACCAGAAAACCCTGA   1159
              | |||||||||||||||| ||| |||||||||| || |||| || | ||| ||||||
Db   5   TTTTTTTTTTTTTTTTTGCAGTTGTTTTAGTTGTTTATTTTATTAATAATAATAATTATTACCCTTGT   64

Qy   1160   AGGAGGTAAGATGTTGAAGCTTATGGAAAATTGAGTAACAAAACAGCTTTGANCTNGAGAG   1219
              | |||| ||||| |||| ||| ||| || || ||| |||| || | |||||
Db   65   AAAATATCAAATATATAATGAACAAAAATTAAATATTGAAAANGAAAATTTTTCANTTTTG   124

Qy   1220   CAATTYCAAAAGGTGCTGA   1239
              || : ||| |||||
Db   125   CACAATCCAGATTTGCTGA   144

ID   T51381   standard; cDNA; 833 BP.
AC   T51381;
DT   22-APR-1997   (first entry)
DE   D. immitis VA5 nucleic acid nDIVA833 complementary sequence.
KW   Venom allergen antigen 5-like gene; VA5; helminth; parasite;
OS   nDIVA833; PDIVA221;
OS   Dirofilaria immitis.
PN   WO9637218-A1.
PD   28-NOV-1996.
PF   23-MAY-1996; U07709.
PR   23-MAY-1995; U0-450944.
PA   (HESK-) HESKA CORP.
PI   Tripp CA, Wisnewski N;
DR   WPI; 97-020935/02.
PS   Claim 12; Page 95-96; 124pp; English.
PT   Nucleic acid encoding helminth venom allergen antigen 5-like protein
PT   - pref. from Dirofilaria immitis or Onchocerca volvulus, useful esp.
PT   in vaccines to prevent helminth infection
CC   A cDNA sequence (T51381) is the complementary strand of the
CC   Dirofilaria immitis nucleic acid nDIVA833 (T51376), which codes
CC   for venom allergen antigen 5-like protein VA5 (WI1479). Parasitic
CC   helminth VA5-like gene nucleic acids (T51376-97) can be used to
CC   produce VA5-like proteins (WI1480-86) either in vitro or in vivo.
CC   The proteins elicit an immune response that protects an animal from
CC   helminth infection.
SQ   Sequence   833 BP;   259 A;   165 C;   110 G;   299 T;

Qy   126   TTATGCGGTGGACTGCGCCTCCAACACTGTGACAGACGAGTGAGTGCAAAAGCACGCCGGCGCTG   185
             || | ||| | |||| | || ||| |||||||| || ||| |||| ||||| | ||||| |||
Db   113   GTGCCCCCGGCGCCTGCGCGGCGGGGCGGCCTG---CCCGCGGGAGCGGACGCGGCGCCGGGCCCCGGG   169

Qy   186   CAAGAGACAAGTGCTGCGACGACGTGGGCTGGCGGCTGCTGCTGCCGGAGTGTGCGCCTGCAAGGGCGGGCGGGACA   245
             |||| ||||| ||| ||| || | |||| ||||| || ||||||||| | ||||| || || || | ||||||
Db   170   AGTGCCCGCCGCCTGGCGGCGCGGACGGGCGTGCTGCCTGTTGTTGCGGCGGCGCGGGGCGGGCCGGGGAGGGCAGCGCGGCGCGGGGCGGGGCGGGGA   245

Qy   246   AACTTGCTACC   256
             ||||| ||||
Db   230   GAGCTGCTCCC   240

RESULT 10

ID   T51376   standard; cDNA; 833 BP.
AC   T51376;
DT   22-APR-1997   (first entry)
DE   D. immitis venom allergen antigen 5-like gene clone nDIVA833.
KW   Venom allergen antigen 5-like gene; VA5;
OS   nDIVA833; PDIVA221; vaccine; heartworm; ss.
OS   Dirofilaria immitis.
FH   Key   Location/Qualifiers
FT   cds   54..719
FT   /*tag= a

```
FT   signal_peptide
FT                   /note= "the coding sequence (minus the stop codon)
CC                   is represented by sequence nDIVA663"
FT                   54..101
FT                   /*tag= b
FT                   102..716
FT                   /*tag= c
FT   mat_peptide
FT                   /note= "the mature peptide-encoding sequence is
FT                   represented by sequence nDIVA205"

PN   WO9637218-A1.
PN   28-NOV-1996.
PD   23-MAY-1996; U07709.
PD   23-MAY-1995; US-450944.
PR   (HESK-) HESKA CORP.
PA   Tripp CA, Wisnewski N;
PI   WPI; 97-020935/02.
DR   P-PSDB; W11479.
PI
PN   Nucleic acid encoding helminth venom allergen 5-like protein
PT   - pref. from Dirofilaria immitis or Onchocerca volvulus, useful
PT   in vaccines to prevent helminth infection
PS   Claim 4; Page 89-90; 124pp; English.
PT   A cDNA clone (T51376), designated ndIVAB33, codes for the full-
CC   length venom allergen antigen 5-like protein VA5 (W1479),
CC   designated PDIVA221, of Dirofilaria immitis. It was isolated from
CC   a D. immitis cDNA library constructed from 3rd stage larvae by
CC   screening with immune dog serum. Parasitic helminth VA5-like gene
CC   nucleic acids (T51376-97) can be used to produce VA5-like proteins
CC   (W11480-86) either in vitro or in vivo. The proteins elicit an
CC   immune response that protects an animal from helminth infection.
SQ   Sequence 833 BP; 299 A; 110 C; 165 G; 259 T;

Query Match     2.7%;  Score 34.6;  DB 1;  Length 833;
Best Local Similarity  52.1%;  Pred. No. 1.7;
Matches   73;  Conservative   1;  Mismatches  66;  Indels   0;  Gaps   0;

Qy  1100 TTTTTTTTTTTTTTTTGGGCTTTGGGAAAAGTCAAAATAAAACACCAGAAAACCCCTGA 1159
          |||||||||||||||| ||   |||   |||   |||   |||   |||   ||| ||
Db   829 TTTTTTTTTTTTTTTTTTTGCAGTGTGTTTATTTTATTTTATAAATAATTAAAATATTAACCCTTGT 770

Qy  1160 AGGAAGTAAGATGTTTGAAGCTTATGTGAAAATTTGAGTAACAAACACAGCTTTGANCTGAGAG 1219
          |||   |||   |||   |||   ||| |||   |||   |||   |||   |||   ||| |
Db   769 AAAATATCAAATATATGAGAACAAAAATTTAAATATTGAAATGAAAAATTTTTCATTTTTTG 710

Qy  1220 CAATTYCAAAAGGCTGCTGA 1239
          || :|| ||   ||||||||
Db   709 CACAATCCACAGATTTGCTGA 690
```

```
PS   Example 5; Column 15-18; 12pp; English.
CC   A cDNA clone (T04226), designated DB60R32, codes for human
CC   connective tissue growth factor (CTGF) (R79964), a protein that
CC   has mitogenic and chemotactic activity for connective tissue
CC   cells and which binds to the platelet-derived growth factor
CC   (PDGR) receptor. The cDNA was obtd. from a library of human
CC   umbilical vein endothelial cell cDNA in vector lambda gt11 by
CC   screening with an anti-PDGF antibody. The cDNA is useful for
CC   prodn. of recombinant CTGF or in the design of antisense or
CC   ribozyme constructs used to treat disorders associated with
CC   overgrowth of tissue cells, such as cancer, fibrotic diseases
CC   and atherosclerosis.
SQ   Sequence 2075 BP; 491 A; 558 C; 546 G; 480 T;

Query Match     2.8%;  Score 35.2;  DB 1;  Length 2075;
Best Local Similarity  65.0%;  Pred. No. 1.9;
Matches   52;  Conservative   0;  Mismatches  28;  Indels   0;  Gaps   0;

Qy   173 GCAGCCCGCCGGCTGCAAGAGGACGAGTGCTCGACGACTGTGGCTGCTGCCGAGTGTGCGCTG 232
          |||  |||  |||||| ||  |||   ||| ||  |  |||  |||||   |||| || |||  ||||
Db   254 GCTGCCCGGCCGGCGGTGAGCCTGTCGTTCGGTCGGACGGCGGCGGTGCTGCGGTCTCGCGCCA 313

Qy   233 CAGGCGGGGGAGAAACTTGC 252
          ||| || ||| || |||
Db   314 AGCAGCGTGGGCGCAGCTGTGC 333

RESULT  12
ID   T51234 standard; cDNA; 2075 BP.
AC   T51234;
DT   18-MAR-1997 (first entry)
DE   Connective tissue growth factor coding sequence.
KW   Connective tissue growth factor; CTGF; human; connective tissue cell;
KW   proliferative disease; platelet-derived growth factor; PDGF; development;
KW   tissue growth; repair; umbilical vein endothelial cell; HUVE cell;
KW   antibody; wound healing; cancer; fibrotic disease; atherosclerosis;
KW   inhibitor; protease degradation; growth factor; therapy; ss.
OS   Homo sapiens.
FH   Key            Location/Qualifiers
FT   cds            130..1179
FT                  /*tag= a
FT                  /product= connective tissue growth factor

PN   US5585270-A.
PD   17-DEC-1996.
PR   30-AUG-1991; 752427.
PR   14-DEC-1993; US-752427.
PR   10-FEB-1995; US-167628.
PA   (UYSF-) UNIV SOUTH FLORIDA.
PI   Bradham DM, Grotendorst GR;
DR   WPI; 97-051180/05.
DR   P-PSDB; W11302.
PI
PN   New nucleic acid encoding connective tissue growth factor - useful
PT   for accelerating wound healing, also for diagnosis and treatment of
PT   proliferative disease
PS   Claim 10; Column 15-18; 11pp; English.
CC   This sequence represents the cDNA encoding the human connective tissue
CC   growth factor (CTGF). CTGF is related immunologically and biologically
CC   to platelet-derived growth factor (PDGF), but is encoded by an unrelated
CC   gene. CTGF is thought to play a significant role in the normal
CC   development, growth, and repair of human tissue, similarly to PDGF. This
CC   sequence was isolated by screening a cDNA library from human umbilical
CC   vein endothelial (HUVE) cells with anti-PDGF antibodies. CTGF can be
CC   used to accelerate wound healing. Also, elevated levels of CTGF may be
CC   diagnostic of proliferative diseases involving overgrowth of connective
CC   tissue cells, such as cancer, fibrotic disease and atherosclerosis. All
CC   of these diseases can be treated with reagents reactive with CTGF, such
CC   as antibodies (which can also serve as assay reagents). Antisense
CC   nucleic acids, and ribozymes could also be used to inhibit CTGF
CC   production. The advantage with using CTGF is that it is more stable, and
CC   less susceptible to protease degradation than PDGF, and other growth
```

```
RESULT  11
ID   T04226 standard; cDNA; 2075 BP.
AC   T04226;
DT   12-JUN-1996 (first entry)
DE   Connective tissue growth factor cDNA.
KW   Connective tissue growth factor; CTGF; wound healing; vulnerary;
KW   cell proliferation; cancer; fibrosis; atherosclerosis; diagnosis
KW   therapy; mitogen; ss.
OS   Homo sapiens.
FH   Key            Location/Qualifiers
FT   cds            130..1179
FT                  /*tag= a

PN   US5408040-A.
PD   18-APR-1995.
PR   30-AUG-1991; 752427.
PF   30-AUG-1991; US-752427.
PR   30-AUG-1991; US-752427.
PR   14-DEC-1993; US-167628.
PA   (UYSF-) UNIV SOUTH FLORIDA.
PI   Bradham DM, Grotendorst GR;
DR   WPI; 95-161147/21.
DR   P-PSDB; R79964.
PI
PN   New connective tissue growth factor - used to develop prods. for
PT   wound healing and for diagnosis and therapy of cell proliferative
PT   disorders.
```

CC   factors involved in wound healing. This is believed to be due to the
CC   high Cys content.
SQ   Sequence 2075 BP; 491 A; 558 C; 546 G; 480 T;

RESULT 13

Query Match
Best Local Similarity 65.0%;
Matches 52; Conservative 0; Mismatches 28; Indels 0; Gaps 0;

Qy 173 GCACCCCGCGCTGCAAGAGGACAGTGCTGGCTGCTGCCCAGTGTGCGCTG 232
        || ||||| || ||| ||| ||| ||||| ||||||| || |||||
Db 254 GCTGCCCCGGCGGGGGCGTGAGCCTCGTGCTGGGACGGCTGCGCCGTCTGCGGCCA 313

Qy 233 CAGGGCGGGGGAGAAACTTGC 252
        || ||| ||| ||| |||
Db 314 AGCAGCTGGGCGAGCTGTGC 333

ID   T45360 standard; cDNA; 2075 BP.
AC   T45360;
DT   26-APR-1997 (first entry)
DE   Human connective tissue growth factor cDNA.
KW   Connective tissue growth factor; CTGF; mitogen; cell proliferation;
KW   wound healing; cancer; tumour; fibrosis; glaucoma; atherosclerosis;
KW   diagnosis; therapy; antisense; triple helix; ribozyme; ss.
OS   Homo sapiens.
FH   Key   Location/Qualifiers
FT   cds   130..1179
FT   /*tag= a

DR   WPI; 97-042659/04.
DR   P-PSDB; W09089.
PI   Bradham DM, Grotendorst GR;
PA   (UYSF-) UNIV SOUTH FLORIDA.
PR   WO-US08140.
PN   WO9638172-A1.
PD   05-DEC-1996; 31-MAY-1996; WO-US08140.
PT   Connective tissue growth factor coding sequence and protein - used
PT   in the treatment of proliferative disorders and to accelerate wound
PT   healing.
PS   Claim 20; Page 50-52; 76pp; English.
CC   A cDNA clone (T45360) codes for novel human connective tissue growth
CC   factor (CTGF) (W09089), a PDGF-immunorelated protein that may play a
CC   significant role in the normal development, growth and repair of
CC   human tissue and which probably functions as a growth factor in
CC   wound healing. CTGF may be involved in diseases in which there is
CC   an overgrowth of connective tissue cells, such as cancer tumour
CC   formation and growth, fibrotic diseases (e.g. pulmonary fibrosis,
CC   kidney fibrosis, glaucoma) and atherosclerosis. The cDNA clone was
CC   isolated from a HUVEC cDNA library using anti-PDGF antibody. CTGF
CC   nucleic acids can be used for recombinant prodn. of CTGF and as
CC   probes to detect CTGF mRNA. CTGF genomic DNA (T58534) has also
CC   been isolated. A proliferative disorder may be treated using e.g.
CC   a CTGF antisense, ribozyme or triplet agent.
SQ   Sequence 2075 BP; 491 A; 558 C; 546 G; 480 T;

RESULT 14

Query Match
Best Local Similarity 65.0%;
Matches 52; Conservative 0; Mismatches 28; Indels 0; Gaps 0;

Qy 173 GCAGCCCGCGCTGCAAGAGGACAGTGCTGCGACGACTGTGGCTGCTGCCCGAGTGTGCGCTG 232
        || |||||| || ||| || ||| || ||| |||| | ||||||| ||| |||||
Db 254 GCTGCCCCGGCGGGGGCGTGAGCCTCGTGCTGGGACGGCTGCGCCGTCTGCGGCCA 313

Qy 233 CAGGGCGGGGGAGAAACTTGC 252
        || ||| ||| ||| |||
Db 314 AGCAGCTGGGCGAGCTGTGC 333

ID   V38085 standard; cDNA; 2075 BP.
AC   V38085;
DT   15-SEP-1998 (first entry)
DE   Human connective tissue growth factor encoding cDNA.
KW   Human; connective tissue growth factor; CTGF; PDGF; diagnosis; cancer;
KW   platelet derived growth factor; ameliorating cell proliferative disorder;
KW   atherosclerosis; fibrotic disease; ss.
OS   Homo sapiens.
FH   Key   Location/Qualifiers
FT   CDS   130..1179
FT   /*tag= a
FT   /product= "connective tissue growth factor"

DR   P-PSDB; W62084.
PI   Bradham DM, Grotendorst GR;
PA   (UYSF-) UNIV SOUTH FLORIDA.
PR   US-752427.
PR   14-DEC-1993; US-167628.
PN   US5783187-A.
PD   21-JUL-1998; 11-SEP-1996; US-712302.
PD   30-AUG-1991; US-752427.
PD   11-SEP-1996; US-712302.
PD   11-SEP-1996; US-712302.
WPI: 98-426958/36.
PT   Ameliorating cell proliferative disorder associated with connective
PT   tissue growth factor - comprises the administration of an antibody
PT   which binds to connective tissue growth factor and not to
PT   platelet-derived growth factor.
PS   Example 6; Column 15-18; 11pp; English.
CC   A method has been developed for ameliorating a cell proliferative
CC   disorder associated with connective tissue growth factor (CTGF). The
CC   method comprises the administration of an antibody or its fragment that
CC   binds to CTGF and not to platelet-derived growth factor (PDGF), to the
CC   site of the disorder. CTGF is related immunologically and biologically
CC   to PDGF. The present sequence encodes CTGF. The method is used to treat
CC   conditions involving the overgrowth of connective tissue cells such
CC   as cancer, atherosclerosis and other fibrotic diseases.
SQ   Sequence 2075 BP; 491 A; 558 C; 546 G; 480 T;

RESULT 15

Query Match
Best Local Similarity 65.0%;
Matches 52; Conservative 0; Mismatches 28; Indels 0; Gaps 0;

Qy 173 GCAGCCCGCGCTGCAAGAGGACAGTGCTGCGACGACTGTGGCTGCTGCCCGAGTGTGCGCTG 232
        || |||||| || ||| || ||| || ||| |||| | ||||||| ||| |||||
Db 254 GCTGCCCCGGCGGGGGCGTGAGCCTCGTGCTGGGACGGCTGCGCCGTCTGCGGCCA 313

Qy 233 CAGGGCGGGGGAGAAACTTGC 252
        || ||| ||| ||| |||
Db 314 AGCAGCTGGGCGAGCTGTGC 333

ID   T69172/c standard; cDNA; 581 BP.
AC   T69172;
DT   12-JAN-1998 (first entry)
DE   Trypanosoma cruzi antigen (ubiquitin) cDNA.
KW   Antigen; epitope; vaccine; protective immunity; Chagas disease;
KW   diagnosis; therapy; immunoassay; ubiquitin; ss.
OS   Trypanosoma cruzi Tulahuen strain C2.
FH   Key   Location/Qualifiers
CDS   45..431
FT   /*tag= a

DR   P-PSDB; W26534.
DR   WPI; 97-289413/26.
PI   Houghton RL, Lodes MJ, Reed SG, Skeiky YAW;
PA   (CORI-) CORIXA CORP.
PR   14-NOV-1995; US-557309.
PF   14-NOV-1996; U18624.
PD   22-MAY-1997;
PN   WO9718475-A1.
PT   Diagnosing Trypanosoma cruzi infection by detecting antibodies to

PT   novel antigens - which are useful in vaccines to provide protective
PT   immunity against Chagas' disease
PS   Claim 1; Page 50-51; 110pp; English.
CC   This novel DNA molecule was isolated by screening a Trypanosoma
CC   cruzi cDNA expression library with pools of sera from infected
CC   individuals.   It encodes T. cruzi ubiquitin (see W26534). 22
CC   Isolated genomic DNA of cDNA molecules (T69151-72) encode full-
CC   length antigens (see W26530-41), or epitope-containing repeat
CC   sequences (see W19094-102, W19079-86 and W26542-44) of native
CC   antigens, that can be used in a variety of immunoassays for
CC   detecting T. cruzi infection in a blood, serum, plasma, saliva,
CC   cerebrospinal fluid or urine sample. The polypeptides are also
CC   useful in vaccines and pharmaceutical compositions for inducing
CC   protective immunity against Chagas disease. The isolated DNA
CC   molecules can be used for recombinant production of the antigenic
CC   polypeptides.
SQ   Sequence 581 BP;   160 A;   139 C;   155 G;   127 T;

Query Match   2.7%;   Score 34; DB 1; Length 581;
Best Local Similarity   63.4%;   Pred. No. 2.1;
Matches   52; Conservative   0; Mismatches   30; Indels   0; Gaps   0;

Qy   1089 TTTAATTRRGCTTTTTTTTTTTTTTGGGCTTTGGGAAAAGTCAAAATAAAACAACCAG 1148
          ||| || || | |||||||||||||||||||||| ||| |||||||| ||| ||
Db   580 TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTGAAAAAAAAACAACAACAAACAAG 521

Qy   1149 AAAACCCCTGAAGGAAGTAAGA 1170
          ||| | || || || | || |
Db   520 ACATCTTCTCAATAAAAAAAAA 499

Search completed: May   3, 1999, 22:00:48
Job time: 1624 sec

GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

OM protein - protein search, using sw model

Run on: May 3, 1999, 17:43:40 ; Search time 47.06 seconds
                                            (without alignments)
                                            191.088 Million cell updates/sec

Title: US-09-037-460-2_COPY_1_163
Perfect score: 820
Sequence: 1 MKSVLLLTTLLVPAHLVAAW.............NRFVSLTEHDMASGDGNIVR 163

Scoring table: PAM150
Searched: 180763 seqs, 55169189 residues

Database :   SPTREMBL_8:*
                1: sp_fungi:*
                2: sp_human:*
                3: sp_invertebrate:*
                4: sp_mammal:*
                5: sp_mhc:*
                6: sp_organelle:*
                7: sp_phage:*
                8: sp_plant:*
                9: sp_bacteria:*
               10: sp_rodent:*
               11: sp_virus:*
               12: sp_vertebrate:*
               13: sp_unclassified:*
               14: sp_archea:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	820	100.0	184	2	Q15330	Q15330 homo sapiens
2	647.5	79.0	184	10	P97682	P97682 rattus norv
3	131	16.0	1574	10	088281	088281 rattus norv
4	123.5	15.1	480	2	Q92743	Q92743 homo sapien
5	111	13.5	220	10	Q63404	Q63404 rattus norv
6	113.5	13.8	830	2	Q14162	Q14162 homo sapiens
7	113.5	13.8	830	2	043701	043701 homo sapiens
8	110.5	13.5	381	2	043775	043775 homo sapiens
9	109	13.3	250	2	076076	076076 homo sapiens
10	100	12.2	343	2	042607	042607 xenopus lae
11	98	12.0	251	3	Q24774	Q24774 enchytraeus
12	97.5	11.9	367	10	054775	054775 mus musculu
13	98.5	12.0	1116	12	073791	073791 brachydanio
14	97	11.8	1792	12	057484	057484 gallus gall
15	96.5	11.8	1645	2	015230	015230 homo sapien
16	89.5	10.9	281	10	088812	088812 mus musculu
17	95	11.6	1725	10	P70570	P70570 rattus norv
18	92.5	11.3	1816	10	P97927	P97927 rattus norv
19	83	10.1	153	2	075095	075095 homo sapien
20	88	10.7	728	12	Q90656	Q90656 gallus gall
21	84.5	10.3	282	2	Q16270	Q16270 homo sapien
22	79.5	9.7	88	2	Q43666	Q43666 triticum ae
23	91.5	11.2	3704	3	P91904	P91904 caenorhabdi
24	85	10.4	547	10	Q07822	Q07822 homo sapien
25	81.5	9.9	277	2	P97881	P97881 rattus norv
26	80	9.8	190	2	093518	093518 gloydius ha
27	83	10.1	471	4	019131	019131 bos taurus
28	85	10.4	955	2	Q99466	Q99466 homo sapien
29	87.5	10.7	2212	2	093072	093072 homo sapien

ALIGNMENTS

RESULT 1
Q15330

30	82	10.0	530	3	Q24526	Q24526 drosophila
31	78	9.5	169	2	Q14564	Q14564 homo sapien
32	84	10.2	1106	3	Q17494	Q17494 caenorhabdi
33	75.5	9.2	88	8	043663	043663 triticum ae
34	82	10.0	88	8	P70505	P70505 rattus norv
35	85	10.4	789	10	Q99940	Q99940 homo sapien
36	85	10.4	2003	2	000306	000306 homo sapien
37	80	9.8	1999	2	000295	000295 homo sapien
38	76.5	9.3	452	2	016364	016364 caenorhabdi
39	75	9.1	149	3	046176	046176 aedes aegyp
40	80	9.8	727	3	094528	094528 drosophila
41	78.5	9.6	518	2	094810	014810 homo sapien
42	78.5	9.6	524	2	014808	014808 homo sapien
43	79.5	9.7	719	2	060283	060283 homo sapien
44	82	10.0	1531	10	088279	088279 rattus norv
45	81	9.9	1172	2	014947	014947 homo sapien

RESULT 1
Q15330

| ID | Q15330; | | PRELIMINARY; | PRT; | 184 AA. |
| AC | Q15330; | | | | |

DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   ESM-1 SECRETORY PROTEIN PRECURSOR.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC   CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 96355375.
RA   LASSALLE P.M., MOLET S., JANIN A., VANDER-HEYDEN J.E., TAVERNIER J.,
RA   FIERS W., DEVOS R.E., TONNEL A.E.B.;
RT   "ESM-1 is a novel human endothelial cell-specific molecule expressed
RT   in lung and regulated by cytokines.";
RL   J. BIOL. CHEM. 271:20458-20464(1996).
DR   EMBL; X89426; E189266; -.
DR   PFAM; PF00219; IGFBP; 1.
KW   SIGNAL.
FT   SIGNAL   1   19   POTENTIAL.
FT   CHAIN   20   184   ESM-1 SECRETORY PROTEIN.
SQ   SEQUENCE   184 AA;   20095 MW;   08D109DF CRC32;

Query Match   100.0%; Score 820; DB 2; Length 184;
Best Local Similarity   100.0%; Pred. No. 5.1e-81;
Matches 163; Conservative   0; Mismatches   0; Indels   0; Gaps   0;

Qy   1 MKSVLLLTTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRTVLDDCGCCRVCAAG 60
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   1 MKSVLLLTTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRTVLDDCGCCRVCAAG 60

Qy   61 RGETCYRTVSGMDGMKCGPGLRCQPSNGEDPFGEEFGICKDCPYGTFGMDCRETCNCQSG 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   61 RGETCYRTVSGMDGMKCGPGLRCQPSNGEDPFGEEFGICKDCPYGTFGMDCRETCNCQSG 120

Qy   121 ICDRGTGKCLKPFFFQYSVTKSSNRFVSLTEHDMASGDGNIVR 163
          |||||||||||||||||||||||||||||||||||||||||||
Db   121 ICDRGTGKCLKPFFFQYSVTKSSNRFVSLTEHDMASGDGNIVR 163

RESULT 2
P97682

| ID | P97682; | | PRELIMINARY; | PRT; | 184 AA. |
| AC | P97682; | | | | |

DT   01-MAY-1997 (TREMBLREL. 03, CREATED)
DT   01-MAY-1997 (TREMBLREL. 03, LAST SEQUENCE UPDATE)
DT   01-MAY-1997 (TREMBLREL. 03, LAST ANNOTATION UPDATE)
DE   PG25.

```
OS   RATTUS NORVEGICUS (RAT).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; RODENTIA;
OC   SCIUROGNATHI; MURIDAE; MURINAE; RATTUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   WANG X., BROWNSTEIN M.J., YOUNG W.S.;
RC   STRAIN=SPRAGUE DAWLEY; TISSUE=PINEAL GLAND;
RL   SUBMITTED (DEC-1996) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; U80818; G1750198;
SQ   SEQUENCE   184 AA;   34575640 CRC32;
```

```
Qy   Query Match                     79.0%;  Score 647.5; DB 10;  Length 184;
     Best Local Similarity  75.6%;  Pred. No. 1.7e-62;
     Matches 124;  Conservative 21;  Mismatches  18;  Indels   1;  Gaps   1;

Qy      1 MKSVLLLLTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSSPRCKRTVLDDCGCCRVCAAG 60
          ||||||||||||||||||||||||||||||| ||||||| :||||||||||||| |||
Db      1 MKSLLLLTTLLPLHLGMAWSAKXAVDCPEHCDNTECRSSLRCKRTVLDDCGCCQVCAAG 60

Qy     61 RGETCYRTVSGMDGMKCCPGLRCQPSNGEDPFGEEFGICKDCPYGTFGMDCRETCNCQSG 120
          ||||||||||||||||| : || || |||||||||||||||||||||||||||||||
Db     61 PGETCYRIVSGMDGVKCGPGLKCHFYSEEDDFGDEFGVCKDCPYGTFGMDCKETCNCQSG 120

Qy    121 ICDRGTGKCLKFPFFQYSVTKSSNR-FVSLIEHDMASGDGNIVR 163
          |||| |:| |  || ::| |||||| |||||  |
Db    121 ICDRVTGRCLDFPFFQYAAAKSPSRTSASQTERDAASGDGNAVR 164
```

```
RESULT   3
ID   O88281    PRELIMINARY;    PRT;   1574 AA.
AC   O88281;
DT   01-NOV-1998 (TREMBLREL. 08, CREATED)
DT   01-NOV-1998 (TREMBLREL. 08, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   MEGF6.
GN   MEGF6.
OS   RATTUS NORVEGICUS (RAT).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA;
OC   RODENTIA; SCIUROGNATHI; MURIDAE; MURINAE; RATTUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=SPRAGUE-DAWLEY; TISSUE=BRAIN;
RX   MEDLINE; 98360089.
RA   NAKAYAMA M., NAKAJIMA D., NAGASE T., NOMURA N., SEKI N., OHARA O.;
RT   "Identification of high-molecular-weight proteins with multiple
RT   EGF-like motifs by motif-trap screening.";
RL   GENOMICS 51:27-34(1998).
DR   EMBL; AB011532; D1033425; -.
RL   PROSITE; PS00010; ASX_HYDROXYL; 5.
PROSITE; PS01186; EGF_2; 23.
PROSITE; PS01187; EGF_CA; 5.
KW   GLYCOPROTEIN; EGF-LIKE DOMAIN.
SQ   SEQUENCE   1574 AA;   165445 MW;   C49E6EA6 CRC32;
```

```
Qy   Query Match                     16.0%;  Score 131; DB 10;  Length 1574;
     Best Local Similarity  23.98%;  Pred. No. 2.8e-06;
     Matches 37;  Conservative  23;  Mismatches  23;  Indels  72;  Gaps   9;

Qy     15 HLV-AAWSNNYAVDCPQHC-----------------------DSSECKS---SPRCKRTVLDDC----- 52
          ||  ||     ||  |||                        :|||||    |||||||||||
Db    642 HLACPPWA--FGPGCSEDCLCEQSHTRSCNPKDGSCCSCKAGFQGERCQ---AECESGFF 695

Qy     52 --GCCRVCAAGRGETCYRTVSGMDGMKCCPGLRCQPSNGEDPFGEEFGICK---------- 101
            |:| |||||  ||||||||||||||| ||||||||||||||||||||||
Db    696 GPGCRHRCT---------------------------COPGVACDPVSGE-------- 728

Qy    101 -----DCPYGTFGMDCRETCNCQOSGICDRGTGKCL 130
          :|:|| ||||| | ::||::| :| ||||||||||
Db    729 EDCGQECPVGTPGVNCSGSGSCSCVGAPCHRVIGECL 763
```

```
Qy   Query Match
     Best Local Similarity
```

```
RESULT   4
ID   Q92743    PRELIMINARY;    PRT;    480 AA.
AC   Q92743;
DT   01-FEB-1997 (TREMBLREL. 02, CREATED)
DT   01-FEB-1997 (TREMBLREL. 02, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   NOVEL SERINE PROTEASE.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC   CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=PLACENTA;
RX   MEDLINE; 97131593.
RA   ZUMBRUNN J., TRUEB B.;
RT   "Primary structure of a putative serine protease specific for
RT   IGF-binding proteins.";
RL   FEBS LETT. 398:187-192(1996).
DR   EMBL; Y07921; E275186; -.
DR   PFAM; PF00050; kazal; 1.
DR   PFAM; PF00089; trypsin; 1.
DR   PFAM; PF00219; IGFBP; 1.
DR   PFAM; PF00595; PDZ; 1.
KW   PROTEASE; SERINE PROTEASE.
SQ   SEQUENCE   480 AA;   51286 MW;   175BB6D9 CRC32;
```

```
Qy   Query Match                     15.1%;  Score 123.5; DB 2;  Length 480;
     Best Local Similarity  34.0%;  Pred. No. 6.8e-06;
     Matches 33;  Conservative  18;  Mismatches  25;  Indels  21;  Gaps   5;

Qy      4 VLLLTLLVPAHLV-AAWSNNYAVDCPQHCDSSECKSSP-----------RCKRTVLDDCGCCRV 56
          |||| |||    : |||  |   || ||||   :::||           |||||||||| ||
Db     12 LILLLAAPASAQLSRAGRSAPLAAGCPDRCEPARCPQPEHCEGGRAR----DACGCCEV 67

Qy     57 CAAGRGETCYRTVSGMDGMKCGPGLRCQPSNGEDPFG 93
          : |    |||||||||||||||||:|    |||||||
Db     68 CGAPEGAAC-----GLQEGPCGEGLQCVV-----PFG 94
```

```
RESULT   5
ID   Q63404    PRELIMINARY;    PRT;    220 AA.
AC   Q63404;
DT   01-NOV-1996 (TREMBLREL. 01, CREATED)
DT   01-NOV-1996 (TREMBLREL. 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   (CLONE REM4) ORF (FRAGMENT).
OS   RATTUS NORVEGICUS (RAT).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; RODENTIA;
OC   SCIUROGNATHI; MURIDAE; MURINAE; RATTUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=HOL2MAN; TISSUE=BRAIN;
RX   MEDLINE; 96235155.
RA   ASAKURA K., POGULIS R.J., PEASE L.R., RODRIGUEZ M.;
RT   "A monoclonal autoantibody which promotes central nervous system
RT   remyelination is highly polyreactive to multiple known and novel
RT   antigens.";
RL   J. NEUROIMMUNOL. 65:11-19(1996).
DR   EMBL; L41686; G7803367; -.
DR   PROSITE; PS01186; EGF_2; 5.
DR   PFAM; PF00008; EGF; 3.
KW   GLYCOPROTEIN.
FT   NON-TER       1      1
FT   NON-TER     220    220
SQ   SEQUENCE   220 AA;   23231 MW;   4389BC39 CRC32;
```

```
Qy   Query Match
     Best Local Similarity  13.5%;     Score 111; DB 10;  Length 220;
                            28.0%;  Pred. No. 7.9e-05;
```

```
Matches   35;  Conservative   24;  Mismatches   40;  Indels   26;  Gaps    9;

Qy    21  SNNYAVDCPQHCDSSECKSSPRCKRTVLDDCGC------------C-RVCAAGR-GETCYRTVS 70
          ::::|||   :|||||||||||||||||        ||| |||: ::|| |||  |  :||||
Db   138  SGTCL 142

Qy   126  TGKCL 130

Db    85  CHNGGACDAATGCHCSPGYTGER------------CQDECPVGTGYGVRCAEICRVCVNGGKCYHV 137

Qy    71  GMDGMKCGPGL---RCQPSNGEDPFGEEEGICKD-CPYGTFGMDCRETCNC-QSGICDRG 125
          :   :   :|   :|| | |  || :|: : |||  |||| | ||| || ::|| || :
Db    29  PGKHGPQCEQRC---PCQNGGVCHH-VTGECSCPSGWMGTVCGQPCPEGRFGKNCSQEQCQ 84

Db    85  CHNGGACDAATGCHCSPGYTGER

RESULT   6
ID    Q14162
AC    Q14162;
DT    01-NOV-1996 (TREMBLREL.  01,  CREATED)
DT    01-NOV-1996 (TREMBLREL.  01,  LAST SEQUENCE UPDATE)
DT    01-NOV-1998 (TREMBLREL.  08,  LAST ANNOTATION UPDATE)
DE    KIAA0149.
GN    KIAA0149.
OS    HOMO SAPIENS (HUMAN).
OC    EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC    CATARRHINI; HOMINIDAE; HOMO.
RN    [1]
RP    SEQUENCE FROM N.A.
RX    MEDLINE; 96127530.
RA    NAGASE T., SEKI N., TANAKA A., ISHIKAWA K., NOMURA N.;
RT    "Prediction of the coding sequences of unidentified human genes. IV.
RT    The coding sequences of 40 new genes (KIAA0121-KIAA0160) deduced by
RT    analysis of cDNA clones from human cell line KG-1.";
RL    DNA RES. 2:167-174(1995).
DR    EMBL; D63483; G1469880; -.
KW    GLYCOPROTEIN.
SQ    SEQUENCE   830 AA;   87460 MW;  CC490A76 CRC32;

Query Match             13.8%;  Score 113.5;  DB 2;  Length 830;
Best Local Similarity   24.4%;  Pred. No. 0.00013;
                Matches   44;  Conservative   17;  Mismatches   32;  Indels   87;  Gaps   10;

PRELIMINARY;         PRT;    830 AA.

Qy    18  AAWSNNYAVDCPQHCD-----------------------SSECKSSP--------- 43
          || |   :|  || |                        ||||||
Db   212  PGW---WGPECQOQCECVRGRCSAASGECTCPPGFRGARCELPCPAGSHGVQCAHSCGRC 268

Qy    44  KRTVLDDC------GCCRVCAAGR------------------GETCYRTVSGMDGMKCGPGLRCQP 85
          :||| || |     | ||| | :                   | ||||||:|: |   :   :||
Db   269  KHN--EPCSPDTGSCESCEPGWNGTQCQQPCLPGTFGESCEQQCP-----HCRHGEACEP 321

Qy    86  SNG-------------------EDPFGEEFGICKDCPYGTFGMDCRETC-NCQSGICDRGTGKCL 130
          |||                   :|| | || :|||| | |:|| |     |: | ||| ||||
Db   322  DTGHCQRCDPGWLGPRCEDP---------------------------CPTGTFGEDCGSTCPTCVQGSCDTVTGDCV 371
```

Qy   126 TGKCL 130

Db   138 SGTCL 142

```
RT    "Expression cloning of a novel scavenger receptor from human
RT    endothelial cells.";
RL    J. BIOL. CHEM. 272:31217-31220(1997).
DR    EMBL; D86864; D10244977; -.
DR    PROSITE; PS01186; EGF_2; 6.
KW    SIGNAL; GLYCOPROTEIN.
FT    SIGNAL        1     15
FT    CHAIN        16    830       ACETYL LDL RECEPTOR.
SQ    SEQUENCE   830 AA;   87430 MW;  936CC3DD CRC32;

Query Match             13.8%;  Score 113.5;  DB 2;  Length 830;
Best Local Similarity   24.4%;  Pred. No. 0.00013;
                Matches   44;  Conservative   17;  Mismatches   32;  Indels   87;  Gaps   10;

Qy    18  AAWSNNYAVDCPQHCD-----------------------SSECKSSP--------- 43
          || |   :|  || |                        ||||||
Db   212  PGW---WGPECQOQCECVRGRCSAASGECTCPPGFRGARCELPCPAGSHGVQCAHSCGRC 268

Qy    44  KRTVLDDC------GCCRVCAAGR------------------GETCYRTVSGMDGMKCGPGLRCQP 85
          :||| || |     | ||| | :                   | ||||||:|: |   :   :||
Db   269  KHN--EPCSPDTGSCESCEPGWNGTQCQQPCLPGTFGESCEQQCP-----HCRHGEACEP 321

Qy    86  SNG-------------------EDPFGEEFGICKDCPYGTFGMDCRETC-NCQSGICDRGTGKCL 130
          |||                   :|| | || :|||| | |:|| |     |: | ||| ||||
Db   322  DTGHCQRCDPGWLGPRCEDP---------------------------CPTGTFGEDCGSTCPTCVQGSCDTVTGDCV 371
```

RESULT   8
ID   O43775
AC   O43775;
DT   01-JUN-1998 (TREMBLREL. 06, CREATED)
DT   01-JUN-1998 (TREMBLREL. 06, LAST SEQUENCE UPDATE)
DT   01-JUN-1998 (TREMBLREL. 06, LAST ANNOTATION UPDATE)
CYR61
CYR61 PROTEIN.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC   CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   MARINERIE C., VIEGAS-PEQUIGNOT E., NGUYEN V.C., PERBAL B.;
RL   J. CLIN. PATHOL. MOL. PATHOL. 50:130-136(1997).
EMBL; Y11307; E304665; -.
PROSITE; PS00222; IGF_BINDING; 1.
PROSITE; PS01185; CTCK_1; 1.
PROSITE; PS01208; VWFC; 1.
SEQUENCE   381 AA;   42025 MW; 1B18FF1A CRC32;

```
Query Match             13.5%;  Score 110.5;  DB 2;  Length 381;
Best Local Similarity   26.1%;  Pred. No. 0.00014;
                Matches   36;  Conservative   21;  Mismatches   44;  Indels   37;  Gaps    8;

Qy     2  KSVLLLTTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRT-----VLDCGCCRVCA 58
          |:   |: || ||   |||||||||||||||||||||||||||    ::|||||||:|||
Db     7  RALALVTLLHLTRIALS------------TCPAACHCP--LEAPKCAPGVLVRDCGCGCCKVCA 57

Qy    59  AGRGETCYRTVSGMDGMKCCGP--GLRCQPSNGEDPFGEGEFGICKD-----CPYG----- 106
          ||| |||||||:||| |  | |   |||||||||||||     | ||     ||||
Db    58  KQLNEDCSKTQP----CDHIKGLECNFGASSTALK---GICRAQSEGRPCEYNSRIYQ 108

Qy   106  ---TFGMDCRETCNCQSG 120
             :  | ||  | || |
Db   109  NGESFQPNCKHQCTCIDG 126
```

RESULT   9
ID   O76076
AC   O76076;
DT   01-NOV-1998 (TREMBLREL. 08, CREATED)

PRELIMINARY;   PRT;   250 AA.

```
RESULT   7
ID    O43701
AC    O43701;
DT    01-JUN-1998 (TREMBLREL.  06,  CREATED)
DT    01-JUN-1998 (TREMBLREL.  06,  LAST SEQUENCE UPDATE)
DT    01-NOV-1998 (TREMBLREL.  08,  LAST ANNOTATION UPDATE)
DE    ACETYL LDL RECEPTOR PRECURSOR.
OS    HOMO SAPIENS (HUMAN)
OC    EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC    CATARRHINI; HOMINIDAE; HOMO.
RN    [1]
RP    SEQUENCE FROM N.A.
RX    MEDLINE; 98058897.
RA    ADACHI H., TSUJIMOTO M., ARAI H., INOUE K.;

PRELIMINARY;         PRT;    830 AA.
```

```
DT   01-NOV-1998 (TREMBLREL, 08, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL, 08, LAST ANNOTATION UPDATE)
DE   CONNECTIVE TISSUE GROWTH FACTOR-LIKE PROTEIN PRECURSOR.
GN   CT58.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA;
OC   PRIMATES; CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   KUMAR S., HAND A.T., CONNOR J.C., DODDS R.A., RYAN P.J., TRILL J.G.,
RA   FISHER S.M., SLEMMON J.R., LIPSHUTZ D.B., BARTHOLOMEW V., JAMES I.E.,
RA   RIEMAN D.J., GOWEN M., LEE J.C.;
RT   "Identification and cloning of CTGF-L from human osteoblasts, a novel
RT   cysteine rich protein containing an IGF binding domain.";
RL   J. BONE MINER. RES. 13:0-0(1998).
RN   [2]
RP   SEQUENCE FROM N.A.
RA   ROWLES J., GENDLER S.;
RT   "CT58, a new member of the connective tissue growth factor family,
RT   interacts with the breast cancer associated mucin MUC1.";
RL   SUBMITTED (JUN-1998) TO EMBL/GENBANK/DDBJ DATA BANKS.
DR   EMBL; AF083500; G3462836; -.
DR   EMBL; AF074604; G3328192; -.
PROSITE; PS00222; IGF_BINDING; 1.
SQ   SEQUENCE   250 AA;  26825 MW;  61CE7682 CRC32;

Query Match             13.3%;  Score 109;  DB 2;  Length 250;
Best Local Similarity   30.4%;
Matches   42;  Conservative   16;  Mismatches   44;  Indels   36;  Gaps   8;

Qy    2 KSVLLLTLLL----VPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCK---RTVLDDCGC 57
          : ||  : |||    ||  ||  :||| ||  || : |||      ||||||||
Db    6 KTHLLAFSLLCLLSKVRYQL-----CPPPCTCP--WPPPRCPLGVPLVLDDCGCC 53

Qy   54 CRVCAAGRGETCTRTVSGMDGMKCGPGLRCQPSNGEDP-----FGEEFGIC--KDCPY- 105
          |||| |:||| ||||||||||||||||||||||||         ||:|:|  |:|||
Db   53 CRVCARRLGEPC----DQLHVCDASQGLVCQPGAGPGGRGALCLLAEDDSSCEVNGRLYR 108

Qy  105 --GTFGMDCRETCNCQSG 120
          |  |: | | |  |||
Db  109 EGETFQPHCSIRCRCEDG 126
```

```
RESULT   10
ID   042607           PRELIMINARY;   PRT;   343 AA.
AC   042607;
DT   01-JAN-1998 (TREMBLREL, 05, CREATED)
DT   01-JAN-1998 (TREMBLREL, 05, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL, 08, LAST ANNOTATION UPDATE)
DE   CONNECTIVE TISSUE GROWTH FACTOR XCTGF.
OS   XENOPUS LAEVIS (AFRICAN CLAWED FROG).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; AMPHIBIA; BATRACHIA; ANURA;
OC   MESOBATRACHIA; PIPOIDEA; PIPIDAE; XENOPODINAE; XENOPUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   YING Z., KING M.L.;
RL   SUBMITTED (AUG-1997) TO EMBL/GENBANK/DDBJ DATA BANKS.
EMBL; U43524; G2342756; -.
EMBL; U43523; G2342754; -.
PROSITE; PS01185; CTCK_1; 1.
PROSITE; PS01208; VWFC; 1.
PFAM; PF00007; Cys_knot; 1.
PFAM; PF00093; vwc; 1.
PFAM; PF00090; tsp_1; 1.
PFAM; PF00219; IGFBP; 1.
SEQUENCE   343 AA;  37966 MW;  4F7E7114 CRC32;

Query Match             12.8%;  Score 100;  DB 12;  Length 343;
Best Local Similarity   27.3%;
Matches   39;  Conservative   18;  Mismatches   38;  Indels   48;  Gaps   11;
```

```
RESULT   11
ID   Q24774           PRELIMINARY;   PRT;   251 AA.
AC   Q24774;
DT   01-NOV-1996 (TREMBLREL, 01, CREATED)
DT   01-NOV-1996 (TREMBLREL, 01, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL, 08, LAST ANNOTATION UPDATE)
DE   CYSTEINE-RICH-PROTEIN.
GN   CRP.
OS   ENCHYTRAEUS BUCHHOLZI.
OC   EUKARYOTA; METAZOA; ANNELIDA; CLITELLATA; OLIGOCHAETA; HAPLOTAXIDA;
OC   TUBIFICINA; ENCHYTRAEIDA; ENCHYTRAEUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 95014230.
RA   WILLUHN J., SCHMITT-WREDE H.P., GREVEN H., WUNDERLICH F.;
RT   "cDNA cloning of a cadmium-inducible mRNA encoding a novel
RT   cysteine-rich, non-metallothionein 25-kDa protein in an enchytraeid
RT   earthworm.";
RL   J. BIOL. CHEM. 269:24688-24691(1994).
DR   EMBL; X79344; G488803; -.
SQ   SEQUENCE   251 AA;  25000 MW;  8547E80 CRC32;

Query Match             12.0%;  Score 98;  DB 3;  Length 251;
Best Local Similarity   25.4%;
Matches   32;  Conservative   18;  Mismatches   34;  Indels   42;  Gaps   7;

Qy   32 CDSSECK------SSPRCKRTVLDDCGCCRVCAAGRGE------TCYRTVSGMDGMKC 77
          :|: : :         |: ||||||||||||||||          :||:||||||||
Db    6 VTAVLLFALF-------CWVSD-AQEENGECQCP--NKVPVCDPGVRNVQDGCGCCKVC 54

Qy   58 AAGRGETCY-RTVSGMDGMKCGP--GLRCQPSNGEDPFGE---EFGICKD----CPYG 105
          : :|  :    :|:          |||| :   ||        ||:|: |    |  |
Db   55 SKQLGELCTERDV-------CDPHKGLFCD-------FGSRVNRKIGVCTAREGAPCVFG 100

Qy  106 -------TFGMDCRETCNCQSG 120
          :| |:  | | ||:| |
Db  101 GTVYRSGESFQSSCKYQCTCDG 123
```

```
RESULT   12
ID   O54775           PRELIMINARY;   PRT;   367 AA.
AC   O54775;
DT   01-JUN-1998 (TREMBLREL, 06, CREATED)
DT   01-JUN-1998 (TREMBLREL, 06, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL, 08, LAST ANNOTATION UPDATE)
DE   ELM1.
GN   ELM1.
OS   MUS MUSCULUS (MOUSE).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; RODENTIA;
OC   SCIUROGNATHI; MURIDAE; MURINAE; MUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=HEN;
RX   MEDLINE; 98118879.
RA   HASHIMOTO Y., SHINDO-OKADA N., TANI M., NAGAMACHI Y., TAKEUCHI K.,
RA   SHIROISHI T., TOMA H., YOKOTA J.;

Qy   32 CDSSECK------SSPRCKRTVLDDCGCCRVCAAGRGE------TCYRTVSGMDGMKC 77
          :|: : :         |: ::|| :  |  |   |             :||:||||||
Db   81 CEKGECKKGCKEGCCAPKC---GVAGCSCGSGKCEKGSECKPGCCTKRCCGTKCGVEDCPC 137

Qy   78 GPGLRCQPSNGEDPFGEEFGICK-DCP------YGTFGMDCRETCNCQSGICDRG---- 126
          ||  :| |  |        |  |            : :| | |  | |   | :
Db  138 GPSCKCEKGD------------CKVNCSKGCCTPKCGVYGVGPCGSQCTCEKGSCKKGCSKG 186

Qy  126 --TGKC 129
          | |||
Db  187 CCTPKC 192
```

RT   "Expression of the Elm1 gene, a novel gene of the CCN (connective
RT   tissue growth factor, Cyr61/Cef10, and neuroblastoma overexpressed
RT   gene) family, suppresses in vivo tumor growth and metastasis of K-1735
RT   murine melanoma cells.";
RL   J. Exp. Med. 187:289-296(1998).
DR   EMBL; AB004873; D1025874;.
DR   PROSITE; PS01185; CTCK_1; 1.
SQ   SEQUENCE 367 AA; 40702 MW; 1AB35AB9 CRC32;

Query Match   11.9%; Score 97.5; DB 10; Length 367;
Best Local Similarity   28.2%; Pred. No. 0.0034;
Matches 35; Conservative 15; Mismatches 35; Indels 39; Gaps 10;

Qy   27 DCPQHCDSSECKSSPRCK--RTVLDDCGCCRVCAAGRGETCYRTVSGMDGMKCGP--GL 81
Db   54 ECPQ------SPPRCPLGVSLITDGCECKICAQQLGDNC------TEAAICDPHRGL 99

Qy   82 RCQPSNGEDPFGEEFGICKD---------C----PY---GTFGMDCRETCNCQSGI--CDRGT 126
Db 100 YCDYSGDRPRYA-IGVCAQVGVGCVLDGVRTNGESFQPNCRYNCTICIDGTVYGC--T 154

Qy 127 GKCL 130
Db 155 PLCL 158

RESULT 13
ID   O73791
AC   O73791;
DT   01-AUG-1998 (TREMBLREL. 07, CREATED)
DT   01-AUG-1998 (TREMBLREL. 07, LAST SEQUENCE UPDATE)
DT   01-AUG-1998 (TREMBLREL. 07, LAST ANNOTATION UPDATE)
DE   ENDOTHELIUM-SPECIFIC RECEPTOR TYROSINE KINASE TIE-2.
DE   TIE-2.
GN   BRACHYDANIO RERIO (ZEBRAFISH) (ZEBRA DANIO).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; ACTINOPTERYGII; NEOPTERYGII;
OC   TELEOSTEI; EUTELEOSTEI; OSTARIOPHYSI; CYPRINIFORMES; CYPRINOIDEA;
OC   CYPRINIDAE; RASBORINAE; DANIO.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   LYONS M.S., BELL B., STAINIER D., PETERS K.G.;
RL   DEV. DYN. 0:0-0(1998).
DR   EMBL; AF053632; G3005607;.
SQ   SEQUENCE 1116 AA; 122361 MW; 7E60F6C5 CRC32;

PRELIMINARY;   PRT; 1116 AA.

Query Match   12.0%; Score 98.5; DB 12; Length 1116;
Best Local Similarity   23.7%; Pred. No. 0.0066;
Matches 36; Conservative 18; Mismatches 33; Indels 65; Gaps 8;

Qy   7 LTTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRTVLDDCGCCRVCAAG-RGETC 65
Db 207 ITRLIVRSCRAGFWGPNCTESCPRCANGGVCDDTT------GEC-----VCPPGFRGHTC 255

Qy   66 YRTVSGMDGMKCGPG--------------------LRCQPSNGEDPFGEEFGIC------- 100
Db 256 DIVCGEGRFGAGCKERCVDGVCRALVFCLR--------------DPYG-----CSCASG 295

Qy 100 ----------------KDCGPYGTFGMDCRETCNCQSGICDR 124
Db 296 WRGLSCNDACPDGYGAGCTQKCVCAKGRCDR 327

RESULT 14
ID   O57484
AC   O57484;
DT   01-JUN-1998 (TREMBLREL. 06, CREATED)
DT   01-JUN-1998 (TREMBLREL. 06, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   LAMININ BETA 2-LIKE CHAIN.

PRELIMINARY;   PRT; 1792 AA.

OS   GALLUS GALLUS (CHICKEN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; ARCHOSAURIA; AVES;
OC   NEOGNATHAE; GALLIFORMES; PHASIANIDAE; PHASIANINAE; GALLUS.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   LIU J., SWASDISON S., XIE W., BREWTON R.G., MAYNE R.;
RL   MATRIX BIOL. 16:0-0(1998).
RN   [2]
RP   SEQUENCE FROM N.A.
RA   O'REAR J.J.;
RT   "A novel laminin B1 chain variant in avian eye.";
RL   J. BIOL. CHEM. 267:20555-20557(1992).
RX   MEDLINE; 93015947.
DR   EMBL; AF038555; G2708707;.
DR   PROSITE; PS01186; EGF_2; 2.
DR   PROSITE; PS01248; LAMININ_TYPE_EGF; 12.
KW   GLYCOPROTEIN.
SQ   SEQUENCE 1792 AA; 195722 MW; AFFC9020 CRC32;

Query Match   11.8%; Score 97; DB 12; Length 1792;
Best Local Similarity   23.0%; Pred. No. 0.014;
Matches 43; Conservative 22; Mismatches 36; Indels 86; Gaps 12;

Qy   29 PQHCDSSECKS-----SPRCKRTVLDDCGC-------------------------CRVCA-AGRG 62
Db 820 PRRCDPCQCSGEGSLSAVCD-TVTGQCPCRQGAHGSRCDRCQPGHWGPFTCRPCQCNGHA 878

Qy   63 E-------TCYRTVSGMDGMKC---------GPGLRCQPSN-GEDPFGE-EFGI-- 99
Db 879 EECDPQTGSCLRCRDHTDGERCQRCAAGHFGNPALGSGQHCRPCPCPDGPGGPRHFAASC 938

Qy   99 -----------CKDCPYGTF-----GMDCRETCNCQSGI------CDR 124
Db 939 YQDGRSRQVCHCSPGYTGPRCDECAPGYYGDPLQPGGHCR-PCQCHNNIDTTDPEACDR 997

Qy 125 GTGKCLR 131
Db 998 RTGQCLR 1004

RESULT 15
ID   O15230
AC   O15230;
DT   01-JAN-1998 (TREMBLREL. 05, CREATED)
DT   01-NOV-1998 (TREMBLREL. 08, LAST SEQUENCE UPDATE)
DT   01-NOV-1998 (TREMBLREL. 08, LAST ANNOTATION UPDATE)
DE   KIAA0533 PROTEIN (LAMININ ALPHA 5 CHAIN) (FRAGMENT).
GN   KIAA0533 OR LAMA5.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; MAMMALIA; EUTHERIA; PRIMATES;
OC   CATARRHINI; HOMINIDAE; HOMO.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=BRAIN;
RX   MEDLINE; 98290545.
RA   NAGASE T., ISHIKAWA K., MIYAJIMA N., TANAKA A., KOTANI H., NOMURA N.,
RA   OHARA O.;
RT   "Prediction of the coding sequences of unidentified human genes. IX.
RT   The complete sequences of 100 new cDNA clones from brain which can
RT   code for large proteins in vitro.";
RL   DNA RES. 5:31-39(1998).
RN   [2]
RP   SEQUENCE OF 693-1645 FROM N.A.
RC   TISSUE=PLACENTA;
RX   MEDLINE; 97415425.
RA   DURKIN M.E., LOECHEL F., MATTEI M., GILPIN B.J., ALBRECHTSEN R.,
RA   WEWER U.M.;
RT   "Tissue-specific expression of the human laminin alpha5-chain, and
RT   mapping of the gene to human chromosome 20q13.2-13.3 and to distal
RT   mouse chromosome 2 near the locus for the ragged (Ra) mutation.";
RL   FEBS LETT. 411:296-300(1997).

PRELIMINARY;   PRT; 1645 AA.

```
DR     EMBL; AB011105; D1026389; -.
DR     EMBL; Z95636; E317479; -.
DR     PFAM; PF00054; laminin_G; 2.
FT     NON_TER       1
SQ     SEQUENCE   1645 AA;  178215 MW;  A44DE58F CRC32;


Query Match                 11.8%;   Score 96.5;  DB 2;  Length 1645;
Best Local Similarity   30.1%;   Pred. No. 0.015;
Matches   28;  Conservative  12;  Mismatches  20;  Indels  33;  Gaps   6;

Qy     48 LDDCGCCRVCAAGRGETCYRTVSGMDGMKCGP---GLRCQPSNGE-----DPFGEEFGIC 99
          :: ||-|| ||||                       ||| |:|| |:|  |:|  | ||
Db     11 FNGCGGCRPCA-------------------------CGPAAEGSECHPQSGQCHCRPGTMGPQ---C 49

Qy    100 KDCPYGTFGM---DCRETCNCQSGICDRGTGKC 129
          ::|:|  |:   -||-|-|||-||||-|:||
Db     50 RECAPGYWGLPEQGCR-RCQCPGGRCDPHTGRC 81
```

OM protein - protein search, using sw model

Run on: May 3, 1999, 14:59:01 ; Search time 18.06 Seconds
(without alignments)
242.246 Million cell updates/sec

GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

Title: US-09-037-460-2_copy_1_163
Perfect score: 820
Sequence: 1 MKSVLLITLTLLVPAHLVAAW........NRFVSLIEHDMASGDEN... 153

Scoring table: PAM150
Searched: 74019 seqs, 26840295 residues
Database :   SwissProt_36:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB	ID	Description
1	141.5	17.3	351	1	NOV_CHICK	P28686; gallus gall
2	139	17.0	353	1	NOV_COTJA	P42642 cotunix co
3	124.5	15.2	354	1	NOV_COTJA	Q64299 mus musculu
4	123.5	15.1	357	1	NOV_HUMAN	P48745 homo sapien
5	115.5	14.1	258	1	IBP4_BOVIN	Q05716 bos taur
6	114.5	14.0	271	1	IBP5_MOUSE	Q07079 mus muscu
7	112	13.7	348	1	CTGF_MOUSE	P29268 mus muscu
8	110.5	13.5	271	1	IBP5_RAT	P24594 rattus norv
9	111	13.5	375	1	CE10_CHICK	P19336 gallus gall
10	110.5	13.5	381	1	CYR6_HUMAN	O00622 homo spien
11	109.5	13.4	272	1	IBP5_HUMAN	P24593 homo s.pien
12	109	13.3	349	1	CTGF_HUMAN	Q28893 homo sapien
13	107	13.0	237	1	IBP4_SHEEP	Q26692 ovis aries
14	106.5	13.0	258	1	IBP4_HUMAN	P16611 sus scrofa
15	104.5	12.7	266	1	IBP3_PIG	Q28985 sus scrofa
16	104.5	12.7	271	1	IBP5_PIG	P47879 sus scrofa
17	103.5	12.6	254	1	IBP4_MOUSE	P21744 mus musculu
18	103.5	12.6	254	1	IBP4_RAT	P21744 rattu norv
19	103.5	12.6	379	1	CYR6_MOUSE	P18406 mus musculu
20	103	12.6	349	1	CTGF_PIG	O19913 sus scrofa
21	101.5	12.4	291	1	IBP3_BOVIN	P20959 bos taurus
22	101.5	12.4	291	1	IBP3_HUMAN	P17936 homo sapien
23	100.5	12.3	291	1	IBP3_MOUSE	P47878 mus musculu
24	99	12.1	343	1	NOV_XENLA	P51609 xenopus lae
25	98.5	12.0	292	1	IBP3_RAT	P15473 rattus norv
26	103	12.6	1801	1	LMB2_RAT	P15800 rattus norv
27	101.5	12.4	1138	1	TIE1_HUMAN	P35590 homo sapien
28	97	11.8	317	1	IBP2_SHEEP	Q29400 ovis aries
29	94.5	11.5	259	1	IBP1_HUMAN	Q61292 homo sapien
30	100	12.2	1799	1	LMB2_MOUSE	P08833 homo sapien
31	94	11.5	311	1	IBP2_CHICK	Q49705 gallus gall
32	97.5	11.9	1136	1	TIE1_MOUSE	Q06805 bos taurus
33	94.5	11.5	1134	1	TIE1_BOVIN	Q06806 mus musculu
34	87.5	10.7	111	1	IBP5_BOVIN	Q05717 bos taurus
35	94.5	11.5	1786	1	LMB1_MOUSE	P02469 mus musculu
36	95.5	11.5	3635	1	LMA5_MOUSE	P07942 homo sapien
37	92	11.2	1786	1	LMB1_HUMAN	O16363 homo sapien
38	91.5	11.2	1816	1	LMA4_HUMAN	P18065 homo sapien
39	86.5	11.5	328	1	IBP2_HUMAN	P33450 drcsophila
40	94	11.5	5147	1	FAT_DROME	O18739 bos taurus
41	86	10.5	349	1	CTGF_BOVIN	P15215 drosophila
42	90	11.0	1639	1	LMG1_DROME	P12843 rattus norv
43	84.5	10.3	304	1	IBP2_RAT	
44	84.5	10.3	305	1	IBP2_MOUSE	P47877 mus musculu
45	91.5	11.2	3672	1	LML2_CAEEL	Q21313 caenorhabdi

ALIGNMENTS

RESULT 1
NOV_CHICK   STANDARD;   PRT;   351 AA.
ID   NOV_CHICK   STANDARD;   PRT;   351 AA.
AC   P28686;
DT   01-DEC-1992 (REL. 24, CREATED)
DT   01-DEC-1992 (REL. 24, LAST SEQUENCE UPDATE)
DT   01-OCT-1996 (REL. 34, LAST ANNOTATION UPDATE)
DE   NOV PROTEIN PRECURSOR.
GN   NOV.
OS   GALLUS GALLUS (CHICKEN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; AVES; NEOGNATHAE;
OC   GALLIFORMES.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   STRAIN=BROWN LEGHORN;
RX   MEDLINE; 92107157;
RA   MALOISEL V., MARTINERIE C., DAMBRINE G., PLASSIART G., BRISAC M.,
RA   CROCHET J., PERBAL B.;
RL   MOL. CELL. BIOL. 12:10-21(1992)
CC   -!- FUNCTION: IMMEDIATE-EARLY PROTEIN LIKELY TO PLAY A ROLE IN CELL
CC   GROWTH REGULATION. ITS OVEREXPRESSION IS ASSOCIATED WITH
CC   TUMORIGENESIS AND EXPRESSION OF A N-TERMINAL-TRUNCATED VERSION
CC   OF NOV GENE IN CHICKEN EMBRYONIC FIBROBLASTS (CEF) IS SUFFICIENT
CC   TO INDUCE THE TRANSFORMATION OF CEF IN VITRO.
CC   -!- TISSUE SPECIFICITY: BRAIN AND HEART, AND AT A LOWER LEVEL IN
CC   MUSCLE AND INTESTINE, IN THE EMBRYO. LUNG AND LESS SO IN BRAIN AND
CC   SPLEEN, IN ADULT CHICKEN.
CC   -!- DEVELOPMENTAL STAGE: MAV1-INDUCED NEPHROBLASTOMAS EXPRESS A HIGH
CC   LEVEL OF NOV GENE WHOSE TRANSCRIPTION IS NORMALLY ARRESTED IN
CC   ADULT KIDNEY.
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC   -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR   EMBL; X59284; G63703; -.
DR   PIR; S20078; S20078.
DR   PROSITE; PS00222; IGF_BINDING; 1.
DR   PROSITE; PS01185; CTCK_1; 1.
DR   PROSITE; PS01225; CTCK_2; 1.
DR   PROSITE; PS01208; VWFC; 1.
KW   PROTO-ONCOGENE; GROWTH FACTOR BINDING; SIGNAL.
FT   SIGNAL   1   24   POTENTIAL.
FT   CHAIN   25   351   NOV PROTEIN.
FT   DOMAIN   104   170   VWFC.
FT   DOMAIN   258   332   CTCK.
FT   DOMAIN   258   295   BY SIMILARITY.
FT   DOMAIN   275   309   BY SIMILARITY.
FT   DISULFID   286   325   BY SIMILARITY.
FT   DISULFID   289   327   BY SIMILARITY.
FT   DISULFID   294   331   BY SIMILARITY.
FT   CARBOHYD   274   274   POTENTIAL.
SQ   SEQUENCE   351 AA; 38268 MW; C7044065 CRC32;

Query Match   17.3%;   Score 141.5;   DB 1;   Length 351;
Best Local Similarity   31.9%;   Pred. No. 2.3e-08;
Matches   45; Conservative   17; Mismatches 38; Indels 41; Gaps 7;

Qy   3 SVLLLTTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCK---RFVLDCGGCRVCAA 59
          :|||||:||| ||:||||| ::||| || |||::|:||| ||| |||| ||||
Db   10 PVLLLLLLLRPCEVSGR----EAACRPCGGRCPAEPPRCAPGVPAVLDGCGCLVCAR 65

Qy   60 GRGETCYRTVSGMDGMKCGPGLRCQPSNG-------EDPFGEEFGICK-----DCPYG-- 106
          ::||| |.||.|:|| | ||| :|| || :|: : ||| :|: :
Db   66 QRGES-----------CSPLLPCDESGGLYCDRGPED--GGGAGICMVLEGDNCVFDGM 111

```
Qy  106 TFGMDCRETCNCQSG 120
          || |:|:||:|:|
Db  112 IYRNGETFQPSCKYQCTCRDG 132
```

RESULT 2

```
ID   NOV_COTJA        STANDARD;      PRT;    353 AA.
AC   P42642;
DT   01-NOV-1995 (REL. 32, CREATED)
DT   01-NOV-1995 (REL. 32, LAST SEQUENCE UPDATE)
DT   01-OCT-1996 (REL. 34, LAST ANNOTATION UPDATE)
DE   NOV PROTEIN PRECURSOR.
GN   NOV.
OS   COTURNIX COTURNIX JAPONICA (JAPANESE QUAIL).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; AVES; NEOGNATHAE;
OC   GALLIFORMES.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   WEISKIRCHEN R., BISTER K.;
RL   SUBMITTED (AUG-1994) TO EMBL/GENBANK/DDBJ DATA BANKS.
CC   -!- FUNCTION: IMMEDIATE-EARLY PROTEIN LIKELY TO PLAY A ROLE IN CELL
CC       GROWTH REGULATION (BY SIMILARITY).
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC       PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC   -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR   EMBL; U13063; G532697; -.
DR   PROSITE; PS00222; IGF_BINDING; 1.
DR   PROSITE; PS01185; CTCK_1; 1.
DR   PROSITE; PS01225; CTCK_2; 1.
DR   PROSITE; PS01208; VWFC; 1.
KW   PROTO-ONCOGENE; GROWTH FACTOR BINDING; SIGNAL.
FT   SIGNAL      1     26
FT   CHAIN      27    353     NOV PROTEIN.
FT   DOMAIN    106    172     VWFC.
FT   DOMAIN    260    334     CTCK.
FT   DISULFID  260    297     BY SIMILARITY.
FT   DISULFID  277    311     BY SIMILARITY.
FT   DISULFID  288    327     BY SIMILARITY.
FT   DISULFID  291    329     BY SIMILARITY.
FT   DISULFID  296    333     BY SIMILARITY.
FT   CARBOHYD  276    276     POTENTIAL.
SQ   SEQUENCE 353 AA;  38667 MW;  C4F5928D CRC32;

Query Match     17.0%;
Best Local Similarity   32.1%;
Matches   45;  Conservative  14;  Mismatches  39;  Indels  42;  Gaps  7;
Score 139;  DB 1;  Length 353;  Pred. No. 4.4e-08;

Qy    4 VLLLTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCK----RTVLDDCGGCRVCAAG 60
          : ||| :| || |   |       ||||  ||      |||| |||
Db   14 LILLLLLLRPSEV------NGREAPCPRPCGGRCPAEPPRCAPGVPAVLDGCGCLVCARQ 68

Qy   61 RGETCYRTVSGMDGMKCGPGLRCQPSNG-----------EDPGEEFGICK----DCPYG--- 106
         |||:                :|||:|            |:|:||:||   |:  |||:
Db   69 RGES-------CSPLLPCDESGGLYCDRGPED-----GGGTGICMYLEGDNCVFDGMI 114

Qy  106 -----TFGMDCRETCNCQSG 120
              ||| |:|:||:|:|
Db  115 YRNGETFQPSCKYQCTCRDG 134
```

RESULT 3

```
ID   NOV_MOUSE        STANDARD;      PRT;    354 AA.
AC   Q64299;
DT   01-NOV-1997 (REL. 35, CREATED)
DT   01-NOV-1997 (REL. 35, LAST SEQUENCE UPDATE)
DT   01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE   NOV PROTEIN HOMOLOG PRECURSOR (NOVH).
GN   NOV.
OS   MUS MUSCULUS (MOUSE).
```

(obscured result — right column top)

```
RA   STRAIN=129/SV; AND [2]; TISSUE=BRAIN;
RA   SNATH M.R., NATARAJAN D., TAYLOR L.B., CHOI C.P., MARTINERIE C.,
RA   PERBAL B., SCHOFIELD P.N., BOULER C.A.;
RL   SUBMITTED (MAY-1996) TO EMBL/GENBANK/DDBJ DATA BANKS.
RN   [2]
RP   SEQUENCE FROM N.A.
RC   STRAIN=C57BL/6;
RX   MEDLINE; 96204003.
RA   MARTINERIE C., CHEVALIER G., RAUSCHER F.J. III, PERBAL B.;
RL   ONCOGENE 12:1479-1492(1996).
CC   -!- FUNCTION: IMMEDIATE-EARLY PROTEIN LIKELY TO PLAY A ROLE IN CELL
CC       GROWTH REGULATION (BY SIMILARITY).
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC       PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC   -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR   EMBL; X97863; E1181580; -.
DR   EMBL; Y09257; E281106; -.
DR   EMBL; X96585; E225599; -.
DR   MGD; MGI:109185; NOV.
DR   PROSITE; PS00222; IGF_BINDING; 1.
DR   PROSITE; PS01185; CTCK_1; 1.
DR   PROSITE; PS01225; CTCK_2; 1.
DR   PROSITE; PS01208; VWFC; 1.
KW   PROTO-ONCOGENE; GROWTH FACTOR BINDING; SIGNAL.
FT   SIGNAL      1     21
FT   CHAIN      22    354     NOV PROTEIN HOMOLOG.
FT   DOMAIN    102    168     VWFC.
FT   DOMAIN    261    335     CTCK.
FT   DISULFID  261    298     BY SIMILARITY.
FT   DISULFID  278    312     BY SIMILARITY.
FT   DISULFID  289    328     BY SIMILARITY.
FT   DISULFID  292    330     BY SIMILARITY.
FT   DISULFID  297    334     BY SIMILARITY.
FT   CARBOHYD   91     91     POTENTIAL.
FT   CARBOHYD  277    277     POTENTIAL.
SQ   SEQUENCE 354 AA;  38928 MW;  65A4FF0E CRC32;

Query Match     15.2%;
Best Local Similarity   32.7%;
Matches   37;  Conservative  18;  Mismatches  27;  Indels  31;  Gaps  9;
Score 124.5;  DB 1;  Length 354;  Pred. No. 1.6e-05;

Qy   28 CPQHCDSSECKS-SPRCK----RTVLDDCGGCRVCAAGRGETCYRTVSGMDGMK-C--GPG 80
          |    |     | ||  ||        | ||  |||: | |:     |: | |:   |
Db   29 CPSRC-PPKCPSISPTCAPGVRSVLDGCGCSCCPVCARQRGESC------SEMRPCDQSSG 80

Qy   81 LRCQPSNGEDPFGEEFGICK------DCPYG------TFGMDCRETCNCQSG 120
         | |    |:|:||:|:|      :  |||:        ||| |:|:|| ||:|
Db   81 LYCDRSADEN---NQTGICMVPEGDNCVFDGVIYRNGEKFEPNCQYFCTCRDG 130
```

RESULT 4

```
ID   NOV_HUMAN        STANDARD;      PRT;    357 AA.
AC   P48745;
DT   01-FEB-1996 (REL. 33, CREATED)
DT   01-FEB-1996 (REL. 33, LAST SEQUENCE UPDATE)
DT   01-OCT-1996 (REL. 34, LAST ANNOTATION UPDATE)
DE   NOV PROTEIN HOMOLOG PRECURSOR (NOVH).
GN   NOV.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; PRIMATES.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=PLACENTA;
RX   MEDLINE; 94336229.
RA   MARTINERIE C., HUFF V., JOUBERT I., BADZIOCH M., SAUNDERS G.,
```

RA STRONG L., PERBAL B.;
RL ONCOGENE 9:2729-2732(1994).
CC -!- FUNCTION: IMMEDIATE-EARLY PROTEIN LIKELY TO PLAY A ROLE IN CELL
CC   GROWTH REGULATION (BY SIMILARITY).
CC -!- TISSUE SPECIFICITY: INCREASED EXPRESSION IN WILMS TUMOR OF THE
CC   STROMAL TYPE.
CC -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR EMBL; X78351; G825696; -.
DR EMBL; X78352; G825696; JOINED.
DR EMBL; X78353; G825696; JOINED.
DR EMBL; X78354; G825696; JOINED.
DR EMBL; X95584; E228691; -.
MIM; 164958; -.
DR PROSITE; PS00222; IGF_BINDING; 1.
DR PROSITE; PS01185; CTCK_1; 1.
DR PROSITE; PS01225; CTCK_2; 1.
DR PROTO-ONCOGENE; PS01208; VWFC; 1.
KW GROWTH FACTOR BINDING; SIGNAL.
FT SIGNAL   1   27   POTENTIAL.
FT CHAIN   28   357   NOV PROTEIN HOMOLOG.
FT DOMAIN   108   174   VWFC.
FT DOMAIN   264   338   CTCK.
FT DISULFID   264   301   BY SIMILARITY.
FT DISULFID   281   315   BY SIMILARITY.
FT DISULFID   292   331   BY SIMILARITY.
FT DISULFID   295   333   BY SIMILARITY.
FT DISULFID   300   337   BY SIMILARITY.
FT CARBOHYD   280   280   POTENTIAL.
FT CARBOHYD   97   97   POTENTIAL.
SQ SEQUENCE   357 AA; 39162 MW; DA8B009D CRC32;

Query Match   15.1%; Score 123.5; DB 1; Length 357;
Best Local Similarity   31.8%; Pred. No. 2.1e-06;
Matches   42; Conservative   25; Mismatches   34; Indels   31; Gaps   9;

Qy   7 LTTLLVPAHLVA--AWSNNYAVDCPQHCDSSECKSSPRCK--RTVLDDCGCCRVCAAGR 61
          :| ||| :|: |: |:||| :|:|: ||:| :|| | | :| ||||:||:|||
Db   18 LTFTLL--HLLGQVAAATQRCQPQCPGRCPA----TPPTCAPGVRAVLDCGSCCLVCARQR 71

Qy   62 GETCYRTVSGMDGMKCGPGLRCQPSNGEDPFGEEFGICK----DCPYG------TFG 108
          :| || :| |: ||| | | | | : | || | | | ||| | ::|
Db   72 GESC---SDLEPCDESSGLYCDRS--ADP-SNQTGICTAVEGDNCVFDGVIRSGEKPQ 124

Qy   109 MDCRETCNCQSG 120
          :| :|
Db   125 PSCKFQCTCRDG 136

RESULT 5
ID IBP4_BOVIN   STANDARD;   PRT;   258 AA.
AC Q05716;
DT 01-FEB-1994 (REL. 28, CREATED)
DT 01-FEB-1994 (REL. 28, LAST SEQUENCE UPDATE)
DT 01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 4 PRECURSOR (IGFBP-4)
DE (IBP-4) (IGF-BINDING PROTEIN 4).
GN IGFBP4.
OS BOS TAURUS (BOVINE).
OC EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC EUTHERIA; ARTIODACTYLA.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 9312553.
RA MOSER D.R., LOWE W.L. JR., DAKE B.L., BOOTH B.A., BOES M.,
RA CLEMMONS D.R., BAR R.S.;
RL MOL. ENDOCRINOL. 6:1805-1814(1992).
CC -!- FUNCTION: IGF-BINDING PROTEINS PROLONG THE HALF-LIFE OF THE IGFS
CC   AND HAVE BEEN SHOWN TO EITHER INHIBIT OR STIMULATE THE GROWTH

CC   PROMOTING EFFECTS OF THE IGFS ON CELL CULTURE. THEY ALTER THE
CC   INTERACTION OF IGFS WITH THEIR CELL SURFACE RECEPTORS.
CC -!- BINDS IGF-II MORE THAN IGF-I.
CC -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY.
DR EMBL; S52770; G263304; -.
DR PIR; A45403; A45403.
DR PROSITE; PS00222; IGF_BINDING; 1.
DR PROSITE; PS00484; THYROGLOBULIN_1; 1.
KW GROWTH FACTOR BINDING; SIGNAL; GLYCOPROTEIN.
FT SIGNAL   1   21   BY SIMILARITY.
FT CHAIN   22   258   INSULIN-LIKE GROWTH FACTOR BINDING
FT   PROTEIN 4.
FT CARBOHYD   125   125   POTENTIAL.
FT DOMAIN   200   249   THYROGLOBULIN TYPE I.
SQ SEQUENCE   258 AA; 27890 MW; 97880748 CRC32;

Query Match   14.1%; Score 115.5; DB 1; Length 258;
Best Local Similarity   32.3%; Pred. No. 1.2e-05;
Matches   30; Conservative   24; Mismatches   30; Indels   9; Gaps   4;

Qy   1 MKSVLLLTTLLVPAHLVAAWSNNYAVDCPQHCDS--SECKSSPRCKRTVLD-DCGCCRVC 57
          |:| | :||:::|||| |: ::||| :| :| | :|| || |:| :|| || ||
Db   1 MLSLCLMAALLLAAGPGPSLGDE-AIHCPCSEEKLARCRPPVGCEELVREPGCGCCATC 59

Qy   58 AAGRGETCYRTVSGMDGMKCGPGLRCQPSNGED 90
          ||| | ||| | |: ||| | |:|
Db   60 ALGKGMPC-----GVYTPRCGSGLRCYPPRGVE 87

RESULT 6
ID IBP5_MOUSE   STANDARD;   PRT;   271 AA.
AC Q07079;
DT 01-OCT-1994 (REL. 30, CREATED)
DT 01-OCT-1994 (REL. 30, LAST SEQUENCE UPDATE)
DT 01-FEB-1996 (REL. 33, LAST ANNOTATION UPDATE)
DE INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 5 PRECURSOR (IGFBP-5)
DE (IBP-5) (IGF-BINDING PROTEIN 5).
GN IGFBP5 OR IGFBP-5.
OS MUS MUSCULUS (MOUSE).
OC EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC EUTHERIA; RODENTIA.
RN [1]
RP SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
RC TISSUE=MYOBLASTS;
RX MEDLINE; 94042976.
RA JAMES P.L., JONES S.B., BUSBY W.H., JR., CLEMMONS D.R., ROTWEIN P.;
RL J. BIOL. CHEM. 268:22305-22312(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=SPLEEN;
RX MEDLINE; 94307727.
RA KOU K., JENKINS N.A., GILBERT D.J., COPELAND N.G., ROTWEIN P.;
RL GENOMICS 20:412-418(1994).
RN [3]
RP SEQUENCE FROM N.A.
RC TISSUE=KIDNEY;
RX MEDLINE; 95121750.
RA SCHULLER A.G.P., GROFFEN C., VAN NECK J.W., ZWARTHOFF E.C.,
RA DROP S.L.S.;
RL MOL. CELL. ENDOCRINOL. 104:57-66(1994).
CC -!- FUNCTION: IGF-BINDING PROTEINS PROLONG THE HALF-LIFE OF THE IGFS
CC   AND HAVE BEEN SHOWN TO EITHER INHIBIT OR STIMULATE THE GROWTH
CC   PROMOTING EFFECTS OF THE IGFS ON CELL CULTURE. THEY ALTER THE
CC   INTERACTION OF IGFS WITH THEIR CELL SURFACE RECEPTORS.
CC -!- SUBCELLULAR LOCATION: EXTRACELLULAR.
CC -!- TISSUE SPECIFICITY: MOST ABUNDANT IN KIDNEY, UTERUS AND
CC   GASTROCNEMIUS MUSCLE.
CC -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY.
DR EMBL; L12447; G293384; -.

RESULT 7

CTGF_MOUSE

DR EMBL; U02025; G437125; -.
DR EMBL; U02023; G437125; JOINED.
DR EMBL; U02027; G437125; JOINED.
DR EMBL; U02024; G437125; JOINED.
DR EMBL; X81583; G550385; -.
DR MGD; MGI:96440; IGFBP5.
DR PROSITE; PS00222; IGF_BINDING; 1.
DR PROSITE; PS00484; THYROGLOBULIN_1; 1.
KW GROWTH FACTOR BINDING; SIGNAL.
FT SIGNAL 1 19
FT CHAIN 20 271
FT DOMAIN 214 262 INSULIN-LIKE GROWTH FACTOR BINDING
FT   PROTEIN 5.
FT   POTENTIAL.
FT CONFLICT 112 112 MISSING (IN REF. 2).
FT   THYROGLOBULIN TYPE I.
SQ SEQUENCE 271 AA; 30372 MW; 12DC64CA CRC32;

Qy Query Match
Best Local Similarity 14.0%;
Matches 27; Conservative 20; Score 114.5; DB 1; Length 271;
Pred. No. 1.6e-05; Mismatches 26; Indels 21; Gaps 3;

```
Qy   4 VLLLTLTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRTIVLD------DCGGCRV 56
         :|  |||  |  | |: : :    |||            ::|          |||| |
Db   7 LILLAAYAVPAQGLGSFV------------HCEPCDEKALSMCPPSPLGCELVKEPGCGCCMT 57

Qy  57 CAAGRGETCYRTVSGMDGMKCGPGLRCQPSNGED 90
         |   |  |            ||||| |
Db  58 CALAEGQSC-----GVYTERCAQGLRCLPRQDEE 86
```

ID CTGF_MOUSE   STANDARD;   PRT;   348 AA.
AC P29268;
DT 01-DEC-1992 (REL. 24, CREATED)
DT 01-DEC-1992 (REL. 24, LAST SEQUENCE UPDATE)
DT 15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE CONNECTIVE TISSUE GROWTH FACTOR PRECURSOR (CTGF) (FISP-12 PROTEIN).
GN CTGF OR FISP12 OR FISP-12.
OS MUS MUSCULUS (MOUSE).
OC EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC EUTHERIA; RODENTIA.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 91229699.
RA BRUNNER A., CHINN J., NEUBAUER M.G., PURCHIO A.F.;
RL DNA CELL BIOL. 10:293-300(1991).
RN [2]
RX MEDLINE; 91163290.
RA RYSECK R.-P., MACDONALD-BRAVO H., MATTEI M.-G., BRAVO R.;
RL CELL GROWTH DIFFER. 2:225-233(1991).
CC -!- INDUCTION: BY GROWTH FACTORS.
CC -!- TISSUE SPECIFICITY: TESTIS, SPLEEN, KIDNEY, LUNG, HEART, AND BRAIN
CC   (LOWEST LEVEL IN TESTIS AND HIGHEST IN LUNG).
CC -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY.
CC -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR EMBL; M70641; G193314; -.
DR EMBL; M70642; G193316; -.
DR EMBL; M80263; G201946; -.
DR PIR; A53228; A53228.
DR MGD; MGI:95537; FISP12.
DR PROSITE; PS00222; IGF_BINDING; 1.
DR PROSITE; PS00185; CTCK_1; 1.
DR PROSITE; PS01225; CTCK_2; 1.
DR PROSITE; PS01208; VWFC; 1.
SIGNAL 1 25 POTENTIAL.
CHAIN 26 348 CONNECTIVE TISSUE GROWTH FACTOR.
DOMAIN 26 100 IGF_BINDING.
DOMAIN 100 166 VWFC.
DOMAIN 255 329 CTCK.

RESULT 8

IBP5_RAT

Qy Query Match
Best Local Similarity 13.7%;
Matches 34; Conservative 15; Score 112; DB 1; Length 348;
Pred. No. 3.5e-05; Mismatches 35; Indels 28; Gaps 7;

```
Qy  27 DCPQHCDSSECKSSPRCK---RTVLDDCGGCRVCAAGRGETCYRTVSGMDGMKCGP--GL 81
        ||   |     ::  |      | |||  ||||||       |  ||||||||||||   |
Db  27 DCSAQCQAA-EAAPHCPAGVSVLVLDGCGCCRVCAKQLGELC------TERDPCDPHKGL 79

Qy  82 RCQPSNGEDPFGEEFGICKD-----CPYG------TFGMDCRETCNCQSG 120
        ||             | | |      |  |       |  ||| ||||  |
Db  80 FCDFGS---PANRKIGVCTAKDGAPCVFGGSVVRSGESFQSSCKYQCTCLDG 128
```

ID IBP5_RAT   STANDARD;   PRT;   271 AA.
AC P24594;
DT 01-MAR-1992 (REL. 21, CREATED)
DT 01-MAR-1992 (REL. 21, LAST SEQUENCE UPDATE)
DT 01-FEB-1996 (REL. 33, LAST ANNOTATION UPDATE)
DE INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 5 PRECURSOR (IGFBP-5)
DE (IBP-5) (IGF-BINDING PROTEIN 5).
GN IGFBP5 OR IGFBP-5.
OS RATTUS NORVEGICUS (RAT).
OC EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC EUTHERIA; RODENTIA.
RN [1]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 20-53.
RX MEDLINE; 91244847.
RA SHIMASAKI S., SHIMONAKA M., ZHANG H.-P., LING N.;
RL J. BIOL. CHEM. 266:10646-10653(1991).
RN [2]
RX MEDLINE; 93176146.
RA ZHU X., LING N., SHIMASAKI S.;
RL BIOCHEM. BIOPHYS. RES. COMMUN. 190:1045-1052(1993).
CC -!- FUNCTION: IGF-BINDING PROTEINS PROLONG THE HALF-LIFE OF THE IGFS
CC   AND HAVE BEEN SHOWN TO EITHER INHIBIT OR STIMULATE THE GROWTH
CC   PROMOTING EFFECTS OF THE IGFS ON CELL CULTURE. THEY ALTER THE
CC   INTERACTION OF IGFS WITH THEIR CELL SURFACE RECEPTORS.
CC -!- TISSUE SPECIFICITY: MOSTLY IN KIDNEY.
CC -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY.
DR EMBL; M62781; G204746; -.
DR EMBL; L08275; E73333; -.
DR PIR; A40403; A40403.
DR PIR; JC1463; JC1463.
DR PIR; F40403; F40403.
DR PROSITE; PS00222; IGF_BINDING; 1.
DR PROSITE; PS00484; THYROGLOBULIN_1; 1.
KW GROWTH FACTOR BINDING; SIGNAL.
FT SIGNAL 1 19
FT CHAIN 20 271
FT DOMAIN 214 262 INSULIN-LIKE GROWTH FACTOR BINDING
FT   PROTEIN 5.
FT   POTENTIAL.
FT DISULFID 255 292 BY SIMILARITY.
FT DISULFID 272 306 BY SIMILARITY.
FT DISULFID 283 322 BY SIMILARITY.
FT DISULFID 286 324 BY SIMILARITY.
FT DISULFID 291 328 BY SIMILARITY.
FT CONFLICT 161 161 K -> E (IN REF. 2).
FT   THYROGLOBULIN TYPE I.
SQ SEQUENCE 271 AA; 30298 MW; 0AA79506 CRC32;

RESULT 9

```
Qy    4  VLLLTLTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRRVLD------DCGGCRV 56
         |:||:| |:|| :|| :::                              ||||
Db    7  LILLAACAVPAQGLGSFV--------------HCEPCDEKALSMCPPSPLGCELVKEPGCGCCMT 57

Qy   57  CAAGRGETCYRTVSGMDGMKCGPGLRCQPSNGED 90
         ||
Db   58  CALAEGGSC----GVYTERCAQGLRCLPRQDEE 86
```

ID   CE10_CHICK   STANDARD;   PRT;   375 AA.
AC   P19336;
DT   01-NOV-1990 (REL. 16, CREATED)
DT   01-NOV-1990 (REL. 16, LAST SEQUENCE UPDATE)
DT   01-OCT-1996 (REL. 34, LAST ANNOTATION UPDATE)
DE   CEF-10 PROTEIN PRECURSOR.
OS   GALLUS GALLUS (CHICKEN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; AVES; NEOGNATHAE;
OC   GALLIFORMES.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 89145206.
RA   SIMMONS D.L., LEVY D.B., YANNONI Y., ERIKSON R.L.;
RL   PROC. NATL. ACAD. SCI. U.S.A. 86:1178-11182(1989).
CC   -!- FUNCTION: PROBABLE SECRETED REGULATORY PROTEIN.
CC   -!- INDUCTION: BY V-SRC.
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC   -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR   EMBL; J04496; G211436; -.
DR   PIR; A41428; A41428.
DR   PROSITE; PS00222; IGF_BINDING; 1.
DR   PROSITE; PS01185; CTCK_1; 1.
DR   PROSITE; PS01225; CTCK_2; 1.
DR   PROSITE; PS01208; VWFC; 1.
KW   GROWTH FACTOR BINDING; SIGNAL.
FT   SIGNAL   1   22
FT   CHAIN   23   375
FT   DOMAIN   98   164   VWFC.
FT   DOMAIN   281   355   CTCK.
FT   DISULFID   281   318   BY SIMILARITY.
FT   DISULFID   298   332   BY SIMILARITY.
FT   DISULFID   309   348   BY SIMILARITY.
FT   DISULFID   312   350   BY SIMILARITY.
FT   DISULFID   317   354   BY SIMILARITY.
SQ   SEQUENCE   375 AA;   40651 MW;   68B4BC92 CRC32;
```

Query Match 13.5%; Score 111; DB 1; Length 375;
Best Local Similarity 29.1%; Pred. No. 4.7e-05;
Matches 39; Conservative 19; Mismatches 40; Indels 36; Gaps 9;

```
Qy    6  LLTTLLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPPRCKRT---VLDDGCCRVCAARG 62
         |:||: | |||  |:| :                             ||||| :|:|
Db   10  LAAALLCLARLALGSP------CPAVCQCPA--AAPQCAPGVGLVPDGCGGCCKVCAKQLN 61

Qy   63  ETCYRTVSGMDGMKCGP--GLRCQPSNGEDDFGEEFGICKD------CPYG------ 106
         |:|| :  |||:||||     ||:|||                     |:|
Db   62  EDCSRTQP-----CDHTKGLEC-NFGASPAATN-GICRAQSEGRPCEYNSKIYQNGES 112

Qy  107  FGMDCRETCNCQSG 120
         :|:|| | |||
Db  113  FQPNCKHQCTCIDG 126
```

RESULT 10

ID   CYR6_HUMAN   STANDARD;   PRT;   381 AA.
AC   000622; O14934;
DT   15-JUL-1998 (REL. 36, CREATED)
DT   15-JUL-1998 (REL. 36, LAST SEQUENCE UPDATE)
DT   15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE   CYR61 PROTEIN PRECURSOR (GIG1 PROTEIN) (INSULIN-LIKE GROWTH FACTOR-
DE   BINDING PROTEIN 10).
GN   CYR61 OR GIG1 OR IGFBP10.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; PRIMATES.
RN   [1]
RP   SEQUENCE FROM N.A.
RA   ALBRECHT C., VON DER KAMMER H., KLAUDINY J., MAYHAUS M., NITSCH R.M.;
RL   SUBMITTED (JUN-1997) TO EMBL/GENBANK/DDBJ DATA BANKS.
RN   [2]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 97280750.
RA   JAY P., BERGE-LEFRANC J.L., MARSOLLIER C., MEJEAN C., TAVIAUX S.,
RA   BERTA P.;
RL   ONCOGENE 14:1753-1757(1997).
RN   [3]
RP   SEQUENCE FROM N.A.
RC   TISSUE=PLACENTA;
RA   KOLESNIKOVA T.V., LAU L.F.;
RL   SUBMITTED (JUN-1997) TO EMBL/GENBANK/DDBJ DATA BANKS.
RN   [4]
RP   SEQUENCE FROM N.A.
BI   A.B., YU L.;
RL   SUBMITTED (NOV-1997) TO EMBL/GENBANK/DDBJ DATA BANKS.
CC   -!- FUNCTION: MAY ACT AS ONE OF THE MANY GROWTH FACTOR-BINDING
CC   PROTEINS; PROMOTES PROLIFERATION, MIGRATION AND ADHESION (BY
CC   SIMILARITY).
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY. CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC   -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR   EMBL; AF031385; G2606094; -.
DR   EMBL; AF003594; G2196782; -.
DR   EMBL; U62015; G2130527; -.
DR   EMBL; Y12084; E311857; -.
DR   MIM; 602369; -.
DR   PROSITE; PS00222; IGF_BINDING; 1.
DR   PROSITE; PS01185; CTCK_1; 1.
DR   PROSITE; PS01225; CTCK_2; 1.
DR   PROSITE; PS01208; VWFC; 1.
KW   GROWTH FACTOR BINDING; SIGNAL.
FT   SIGNAL   1   24
FT   CHAIN   25   381
FT   DOMAIN   98   164   VWFC.
FT   DOMAIN   286   360   CTCK.
FT   POTENTIAL —
FT   DISULFID   286   323   BY SIMILARITY.
FT   DISULFID   303   337   BY SIMILARITY.
FT   DISULFID   314   353   BY SIMILARITY.
FT   DISULFID   317   355   BY SIMILARITY.
FT   DISULFID   322   359   BY SIMILARITY.
FT   CONFLICT   210   210   L -> I (IN REF. 4).
FT   CONFLICT   220   220   L -> R (IN REF. 4).
SQ   SEQUENCE   381 AA;   42026 MW;   2B091D9E CRC32;
```

Query Match  13.5%;  Score 110.5;  DB 1;  Length 381;
Best Local Similarity  26.1%;  Pred. No. 5.4e-05;
Matches 36;  Conservative 21;  Mismatches 44;  Indels 37;  Gaps 8;

```
Qy    2  KSVLLLTLTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRT---VLDDCGCCRVCA 58
         : :| ||| ||  |||||                                |||||||:||
Db    7  RALALVTLLHLTRLALS------TCPAACHCP--LEAPKCAPGVGLVRDGCGCCKVCA 57

Qy   59  AGRGETCYRTVSGMDGMKCGP--GLRCQPSNGEDPFGEEFGICKD------CPYG---- 106
         || ||| | |||:|||||     ||:|||   |||                |:|
Db   58  KQLNEDCSKTQP-----CDHTKGLECNFGASSTALK---GICRAQSEGRPCEYNSRIYQ 108

Qy  106  ---TFGMDCRETCNCQSG 120
         :|:|| | |||
Db  109  NGESFQPNCKHQCTCIDG 126
```

RESULT 11

ID   IBP5_HUMAN   STANDARD;   PRT;   272 AA.
AC   P24593;
DT   01-MAR-1992 (REL. 21, CREATED)
DT   01-MAR-1992 (REL. 21, LAST SEQUENCE UPDATE)
DT   01-OCT-1996 (REL. 34, LAST ANNOTATION UPDATE)
DE   INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 5 PRECURSOR (IGFBP-5)
DE   (IBP-5) (IGF-BINDING PROTEIN 5).
GN   IGFBP5 OR IBP5.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; PRIMATES.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=OSTEOSARCOMA;
RX   MEDLINE; 91207396.
RA   KIEFER M.C., IOH R.S., BAUER D.M., ZAPF J.;
RL   BIOCHEM. BIOPHYS. RES. COMMUN. 176:219-225(1991).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=PLACENTA;
RX   MEDLINE; 91244847.
RA   SHIMASAKI S., SHIMONAKA M., ZHANG H.-P., LING N.;
RL   J. BIOL. CHEM. 266:10646-10653(1991).
RN   [3]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 94193798.
RA   ALLANDER S.V., LARSSON C., EHRENBORG E., SUWANICHKUL A., WEBER G.,
RA   MORRIS S.L., BAJALICA S., KIEFER M.C., LUTHMAN H., POWELL D.R.;
RL   J. BIOL. CHEM. 269:10891-10898(1994).
RN   [4]
RP   SEQUENCE OF 24-43.
RX   MEDLINE; 91207395.
RA   ANDRESS D.L., BIRNBAUM R.S.;
RL   BIOCHEM. BIOPHYS. RES. COMMUN. 176:213-218(1991).
CC   -!- FUNCTION: IGF-BINDING PROTEINS PROLONG THE HALF-LIFE OF THE IGFS
CC   AND HAVE BEEN SHOWN TO EITHER INHIBIT OR STIMULATE THE GROWTH
CC   PROMOTING EFFECTS OF THE IGFS ON CELL CULTURE. THEY ALTER THE
CC   INTERACTION OF IGFS WITH THEIR CELL SURFACE RECEPTORS.
CC   -!- TISSUE SPECIFICITY: OSTEOSARCOMA, AND AT LOWER LEVELS IN LIVER,
CC   KIDNEY, AND BRAIN.
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY.
DR   EMBL; M65062; G184820; -.
DR   EMBL; M62782; G184818; -.
DR   EMBL; L27559; G505589; -.
DR   EMBL; L27556; G505589; -.
DR   EMBL; L27557; G505589; JOINED.
DR   EMBL; L27558; G505589; JOINED.
DR   PIR; JH0391; JH0391.
DR   PIR; B40403; B40403.
DR   PIR; PH0143; PH0143.
MIM; 146734; -.
DR   PROSITE; PS00222; IGF_BINDING; 1.
DR   PROSITE; PS00484; THYROGLOBULIN_1; 1.
KW   GROWTH FACTOR BINDING; SIGNAL.
FT   SIGNAL   1   20   POTENTIAL.
FT   CHAIN   21   272   INSULIN-LIKE GROWTH FACTOR BINDING
FT   PROTEIN 5.
FT   DOMAIN   215   263   THYROGLOBULIN TYPE I.
SQ   SEQUENCE   272 AA; 30570 MW; 3A6AEEF2 CRC32;

Qy   4 VLLLTLLVPAILVAAVWSNNYAVDCPQHCDSSECKSSPRCKRTVLD-------DCGGCRV 56
          :|||:| | | :|:::: |::::::|::|::::::::|:|:| ||::: |||||
Db   8 LILLAAYAGPAQSLGSFV------------HCEPCDEKALSMCPPSPLGCELVKEPGCGCCMT 58

Query Match   13.4%; Score 109.5; DB 1; Length 272;
Best Local Similarity   27.7%;
Matches   26; Conservative 20; Mismatches 27; Indels 21; Gaps 3;

RESULT 12

ID   CTGF_HUMAN   STANDARD;   PRT;   349 AA.
AC   P29279;
DT   01-DEC-1992 (REL. 24, CREATED)
DT   01-DEC-1992 (REL. 24, LAST SEQUENCE UPDATE)
DT   15-JUL-1998 (REL. 36, LAST ANNOTATION UPDATE)
DE   CONNECTIVE TISSUE GROWTH FACTOR PRECURSOR.
GN   CTGF.
OS   HOMO SAPIENS (HUMAN).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; PRIMATES.
RN   [1]
RP   SEQUENCE FROM N.A.
RC   TISSUE=UMBILICAL VEIN ENDOTHELIAL CELLS;
RX   MEDLINE; 91373462.
RA   BRADHAM D.M., IGARASHI A., POTTER R.L., GROTENDORST G.R.;
RL   J. CELL BIOL. 114:1285-1294(1991).
RN   [2]
RP   SEQUENCE FROM N.A.
RC   TISSUE=UMBILICAL VEIN ENDOTHELIAL CELLS;
RX   MEDLINE; 93187114.
RA   IGARASHI A., BRADHAM D.M., OKOCHI H., GROTENDORST G.R.;
RL   J. DERMATOL. 19:642-643(1992).
RN   [3]
RP   SEQUENCE FROM N.A.
RA   OEMAR B.S., WERNER A., YANG Z., GARNIER J.M., GENTZ R., LUESCHER T.F.;
RL   SUBMITTED (APR-1994) TO EMBL/GENBANK/DDBJ DATA BANKS.
CC   -!- FUNCTION: MAJOR CONNECTIVE TISSUE MITOATTRACTANT SECRETED BY
CC   HUMAN VASCULAR ENDOTHELIAL CELLS. THIS IMMEDIATE-EARLY PROTEIN
CC   MAY BIND ONE OF THE PDGF CELL SURFACE RECEPTORS.
CC   -!- SUBUNIT: MONOMER.
CC   -!- ALTERNATIVE PRODUCTS: A SHORTER FORM MAY BE PRODUCED BY
CC   ALTERNATIVE SPLICING OF THE SAME GENE.
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC   PROTEIN FAMILY CEF-10/CYR61/CTFG/FISP-12/NOV PROTEIN SUBFAMILY.
CC   -!- SIMILARITY: CONTAINS 1 VWFC DOMAIN.
CC   -!- SIMILARITY: CONTAINS 1 C-TERMINAL CYSTINE KNOT-LIKE DOMAIN (CTCK).
DR   EMBL; X78947; G474934; -.
DR   EMBL; M92934; G180924; -.
DR   PIR; A40551; A40551.
DR   PIR; S44205; S44205.
MIM; 121009; -.
DR   PROSITE; PS00222; IGF_BINDING; 1.
DR   PROSITE; PS01185; CTCK_1; 1.
DR   PROSITE; PS01225; CTCK_2; 1.
DR   PROSITE; PS01208; VWFC; 1.
KW   GROWTH FACTOR BINDING; SIGNAL; ALTERNATIVE SPLICING.
FT   SIGNAL   1   26   POTENTIAL.
FT   CHAIN   27   349   CONNECTIVE TISSUE GROWTH FACTOR.
FT   DOMAIN   101   167   VWFC.
FT   DOMAIN   256   330   CTCK.
FT   DISULFID   256   293   BY SIMILARITY.
FT   DISULFID   273   307   BY SIMILARITY.
FT   DISULFID   284   323   BY SIMILARITY.
FT   DISULFID   287   325   BY SIMILARITY.
FT   DISULFID   292   329   BY SIMILARITY.
FT   CARBOHYD   28   POTENTIAL.
FT   CARBOHYD   225   POTENTIAL.
FT   CARBOHYD   225   POTENTIAL.
FT   VARSPLIC   172   198   MISSING (IN SHORT FORM).
SQ   SEQUENCE   349 AA; 38069 MW; C21E9662 CRC32;

Qy   57 CAAGRGETCYRTVSGMDGMKCCPGLRCQPSNGED 90
          || : |: | :|::| |: |||||| |:
Db   59 CALAEGQSC------GVYTERCAGGLRCLPRQDDE 87

Query Match   13.3%; Score 109; DB 1; Length 349;
Best Local Similarity   30.4%;
Matches   34; Conservative 14; Mismatches 36; Indels 28; Gaps 7;

Qy   27 DCPQHCDSSECKSSPRCK---RTVLDDCGCCRVCAAGRGETCYRTVSGMDGMKCGP--GL 81

```
Db    28  NCSGPCRCPD-EPAPRCPAGVSLVLDGCGCCRVCAKQLGELC----------TERDPCDPHKGL  80
                ||:| |||              |||       ||||||:|||                ||  ||
Qy    82  RCQPSNGEDPGFGEEFGICKD-----------CPYG-----TFGMDCRETCNCQSG  120
               ||:| :|||    |    |||||| || ||| ||     || ||| ||||
Db    81  FCDFGS---PANRKIGVCTAKDGAPCIFGGTVYRSGESFQSSCKYQCTCLDG  129
```

RESULT 13

ID IBP4_SHEEP   STANDARD; PRT; 237 AA.
AC Q28893;
DT 01-NOV-1997 (REL. 35, CREATED)
DT 01-NOV-1997 (REL. 35, LAST SEQUENCE UPDATE)
DT 01-NOV-1997 (REL. 35, LAST ANNOTATION UPDATE)
DE INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 4 (IGFBP-4) (IBP-4)
DE (IGF-BINDING PROTEIN 4).
GN IGFBP4.
OS OVIS ARIES (SHEEP).
OC EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC EUTHERIA; ARTIODACTYLA.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=LIVER;
RX MEDLINE; 95151165.
RA CARR J.M., GRANT P.A., FRANCIS G.L., OWENS J.A., WALLACE J.C.,
RA WALTON P.E.;
RL J. MOL. ENDOCRINOL. 13:219-236(1994).
-!- FUNCTION: IGF-BINDING PROTEINS PROLONG THE HALF-LIFE OF THE IGFS
  AND HAVE BEEN SHOWN TO EITHER INHIBIT OR STIMULATE THE GROWTH
  PROMOTING EFFECTS OF THE IGFS ON CELL CULTURE. THEY ALTER THE
  INTERACTION OF IGFS WITH THEIR CELL SURFACE RECEPTORS.
-!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
  PROTEIN FAMILY.
DR EMBL; S77394; G944952; -.
PROSITE; PS00222; IGF_BINDING; 1.
PROSITE; PS00484; THYROGLOBULIN_1; 1.
KW GROWTH FACTOR BINDING; GLYCOPROTEIN.
FT DOMAIN 179 228 THYROGLOBULIN TYPE I.
FT CARBOHYD 104 104 POTENTIAL.
SQ SEQUENCE 237 AA; 25869 MW; C1C79FEA CRC32;

Query Match 13.0%; Score 107; DB 1; Length 237;
Best Local Similarity 34.8%; Pred. No. 9.1e-05;
Matches 24; Conservative 13; Mismatches 24; Indels 8; Gaps 3;

Qy 25 AVDCPQHCDS--SECKSSPRCKRTVLD-DCGCCRVCAAGRGETCYRTVSGMDGMKCGPGL 81
   |:|:| |||:| :|||||||||||:|:| :|||||||||||||| ||| ||||||||||
Db 3 AIHCPPCSEEKLARCRPPVGCEELVREPGCGCCATCALGKGMPC-----GVYTPDCGSGL 57

Qy 82 RCQPSNGED 90
   ||:|:||
Db 58 RCHPPRGVE 66

RESULT 14

ID IBP4_HUMAN   STANDARD; PRT; 258 AA.
AC P22692;
DT 01-AUG-1991 (REL. 19, CREATED)
DT 01-MAR-1992 (REL. 21, LAST SEQUENCE UPDATE)
DT 01-FEB-1996 (REL. 33, LAST ANNOTATION UPDATE)
DE INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 4 PRECURSOR (IGFBP-4)
DE (IGF-BINDING PROTEIN 4) (IBP-4).
GN IGFBP4 OR IBP4.
OS HOMO SAPIENS (HUMAN).
OC EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC EUTHERIA; PRIMATES.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 91186988.
RA LA TOUR D., MOHAN S., LINKHART T.A., BAYLINK D.J., STRONG D.D.;
RL MOL. ENDOCRINOL. 4:1806-1814(1990).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=PLACENTA;
RX MEDLINE; 91133415.
RA SHIMASAKI S., UCHIYAMA F., SHIMONAKA M., LING N.;
RL MOL. ENDOCRINOL. 4:1451-1458(1990).
RN [3]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 22-41.
RC TISSUE=OSTEOSARCOMA;
RX MEDLINE; 91225006.
RA KIEFER M.C., MASIARZ F.R., BAUER D.M., ZAPF J.;
RL J. BIOL. CHEM. 266:9043-9049(1991).
RN [4]
RP SEQUENCE FROM N.A.
RC TISSUE=PLACENTA;
RA STRONG D.D., MORALES S., LEE K., BOONYARATANAKORNKIT V.,
RA BAYLINK D.J., MOHAN S.;
RL SUBMITTED (FEB-1995) TO EMBL/GENBANK/DDBJ DATA BANKS.
RN [5]
RP SEQUENCE OF 22-53.
RC TISSUE=COLON;
RX MEDLINE; 91235178.
RA CUBBOUSCOU J.-M., SHOYAB M.;
RL CANCER RES. 51:2613-2819(1991).
-!- FUNCTION: IGF-BINDING PROTEINS PROLONG THE HALF-LIFE OF THE IGFS
  AND HAVE BEEN SHOWN TO EITHER INHIBIT OR STIMULATE THE GROWTH
  PROMOTING EFFECTS OF THE IGFS ON CELL CULTURE. THEY ALTER THE
  INTERACTION OF IGFS WITH THEIR CELL SURFACE RECEPTORS.
-!- BINDS IGF-II MORE THAN IGF-I.
-!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
  PROTEIN FAMILY.
DR EMBL; M38177; -; NOT_ANNOTATED_CDS.
DR EMBL; M62403; G184816; -.
DR EMBL; U20082; G695254; -.
PIR; A36549; A36549.
PIR; B37252; B37252.
PIR; B39842; B39842.
MIM; 146733;
PROSITE; PS00222; IGF_BINDING; 1.
PROSITE; PS00484; THYROGLOBULIN_1; 1.
KW GROWTH FACTOR BINDING; SIGNAL; GLYCOPROTEIN.
FT SIGNAL   1 21
FT CHAIN   22 258 INSULIN-LIKE GROWTH FACTOR BINDING
FT   PROTEIN 4.
FT DOMAIN 200 249 THYROGLOBULIN TYPE I.
FT CONFLICT 51   51 P -> A (IN REF. 1, 4 AND 5).
FT CONFLICT 198 198 I -> F (IN REF. 1 AND 4).
SQ SEQUENCE 258 AA; 58AC8AC3 CRC32;

Query Match 13.0%; Score 106.5; DB 1; Length 258;
Best Local Similarity 31.8%; Pred. No. 0.00011;
Matches 28; Conservative 22; Mismatches 29; Indels 9; Gaps 4;

Qy 6 LIITLLVPAHLVAAWSNNYAVDCPQHCDS--SECKSSPRCKRTVLD-DCGCCRVCAAGRG 62
   |:||||| ||:|:| |:|:| |||:| :|||||||||||:|:| :||||||||||
Db 6 LIVAALLAAGPGPSLGDE-AIHCPPCSEEKLARCRPPVGCEELVREPGCGCCATCALGLG 64

Qy 63 ETCYRTVSGMDGMKCGPGLRCQPSNGED 90
   |: ||||||||||||| ||:|:||
Db 65 MPC-----GVYTPRCGSGLRCYPPRGVE 87

RESULT 15

ID IBP3_PIG   STANDARD; PRT; 265 AA.
AC P16611;
DT 01-AUG-1990 (REL. 15, CREATED)
DT 01-FEB-1991 (REL. 17, LAST SEQUENCE UPDATE)
DT 01-FEB-1996 (REL. 33, LAST ANNOTATION UPDATE)
DE INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 3 (IGFBP-3) (IBP-3) (IGF-
```

```
DE   BINDING PROTEIN 3).
GN   IGFBP3
OS   SUS SCROFA (PIG).
OC   EUKARYOTA; METAZOA; CHORDATA; VERTEBRATA; TETRAPODA; MAMMALIA;
OC   EUTHERIA; ARTIODACTYLA.
RN   [1]
RP   SEQUENCE FROM N.A.
RX   MEDLINE; 90130475.
RA   SHIMASAKI S., SHIMONAKA M., UI M., INOUYE S., SHIBATA F., LING N.;
RL   J. BIOL. CHEM. 265:2198-2202(1990).
RN   [2]
RP   SEQUENCE OF 1-15.
RX   MEDLINE; 92109718.
RA   COLEMAN M.E., PAN Y.-C.E., ETHERTON T.D.;
RL   BIOCHEM. BIOPHYS. RES. COMMUN. 181:1131-1136(1991).
CC   -!- FUNCTION: IGF-BINDING PROTEINS PROLONG THE HALF-LIFE OF THE IGFS
CC       AND HAVE BEEN SHOWN TO EITHER INHIBIT OR STIMULATE THE GROWTH
CC       PROMOTING EFFECTS OF THE IGFS ON CELL CULTURE. THEY ALTER THE
CC       INTERACTION OF IGFS WITH THEIR CELL SURFACE RECEPTORS.
CC   -!- SUBUNIT: FORMS A TERNARY COMPLEX OF ABOUT 140 TO 150 KD WITH IGF-I
CC       OR IGF-II AND A 85 KD GLYCOPROTEIN (ALS).
CC   -!- SUBCELLULAR LOCATION: EXTRACELLULAR.
CC   -!- BINDS IGF-II MORE THAN IGF-I.
CC   -!- SIMILARITY: BELONGS TO THE INSULIN-LIKE GROWTH FACTOR BINDING
CC       PROTEIN FAMILY.
DR   EMBL; J05228; G164501; -.
DR   PIR; A35037; A35037.
DR   PIR; JH0516; JH0516.
DR   HSSP; P17494; 1KST.
DR   PROSITE; PS00222; IGF_BINDING; 1.
DR   PROSITE; PS00484; THYROGLOBULIN_1; 1.
KW   GROWTH FACTOR BINDING; GLYCOPROTEIN.
FT   CARBOHYD      91     91       POTENTIAL.
FT   CARBOHYD     111    111       POTENTIAL.
FT   CARBOHYD     174    174       POTENTIAL.
FT   DOMAIN       211    260       THYROGLOBULIN TYPE I.
FT   CONFLICT       5      6       VG -> A (IN REF. 2).
SQ   SEQUENCE   266 AA;  28910 MW;  53E9830D CRC32;
```

```
Query Match          12.7%;    Score 104.5;  DB 1;   Length 266;
Best Local Similarity   31.3%;  Pred. No. 0.0018;
Matches    26;  Conservative  18;  Mismatches 20;  Indels 19;  Gaps  4;

Qy     31 HCDSSECK----------SSPRCKRTVLD-DCGCCRVCAAGRGETCYRTVSGMDGMKCGPG 80
          ||:|:::         ::|  |  ||||:| ||||||| |:|||| |: ||||:|||:|
Db     12 RCEPCDARALAQCGAPPPAAPPCAELVREPGCGCCLTCALRGEQAC-----GVTERCGAG 66

Qy     81 LRCQPSNGE-----DPFGEEFGIC 99
          ||||:||::|    :::|||||  |||
Db     67 LRCQPPGEPRPLQALLDGRGIC 89
```

OM protein - protein search, using sw model

Copyright (c) 1993 - 1998 Compugen Ltd.
GenCore version 4.5

Run on: May 3, 1999, 16:59:55 ; Search time 13.05 Seconds
                                              (without alignments)
                                              528.176 Million cell updates/sec

Database :   116738 seqs, 37460341 residues

Searched:

Scoring table: PAM150

Sequence: 1 MKSVLLLTLLLVPAHLVAAW.............EVVKENAAGSPVMRKWLNPR 184
Perfect score: 918
Title:

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match Length	DB	ID	Description
1	141.5	15.4	351	2	S20078	NOV protein - chic
2	123.5	13.5	357	2	I38069	gene novH protein
3	115.5	12.6	258	2	A45403	insulin-like growt
4	114.5	12.5	271	2	I48604	insulin-like growt
5	112	12.2	271	2	A40578	beta IG-M2 protein
6	112	12.2	348	2	A53228	insulin-like growt
7	110.5	12.0	271	2	JC1463	fisp-12 protein pr
8	111	12.1	375	2	A41428	insulin-like growt
9	109.5	11.9	272	2	A53748	CEF-10 protein pre
10	109	11.9	349	2	A40551	connective tissue
11	107	11.7	237	2	I47031	insulin-like growt
12	106.5	11.6	258	2	G01662	insulin-like growt
13	106.5	11.6	258	2	B37252	insulin-like growt
14	104.5	11.4	266	2	A35037	insulin-like growt
15	104.5	11.4	271	2	JC4584	insulin-like growt
16	103.5	11.3	254	2	I48599	insulin-like growt
17	103.5	11.3	254	2	JC1164	insulin-like growt
18	103.5	11.3	379	2	A35035	cysteine-rich prot
19	101.5	11.1	291	1	IOHU3	gene CYR61 protein
20	101.5	11.1	291	1	IOHU3	insulin-like growt
21	100.5	10.9	291	2	JN0064	insulin-like growt
22	98.5	10.7	292	2	I48602	insulin-like growt
23	98	10.7	251	2	A36748	insulin-like growt
24	103	11.2	251	2	A55035	insulin-like growt
25	101.5	11.1	1801	1	MMRTS	laminin beta-2 cha
26	97	10.6	1138	1	S24066	laminin beta-2 cha
27	97	10.6	310	2	A60967	protein-tyrosine k
28	94.5	10.3	317	2	I46916	insulin-like growt
29	94	10.3	259	1	IOHU1	insulin-like growt
30	90.5	9.9	81	2	A45320	transglutaminase s
31	97.5	10.6	1136	2	S57845	protein-tyrosine k
32	87.5	9.5	111	2	B45403	insulin-like growt
33	94.5	10.3	1134	1	JN0711	protein-tyrosine k
34	94.5	10.3	1786	1	MMMSB1	laminin beta-1 cha
35	92.5	10.2	1816	1	S89960	laminin alpha-4 ch
36	93.5	10.2	1797	2	A55677	laminin beta-1 cha
37	86.5	9.4	328	1	A41927	insulin beta-1 cha
38	85.5	9.3	254	2	I48603	insulin-like growt
39	88	9.6	728	2	I50719	C-Delta-1 chicke
40	94	10.2	5147	1	IJFFTM	cadherin-related t
41	90	9.8	1639	1	MMFFB2	laminin gamma-1 ch
42	84.5	9.2	282	2	S50031	prostacyclin-stimu
43	84.5	9.2	304	2	A33274	insulin-like growt
44	84.5	9.2	305	2	I48601	insulin-like growt
45	84.5	9.2	305	2	JN0508	insulin-like growt

PIR_58:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

ALIGNMENTS

RESULT   1
S20078
NOV protein - chicken
C;Species: Gallus gallus (chicken)
C;Date: 19-Feb-1994 #sequence_revision 10-Nov-1995 #text_change 10-Sep-1997
C;Accession: S20078
R;Joliot, V.; Martinerie, C.; Dambrine, G.; Plassiart, G.; Brisac, M.; Crochet, J.; P
Mol. Cell. Biol. 12, 10-21, 1992
A;Title: Proviral rearrangements and overexpression of a new cellular gene (nov) in m
A;Reference number: S20078; MUID:92107157
A;Accession: S20078
A;Status: Preliminary
A;Molecule type: mRNA
A;Residues: 1-351 <JOL>
A;Cross-references: EMBL:X59284; NID:g63702; PID:g63703
C;Genetics:
A;Gene: NOV

Query Match   15.4%;   Score 141.5;   DB 2;   Length 351;
Best Local Similarity   31.9%;   Pred. No. 2.5e-08;
Matches   45; Conservative   17; Mismatches   38; Indels   41; Gaps   7;

Qy   3 SVLLLTLLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCK---RTVLDDCGGCCRVCAA 59
             :!!!! ! !:!!!   !!:!   !!!! !:!! ! ! !! !!!   !:!!! !!!! !!
Db   10 PVLLLLLLLLRPCEVSGR----EAACPRPCGGRCPAEPPRCGAPGVPAVLDGCGCCLVCAR 65

Qy   60 GRGETCYRTVSGMDGMKCGPGLRCQPSNG------EDPGEEFGICK-----DCPYG--- 106
             !!!   ! :!!!!!!   ! !! ! !   !   !!   !   !:!!
Db   66 QRGES--------CSPLLPCDESGGLYCDRGPED--GGGAGICMVLEGDNCVFDGM 111

Qy   106 ------TFGMDCRETCNCQSG 120
             !   ! !!!:!!:! ! !
Db   112 IYRNGETFQPSCKYQCTCRDG 132

RESULT   2
I38069
gene novH protein - human
C;Species: Homo sapiens (man)
C;Date: 17-May-1996 #sequence_revision 17-May-1996 #text_change 28-Feb-1997
C;Accession: I38069
R;Martinerie, C.; Huff, V.; Joubert, I.; Badzioch, M.; Saunders, G.; Strong, L.; Perb
Oncogene 9, 2729-2732, 1994
A;Title: Structural analysis of the human nov proto-oncogene and expression in Wilms
A;Reference number: I38069; MUID:9436229
A;Accession: I38069
A;Molecule type: DNA
A;Residues: 1-357 <RES>
A;Cross-references: EMBL:X78351; NID:g587422; PID:g825696
C;Genetics:
A;Gene: novH
A;Introns: 28/3; 104/1; 188/1; 259/3

Query Match   13.5%;   Score 123.5;   DB 2;   Length 357;
Best Local Similarity   31.8%;   Pred. No. 2.4e-06;
Matches   42; Conservative   25; Mismatches   34; Indels   31; Gaps   9;

Qy   7 LTLLLVPAHLVA--AWSNNYAVDCPQHCDSSECKSSPRCK---RTVLDDCGGCCRVCAAGR 61
             ||| ||:: | ||:: | : | :|| :| :!| :! | |:||| ||| |||| |

RESULT 3

A4543

Insulin-like growth factor-binding protein 4 - bovine

C;Species: Bos primigenius taurus (cattle)
C;Date: 10-Jun-1993 #sequence_revision 18-Nov-1994 #text_change 01-Dec-1995
C;Accession: A45403
R;Moser, D.R.; Lowe Jr., W.L.; Dake, B.L.; Booth, B.A.; Boes, M.; Clemmons, D.R.; Bar, R
Mol. Endocrinol. 6, 1805-1814, 1992
A;Title: Endothelial cells express insulin-like growth factor-binding proteins 2 to 6.
A;Reference number: A45403; MUID:93125553
A;Accession: A45403
A;Status: preliminary
A;Molecule type: mRNA; protein
A;Residues: 1-258 <MOS>
A;Experimental source: pulmonary artery endothelial cells
A;Note: sequence extracted from NCBI backbone (NCBIN:122183, NCBIP:122184)
C;Superfamily: thyroglobulin type I repeat homology
F;174-249/Domain: thyroglobulin type I repeat homology <THY1>

Query Match   12.6%; Score 115.5; DB 2; Length 258;
Best Local Similarity   32.3%;   Pred. No. 1.4e-05;
Matches   30; Conservative   24; Mismatches 30; Indels   9; Gaps   4;

Qy   1 MKSVLLITTLLVPAHLVAAWSNNYAVDCPQHCDS--SECKSSPRCKRTVLD-DCGGCRVC 57
              ::::| |:||::|||||| |::||| : || | |||:|||::|| | ::| ||||:||
Db   1 MLSLCLMAALLLAAGPGPSIGDE-AIHCPPCSEEKLARCRPVGCEELVREPGCGGCCATC 59

Qy   58 AAGRGETCYRTVSGMDGMKCGPGLRCQPSNGED 90
              :| :||:|| |::|||||||:|:| :: ::|
Db   60 ALGKGMPC-----GVYTPRCGSGLRCYPPRGVE 87

RESULT 4

I48604

Insulin-like growth factor binding protein 5 precursor - mouse

C;Species: Mus musculus (house mouse)
C;Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 10-Sep-1997
C;Accession: I48604; A48699; A54259 <RES>
R;James, P.L.; Jones, S.B.; Busby Jr., W.H.; Clemmons, D.R.; Rotwein, P.
J. Biol. Chem. 268, 22305-22312, 1993
R;Schuller, A.G.; Groffen, C.; van Neck, J.W.; Zwarthoff, E.C.; Drop, S.L.
Mol. Cell. Endocrinol. 104, 57-66, 1994
A;Title: cDNA cloning and mRNA expression of the six mouse insulin-like growth factor bi
A;Reference number: I48600; MUID:95121750
A;Accession: I48604
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-271 <RES>
A;Cross-references: EMBL:X81583; NID:g550384; PID:g550385
A;Accession: A48699
A;Title: A highly conserved insulin-like growth factor-binding protein (IGFBP-5) is expr
A;Reference number: A48699
A;Accession: A48699
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-271 <JAM>
A;Cross-references: GB:L12447; NID:g4254405; PID:g293384
A;Accession: A54259
R;Kou, K.; Jenkins, N.A.; Gilbert, D.J.; Copeland, N.G.; Rotwein, P.
Genomics 20, 412-418, 1994
A;Title: Organization, expression, and chromosomal location of the mouse insulin-like gr
A;Accession: A54259

RESULT 5

A40578

beta IG-M2 protein precursor - mouse

C;Species: Mus musculus (house mouse)
C;Date: 06-Mar-1992 #sequence_revision 06-Mar-1992 #text_change 20-Mar-1998
C;Accession: A40578
R;Brunner, A.; Chinn, J.; Neubauer, M.; Purchio, A.F.
DNA Cell Biol. 10, 293-300, 1991
A;Title: Identification of a gene family regulated by transforming growth factor-beta
A;Reference number: A40578; MUID:91229699
A;Accession: A40578
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-348 <BRU>
A;Cross-references: GB:M80263; NID:g201945; PID:g201946

Query Match   12.5%; Score 114.5; DB 2; Length 271;
Best Local Similarity   28.7%;   Pred. No. 1.9e-05;
Matches   27; Conservative   20; Mismatches 26; Indels   21; Gaps   3;

Qy   4 VLLLTTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRTVLD------DCGGCRV 56
              :|||:|||::|||||| |::||| :::::::::::::::::HCEPCDEKALSMCPPSPLGCELVKEPGCGCCWT 57
Db   7 LILLAAYAVPAQGLGSFV--------------------HCEPCDEKALSMCPPSPLGCELVKEPGCGCCWT 57

Qy   57 CAAGRGETCYRTVSGMDGMKCGPGLRCQPSNGED 90
              |: ||::| ::: :::||:
Db   58 CALAEGQSC------GVYTERCAQGLRCLPRQDEE 86

RESULT 6

A53228

fisp-12 protein precursor - mouse

C;Species: Mus musculus (house mouse)
C;Date: 19-May-1994 #sequence_revision 19-May-1994 #text_change 10-Sep-1997
C;Accession: A53228
R;Ryseck, R.P.; Macdonald-Bravo, H.; Mattei, M.G.; Bravo, R.
Cell Growth Differ. 2, 225-233, 1991
A;Title: Structure, mapping, and expression of fisp-12, a growth factor-inducible gen
A;Reference number: A53228
A;Accession: A53228
A;Status: preliminary
A;Molecule type: DNA
A;Residues: 1-348 <RYS>
A;Cross-references: GB:M70641; NID:g193313; PID:g193314
C;Genetics:
A;Gene: fisp-12

Query Match   12.2%; Score 112; DB 2; Length 348;
Best Local Similarity   30.4%;   Pred. No. 4.0e-05;
Matches   34; Conservative   15; Mismatches 35; Indels   28; Gaps   7;

Qy   27 DCPQHCDSSECKSSPRCK---RTVLDDCGGCRVCAAGRGETCYRTVSGMDGMKCGP--GL 81
              ||| :| | :::| | ||||:||| ||:::::||| :|:::: :::||:|::|
Db   27 DCSAQCQCAA-ERAPHCPAGVSLVLDGGCGCCRVCAKQLGELC-----TERDPCDPHKGL 79

Qy   82 RCQPSNGEDPFGEEFGICKD-------CPYG-------TFGMCRETCNCQSG 120
              || |: :|||: :::::|| |||:   :|||||||||||
Db   80 FCDEGS---PANRKIGVCTAKDGAPCVFGGSVVRSGESFQSSCKYQCTCLDG 128

Query Match   12.2%; Score 112; DB 2; Length 348;
Best Local Similarity   30.4%;

Matches   34;   Conservative   15;   Mismatches   35;   Indels   28;   Gaps   7;

```
Qy    27  DCPQHCDSSECKSSPRCK---RTVLDDGDGCCRVCAAGRGETCYRTVSGMDGMKCGP--GL 81
             ||:|   |:|:|::  |:|:| |||||||||||||||||||||||||||||||||  ||
Db    27  DCSAQCQCAA-EAAPHCPAGVSLVLDGCGCCRVCAKQLGELC----TERDPCDPHKGL 79

Qy    82  RCQPSNGEDPFGEEFGICKD-----CPYG-------TFGMDCRETCNCQSG 120
             |:|                ||:|          |:|||:|||||||||
Db    80  FCDFGS--PANRKIGVCTAKDGAPCVFGGSVYRSGESFQSSCKYQCTCLDG 128
```

RESULT   7

JC1463

insulin-like growth factor-binding protein 5 precursor - rat

C;Species: Rattus norvegicus (Norway rat)

C;Date: 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 10-Sep-1997

C;Accession: JC1463; A40403; F40403

R;Zhu, X.; Ling, N.; Shimasaki, S.

Biochem. Biophys. Res. Commun. 190, 1045-1052, 1993

A;Title: Cloning of the rat insulin-like growth factor binding protein-5 gene and DNA s

A;Reference number: JC1463

A;Accession: JC1463

A;Molecule type: DNA

A;Residues: 1-271 <ZHU>

A;Accession: F40403

A;Status: preliminary

A;Molecule type: protein

A;Residues: 20-25,'X',27-28,'X',30-36,'X',38-43,'X',45-51,'X',53,'XX' <SH2>

A;Genetics:

J. Biol. Chem. 266, 10646-10653, 1991

R;Shimasaki, S.; Shimonaka, M.; Zhang, H.P.; Ling, N.

A;Cross-references: GB:L08275

A;Introns: 112/3; 188/3; 228/3

C;Superfamily: thyroglobulin type I repeat homology

F;1-19/Domain: signal sequence #status predicted <SIG>

F;20-271/Product: insulin-like growth factor binding protein 5 #status predicted <MAT>

F;191-262/Domain: thyroglobulin type I repeat homology <THY1>

A;Accession: A40403

A;Reference number: A40403

A;Molecule type: mRNA

A;Residues: 1-271 <SHI>

A;Cross-references: GB:M62781; NID:g204745; PID:g204746

RESULT   8

A4148

CEF-10

C;Species: Gallus gallus (chicken)

C;Date: 03-Apr-1992

C;Accession: A41428

Proc. Natl. Acad. Sci. U.S.A. 86, 1178-1182, 1989

R;Simmons, D.L.; Levy, D.B.; Yannoni, Y.; Erikson, R.L.

A;Title: Identification of a phorbol ester-repressible v-src-inducible gene.

A;Reference number: A41428; MUID:89145206

A;Accession: A41428

A;Status: preliminary

A;Molecule type: mRNA

A;Residues: 1-375 <SIM>

A;Cross-references: GB:J04496; NID:g211435; PID:g211436

Query Match   12.0%;   Score 110.5;   DB 2;   Length 271;
Best Local Similarity   28.7%;   Pred. No. 5.3e-05;
Matches   27;   Conservative   20;   Mismatches   26;   Indels   21;   Gaps   3;

```
Qy    4   VLLLTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRTVLD-------DCGCCRV 56
             ||||:   ||:|  :|       |||||||||||||||||||:|       |||| 
Db    7   LLLLLAACAVPAQGLGSFV---------HCEPCDEKALSMCPPSPLGCELVKEPGCGCCMT 57
```

protein precursor - chicken

#sequence_revision 03-Apr-1992 #text_change 10-Sep-1997

```
Qy    57  CAAGRGETCYRTVSGMDGMKCCPGLRCQPSNGED 90
             |:| ||:                    
Db    58  CALAEGQC-------GVYIERCAQGLRCLPRODEE 86
```

Query Match   12.1%;   Score 111;   DB 2;   Length 375;
Best Local Similarity   29.1%;   Pred. No. 6e-05;
Matches   39;   Conservative   19;   Mismatches   40;   Indels   36;   Gaps   9;

```
Qy    6   LLTLLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRT--VLDDGDGCCRVCAAGRG 62
             |:||  |         ||:||  ||||||||||||:|:||  ::|||||||||||||||
Db    10  LAAALLCLARLALGSP-----CPAVCQCPA--AAPQCAPGVGLVPDGCGCCKVCAKQLN 61

Qy    63  ETCYRTVSGMDGMKCGP--GLRCQPSNGEDPFGEEFGICKD-----CPYG------T 106
             ||||||||||||||    |:|                   ::|          :
Db    62  EDCSRTQP-------CDHTRGLEC--NFGASPAATN-GICRAQSEGRPCEYNSKIYQNGES 112

Qy    107 FGMDCRETCNCQSG 120
             |:||||||||||||
Db    113 FQPNCKHQCTCLDG 126
```

RESULT   9

A53748

insulin-like growth factor-binding protein 5 precursor - human

N;Alternate names: IGFBP-5

C;Species: Homo sapiens (man)

C;Date: 06-Jan-1995 #sequence_revision 31-Dec-1995 #text_change 20-Mar-1998

C;Accession: A53748; B40403; JH0391; PH0143

R;Allander, S.V.; Larsson, C.; Ehrenborg, E.; Suwanichkul, A.; Weber, G.; Morris, S.L.

J. Biol. Chem. 269, 10891-10898, 1994

A;Title: Characterization of the chromosomal gene and promoter for human insulin-like

A;Accession: A53748

A;Reference number: A53748

A;Molecule type: DNA

A;Residues: 1-272 <ALL>

A;Cross-references: GB:L27556; GB:L27557; GB:L27558; GB:L27559; NID:g452057; PID:g505

R;Shimasaki, S.; Shimonaka, M.; Zhang, H.P.; Ling, N.

J. Biol. Chem. 266, 10646-10653, 1991

A;Title: Identification of five different insulin-like growth factor binding proteins

A;Accession: B40403; MUID:91244847

R;Kiefer, M.C.; Ioh, R.S.; Bauer, D.M.; Zapf, J.

Biochem. Biophys. Res. Commun. 176, 219-225, 1991

A;Title: Molecular cloning of a new human insulin-like growth factor binding protein.

A;Reference number: JH0391; MUID:91207396

A;Accession: JH0391

A;Molecule type: mRNA

A;Residues: 1-272 <KIE>

A;Cross-references: GB:M65062; NID:g184819; PID:g184820

R;Andress, D.L.; Birnbaum, R.S.

Biochem. Biophys. Res. Commun. 176, 213-218, 1991

A;Title: A novel human insulin-like growth factor binding protein secreted by osteobl

A;Reference number: PH0143; MUID:91207395

A;Accession: PH0143

A;Molecule type: protein

A;Residues: 24-37,'X',39-41,'X',43 <AND>

A;Comment: Insulin-like growth factors occur in serum and other biological fluids com

A;Gene: GDB:IGFBP5

C;Cross-references: GDB:126837

A;Map position: 17q12-17q21

C;Superfamily: thyroglobulin type I repeat homology

F;1-23/Domain: signal sequence #status predicted <SIG>

F;24-272/Product: insulin-like growth factor-binding protein 5 #status predicted <IGF

F;192-263/Domain: thyroglobulin type I repeat homology <THY1>

A;Experimental source: placenta

A;Cross-references: GB:M62782; NID:g184817; PID:g184818

A;Reference number:

A;Experimental source: osteosarcoma

Query Match   11.9%;   Score 109.5;   DB 2;   Length 272;

```
RESULT 10
A40551
connective tissue growth factor - human
C;Species: Homo sapiens (man)
C;Date: 17-Jul-1992 #sequence_revision 17-Jul-1992 #text_change 20-Mar-1998
C;Accession: A40551; S44205
R;Bradham, D.M.; Igarashi, A.; Potter, R.L.; Grotendorst, G.R.
J.Cell Biol. 114, 1285-1294, 1991
A;Title: Connective tissue growth factor: a cysteine-rich mitogen secreted by human vasc
A;Reference number: A40551; MUID:91373462
A;Accession: A40551
A;Molecule type: mRNA
A;Residues: 1-349 <BRA>
R;Oemar, B.S.; Werner, A.; Yang, Z.; Garnier, J.M.; Gentz, R.; Luescher, T.F.
submitted to the EMBL Data Library, April 1994
A;Description: Differential cloning and expression of human connective tissue growth fac
A;Reference number: S44205
A;Accession: S44205
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-349 <OEM>
A;Cross-references: EMBL:X78947; NID:g474933; PID:g474934

Query Match             11.9%;  Score 109; DB 2;  Length 349;
Best Local Similarity   30.4%;  Pred. No. 9.4e-05;
Matches   34;  Conservative  14;  Mismatches  36;  Indels  28;  Gaps  7;

Qy   27 DCPQHCDSSECKSSPRCK---RTVLDDCGCCRVCAAGRGETCYRTVSGMDGMKCGP--GL 81
           |||  ||| ||  |  |||     ||||||||||  |  ||  | |||||| |||   ||
Db   28 NCSGPCRCPD-EPAPRCPAGVSLVLDGGCCRVCAKQLGELC-----TERDPHKGL 80

Qy   82 RCQPSNGEDPFGEEFGICKD-----CPYG--------TFGMDCRETCNCQSG 120
           ||||||| |   |  ||          ||  | |||  | |  |  | |
Db   81 FCDFGS--PANRKIGVCTAKIDGAPCIFGGTVYRSGESFQSSCKYQCTCLDG 129
```

```
RESULT 11
I47031
insulin-like growth factor-binding protein-4 - sheep (fragment)
C;Species: Ovis sp. (sheep)
C;Date: 15-Oct-1996 #sequence_revision 15-Oct-1996 #text_change 10-Oct-1997
C;Accession: I47031
R;Carr, J.M.; Grant, P.A.; Francis, G.L.; Owens, J.A.; Wallace, J.C.; Walton, P.E.
J.Mol.Endocrinol. 13, 219-236, 1994
A;Title: Isolation and characterization of ovine IGFBP-4: protein purification and cDNA
A;Reference number: I47031; MUID:95151165
A;Accession: I47031
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: mRNA
A;Residues: 1-237 <CAR>
A;Cross-references: GB:S77394; NID:g944951; PID:g944952
C;Superfamily: thyroglobulin type I repeat homology
F;153-228/Domain: thyroglobulin type I repeat homology <THY1>

Query Match             11.7%;  Score 107; DB 2;  Length 237;
Best Local Similarity   34.8%;  Pred. No. 0.00012;
Matches   24;  Conservative  13;  Mismatches  24;  Indels  8;  Gaps  3;
```

```
RESULT 12
G01662
insulin-like growth factor binding protein-4 - human
C;Species: Homo sapiens (man)
C;Date: 21-Dec-1995 #sequence_revision 06-Jun-1997 #text_change 17-Jul-1998
C;Accession: G01662
R;Strong, D.D.
submitted to the EMBL Data Library, February 1995
A;Reference number: G08078
A;Accession: G01662
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-258 <STR>
A;Cross-references: EMBL:U20982; NID:g695253; PID:g695254
A;Gene: GDB:IGFBP4
C;Genetics:
A;Gene: GDB:IGFBP4
A;Cross-references: GDB:126811; OMIM:146733
A;Map position: 17q12-17q21
A;Introns: 117/1; 169/3; 214/3

Query Match             11.6%;  Score 106.5; DB 2;  Length 258;
Best Local Similarity   31.8%;  Pred. No. 0.00014;
Matches   28;  Conservative  22;  Mismatches  29;  Indels  9;  Gaps  4;

Qy    6 LLITLLLVPAHLVAAWSNNYAVDCPQHCDS--SECKSSPRCKRTVLD-DGGCCRVCAAGRGETCYRTVSGMDGMKCGPGL 81
          |:::||||:|| |||||||| ||||| ||    |:|| ||| | |||  |||||||||  || |  |||||||||||||
Db    6 LVAALLLAAGPGPSLGDE-AIHCPPCSEEKLARCRPPVGCEELVREAGCGCCATCALGLG 90

Qy   63 ETCYRTVSGMDGMKCGPGLRCQPSNGED 90
          || || ||||:| ||  | |||||| |
Db   65 MPC-----GVYTPRCGSGLRCYPPRGVE 87
```

```
RESULT 13
B37252
insulin-like growth factor-binding protein 4 precursor - human
N;Alternate names: IGFBP-4; inhibitory insulin-like growth factor-binding protein; In
C;Species: Homo sapiens (man)
C;Date: 28-Mar-1991 #sequence_revision 28-Mar-1991 #text_change 13-Sep-1998
C;Accession: B37252; B39842; A36549; A60712; A54650; A49801; A34419
R;Shimasaki, S.; Uchiyama, F.; Shimonaka, M.; Ling, N.
Mol.Endocrinol. 4, 1451-1458, 1990
A;Title: Molecular cloning of the cDNAs encoding a novel insulin-like growth factor-b
A;Reference number: A37252; MUID:91133415
A;Accession: B37252
A;Status: not compared with conceptual translation
A;Molecule type: mRNA
A;Residues: 1-258 <SHI>
R;Kiefer, M.C.; Masiarz, F.R.; Bauer, D.M.; Zapf, J.
J.Biol.Chem. 266, 9043-9049, 1991
A;Title: Identification and molecular cloning of two new 30-kDa insulin-like growth f
A;Reference number: A39842; MUID:91225006
A;Accession: B39842
A;Molecule type: mRNA
A;Residues: 1-258 <KIE>
R;LaTour, D.; Mohan, S.; Linkhart, T.A.; Baylink, D.J.; Strong, D.D.
Mol.Endocrinol. 4, 1806-1814, 1990
A;Title: Inhibitory insulin-like growth factor-binding protein: cloning, complete seq
A;Reference number: A36549; MUID:91186988
A;Accession: A36549
A;Molecule type: mRNA
A;Residues: 1-50,'A',52-197,'F',199-258 <LAT>
```

```
Qy    4 VLLITLLLVPAHLVAAWSNNYAVDCPQHCDSSSECKSSPRCKRTVLD------DCGCCRV 56
          :||| |||:::|: |   |  |   |||    |: | ||  |  |          |||||
Db    8 LILLAAYAGPAQSLGSFV--------HCEPCDEKALSMCPPSPLGCELVKEPGCGCCMT 58

Qy   57 CAAGRGETCYRTVSGMDGMKCGPGLRCQPSNGED 90
          |  | |   |  ||  | | |||| |  |: |
Db   59 CALAEGQSC----GVYTERCAQGIRCLPRQDEE 87
```

```
Qy   25 AVDCPQHCDS--SECKSSPRCKRTVLD-DGGCCRVCAAGRGETCYRTVSGMDGMKCGPGL 81
          | || |||    ||:||| ||| | |||  ||||||||  ||| |  |||||||||||||
Db    3 AIHCPCSEEKLARCRPPVGCEELVREPGGGCCATCALGKGMPC-----GVYTPDCGSGL 57
```

```
Qy   82 RCQPSNGED 90
          || |: |
Db   58 RCHPPRGVE 66
```

```
Qy    6 LLITLLLVPAHLVAAWSNNYAVDCPQHCDS--SECKSSPRCKRTVLD-DGGCCRVCAAGRGETCYRTVSGMDGMKCGPGL 81
          |:::||||:|| |||||||| ||||| ||    |:|| ||| | |||  |||||||||  || |  |||||||||||||
Db    3 AIHCPCSEEKLARCRPPVGCEELVREPGGGCCATCALGKGMPC-----GVYTPDCGSGL 57
```

```
Qy   82 RCQPSNGED 90
          || |: |
Db   58 RCHPPRGVE 66
```

```
Qy    6 LVITLLLVPAHLVAAWSNNYAVDCPQHCDS--SECKSSPRCKRTVLD-DGGCCRVCAAGRGETCYRTVSGMDGMKCGPGL 81
          |:::||||:|| |||||||| ||||| ||    |:|| ||| | |||  |||||||||  || |  |||||||||||||
Db    6 LVAALLLAAGPGPSLGDE-AIHCPPCSEEKLARCRPPVGCEELVREAGCGCCATCALGLG 90
```

```
Qy   63 ETCYRTVSGMDGMKCGPGLRCQPSNGED 90
          || || ||||:| ||  | |||||| |
Db   65 MPC-----GVYTPRCGSGLRCYPPRGVE 87
```

R:Perkel, V.S.; Mohan, S.; Baylink, D.J.; Linkhart, T.A.
J. Clin. Endocrinol. Metab. 71, 533-535, 1990
A;Title: An inhibitory insulin-like growth factor binding protein (In-IGFBP) from human
A;Reference number: A60712
A;Accession: A60712
A;Molecule type: protein
A;Residues: 22-26,'X',28-29,'X',31-35 <PER>
R;Mohan, S.; Baylink, D.J.
Growth Regul. 1, 110-118, 1991
A;Title: Evidence that the inhibition of TE85 human bone cell proliferation by agents wh
A;Reference number: A54650; MUID:9309814
A;Accession: A54650
A;Molecule type: protein
A;Residues: 22-29,'X',31-42 <MOH>
A;Note: sequence extracted from TE85 osteosarcoma cells
R;Culouscou, J.M.; Shoyab, M.
Cancer Res. 51, 2813-2819, 1991
A;Title: Purification of a colon cancer cell growth inhibitor and its identification as
A;Reference number: A49801
A;Accession: A49801
A;Molecule type: protein
A;Residues: 22-53 <CUL>
A;Experimental source: colon adenocarcinoma cells
R;Mohan, S.; Bautista, C.M.; Wergedal, J.; Baylink, D.J.
Proc. Natl. Acad. Sci. U.S.A. 86, 8338-8342, 1989
A;Title: Isolation of an inhibitory insulin-like growth factor (IGF) binding protein fro
A;Reference number: A34419; MUID:9004679z
A;Accession: A34419
A;Molecule type: protein
A;Residues: 22-29,'X',34-36 <MO2>
A;Genetics:
A;Gene: GDB:IGFBP4
A;Cross-references: GDB:126811; OMIM:146733
A;Map position: 17q12-17q21
A;Superfamily: thyroglobulin type I repeat homology
A;Keywords: glycoprotein
F;1-21/Domain: signal sequence #status predicted <SIG>
F;22-258/Product: insulin-like growth factor-binding protein 4 #status experimental
F;174-249/Domain: thyroglobulin type I repeat homology <THYI>
F;125/Binding site: carbohydrate (Asn) (covalent) #status experimental

Query Match   11.6%;   Score 106.5;   DB 2;   Length 258;
Best Local Similarity   31.8%;   Pred. No. 0.00014;
Matches   28;   Conservative   22;   Mismatches   29;   Indels   9;   Gaps   4;

Qy   6 LLITTLLVPAHLVAAWSNNYAVDCPQHCDS--SECKSSPRCKRTVLD-DCGCCRVCAAGRG 62
             |:::|||::| |::| ::| : : || | | ||| | |||||||| ||||||||||:|:
Db   6 LVAALLLAAGPGSLGDE-AIHCPPCSEEKLARCRPPVGCEELVREPGCGCCMATCALGLG 64

Qy   63 ETCYRTVSGMDGMKCGPGLRCQPSNGED 90
             :|||||||||||||||||||| :|
Db   65 MPC------GVYTPRCGSGLRCYPPRGVE 87

A35037
Insulin-like growth factor-binding protein 3 homolog - pig
C;Species: Sus scrofa domestica (domestic pig)
C;Date: 20-Jul-1990 #sequence_revision 20-Jul-1990 #text_change 01-Dec-1995
C;Accession: A35037
R;Shimasaki, S.; Shimonaka, M.; Ui, M.; Inoue, S.; Shibata, F.; Ling, N.
J. Biol. Chem. 265, 2198-2202, 1990
A;Title: Structural characterization of a follicle-stimulating hormone action inhibitor
A;Reference number: A35037; MUID:90130475
A;Accession: A35037
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-266 <SHI>
A;Cross-references: GB:J05228
C;Superfamily: insulin-like growth factor binding protein 1; thyroglobulin type I repeat
F;188-260/Domain: thyroglobulin type I repeat homology <THYI>

Query Match   11.4%;   Score 104.5;   DB 2;   Length 266;
Best Local Similarity   31.8%;   Pred. No. 0.00024;
Matches   26;   Conservative   18;   Mismatches   20;   Indels   19;   Gaps   4;

Qy   31 HCDSSECK--------SSPRCKRTVLD-DCGCCRVCAAGRGETCYRTVSGMDGMKCCGPG 80
             | |:|:|| |:| ||||||| ||||||||||:|||||||||||||||:||||
Db   12 RCEPCDARALAQCAPPRAAPPCAEIVREPGCGCCLTCALREGQAC-----GVYTERCGAG 66

Qy   81 LRCQPSNGE-----DPFGEEFGIC 99
             |||||| | :| |||||||
Db   67 LRCQPPPGEPRPLQAILDGRGIC 89

JC4584
Insulin-like growth factor binding protein-5 - pig
C;Species: Sus scrofa domestica (domestic pig)
C;Date: 10-Apr-1996 #sequence_revision 24-May-1996 #text_change 10-Oct-1997
C;Accession: JC4584; G23734
R;White, M.E.; Diao, R.; Hathaway, M.R.; Mickelson, J.; Dayton, W.R.
Biochem. Biophys. Res. Commun. 218, 248-253, 1996
A;Title: Molecular cloning and sequence analysis of the porcine insulin-like growth f
A;Reference number: JC4584
A;Accession: JC4584
A;Molecule type: mRNA
A;Residues: 1-271 <WHI>
A;Cross-references: GB:U41340; NID:g1173906; PID:g1173907
A;Experimental source: skeletal muscle
R;Shimasaki, S.; Gao, L.; Shimonaka, M.; Ling, N.
Mol. Endocrinol. 5, 938-948, 1991
A;Title: Isolation and molecular cloning of insulin-like growth factor-binding protei
A;Reference number: G23734; MUID:92049376
A;Accession: G23734
A;Molecule type: protein
A;Residues: 20-25,'X',27-28,'X',30-36,'X',38-39 <SHI>
A;Comment: This protein has essential roles in the regulation and coordination of ins
lays a role during myoblast proliferation and differentiation, and is important in th
C;Superfamily: thyroglobulin type I repeat homology
C;Keywords: differentiation; growth factor; skeletal muscle
F;1-19/Domain: signal sequence #status predicted <SIG>
F;20-271/Product: insulin-like growth factor binding protein-5 #status experimental <
F;191-262/Domain: thyroglobulin type I repeat homology <THYI>

Query Match   11.4%;   Score 104.5;   DB 2;   Length 271;
Best Local Similarity   27.7%;   Pred. No. 0.00024;
Matches   26;   Conservative   20;   Mismatches   27;   Indels   21;   Gaps   3;

Qy   4 VLLITTLLVPAHLVAAWSNNYAVDCPQHCDSSECKSSPRCKRTVLD------DCGCCRV 56
             :|||| |:|||||::::: ||| | |: | :| ||:::|||||| ||||||
Db   7 LILLAACAGPAQGLGSFV------HCEPCDEKALSMCPPSPLGCELVKDPGCGCCMT 57

Qy   57 CAAGRGETCYRTVSGMDGMKCCGPGLRCQPSNGED 90
             | || : |:||||||||||||||||||||||||||
Db   58 CALAEGQSC-----GVYTERCAQGLRCLPRQDEE 86

Search completed: May 3, 1999, 17:16:49
Job time: 1014 sec

THIS PAGE BLANK (USPTO)

OM nucleic - nucleic search, using sw model

Run on: May 3, 1999, 22:52:08 ; Search time 49.71 Seconds

Copyright (c) 1993 - 1998 Compugen Ltd.

GenCore version 4.5

Title: US-09-037-460-1_COPY_61_609
Perfect score: 549
Sequence: 1 AAGAGCGTGCTTGCTGCCTGAC..........GGAAATGGTTAAAATCCACGC 549
Scoring table: IDENTITY_NUC
Searched: 240622 seqs, 9406560g residues
Database :   N_Geneseq_34:*

                (without alignments)
                2077.732 Million cell updates/sec

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match Length	DB	ID	Description
1	549	100.0	1271	1	T34991	Vascular IBP-like
2	36.4	6.6	2267	1	T94700	Murine F1spl2 cDNA
3	36.4	6.6	2330	1	Q26422	Gene for beta-IG-M
4	34.4	6.3	230	1	Q36033	Chicken nov gene e
5	35.8	6.5	1975	1	Q36031	Chicken nov coding
6	35.2	6.4	2075	1	T04226	Connective tissue
7	35.2	6.4	2075	1	T51234	Connective tissue
8	35.2	6.4	2075	1	T45360	Human connective t
9	35.2	6.4	2075	1	V38085	Connective tissue
10	35.2	6.4	4212	1	V65380	Human connective t
11	35.2	6.4	4214	1	T58534	Connective tissue
12	35.2	6.4	4214	1	T59618	Human connective t
13	33.8	6.2	1285	1	V29260	Human connective t
14	32.8	6.0	684	1	Q36032	Chicken nov gene f
15	31.8	5.8	1614	1	T40206	Tobacco lycopene c
16	31	5.6	1182	1	T99142	Tobacco lycopene c
17	30	5.5	456	1	V46272	S-adenosylmethion1
18	30.4	5.5	993	1	T18036	Human cortistatin
19	30.8	5.6	2319	1	V64070	Transglutaminase c
20	29.8	5.4	1644	1	V42967	Arabidopsis thalia
21	29.8	5.4	1644	1	T98604	Streptococcus pneu
22	29.4	5.4	960	1	T88154	DNA encoding a S.
23	29.4	5.4	960	1	T88155	S. marcesens Ssp-h
24	29.4	5.4	1594	1	T35787	S. marcesens Ssp-h
25	29.2	5.4	295	1	Q75102	Human retinoid X r
26	28	5.1	269	1	V38066	Human lung tissue
27	28	5.1	397	1	Q94045	Plasmid pOKSC6f co
28	28.2	5.1	266	1	T38906	Human ALD gene exo
29	27.8	5.1	275	1	T38906	B2-bradykinin rece
30	27.8	5.1	275	1	T38907	B2-bradykinin rece
31	28.8	5.2	1401	1	T38908	Human T1 receptor-
32	28	5.1	507	1	V17721	B2-bradykinin rece
33	29	5.3	2329	1	V38069	Human lung tissue
34	28	5.1	519	1	V27366	Streptococcus pneu
35	27.4	5.0	259	1	V38070	Human lung tissue
36	27.4	5.0	201	1	T21156	Human lung tissue
37	28.8	5.2	2284	1	N70194	Signal portion of
38	27	4.9	171	1	T31461	Mycobacterial ahpc
39	27.4	5.0	328	1	T25612	Human gene signatu
40	28.4	5.2	1553	1	T20818	Human gene signatu
41	27.8	5.1	738	1	V43618	Human secreted pro
42	28	5.1	1124	1	V27046	Mouse neurogenin 1
43	28	5.1	1124	1	Q94159	Prostaglandin I2 (
44	27.6	5.0	632	1	Q36034	Prostaglandin I2 (
45	26.4	4.8	119	1	T25514	Chicken nov gene f
						Human gene signatu

ALIGNMENTS

RESULT   1

ID   T34991 standard; cDNA; 1271 BP.
AC   T34991;
DT   06-NOV-1996 (first entry)
DE   Vascular IBP-like growth factor cDNA.
KW   Vascular IBP-like growth factor binding protein; VIGF;
KW   insulin-like growth factor binding protein; agonist; antagonist;
KW   muscle wasting; osteoporosis; implant fixation; wound healing;
KW   therapy; diagnosis; ss.
OS   Homo sapiens.

FH	Key	Location/Qualifiers
FH		
FT	cds	58..612
FT		/*tag= d
FT		/note= "base 653 is given as y in the
FT		specification"
FT	misc_difference	1096
FT		/*tag= a
FT		/note= "base 1096 is given as r in the
FT		specification"
FT	signal_peptide	58..120
FT		/*tag= b
FT	mat_peptide	121..609
FT		/*tag= c
FT	misc_difference	1212
FT		/*tag= f
FT		/note= "base 1212 is given as n in the
FT		specification"
FT	misc_difference	1225
FT		/*tag= g
FT		/note= "base 1225 is given as y in the
FT		specification"
FT	misc_difference	1255
FT		/*tag= h
FT		/note= "base 1255 is given as n in the
FT		specification"
FT	misc_difference	1259
FT		/*tag= i
FT		/note= "base 1259 is given as n in the
FT		specification"
FT	misc_difference	1261
FT		/*tag= j
FT		/note= "base 1261 is given as n in the
FT		specification"
FT	misc_difference	1265
FT		/*tag= k
FT		/note= "base 1265 is given as n in the
FT		specification"

PN   WO9617931-A1.
PD   13-JUN-1996.
PF   09-DEC-1994; WO-U14388.
PR   09-DEC-1994; US-U14388.
PA   (HUMA-) HUMAN GENOME SCI INC.
PI   Hastings GA, Rosen CA;
DR   WPI; 96-287176/29.
DR   P-PSDB; R98994.
PT   Human vascular insulin-like growth factor binding protein-like
PT   growth factor, and its nucleic acid sequence and (ant)agonists -
PT   used, e.g. to treat muscle wasting diseases or aid implant fixation,
PT   or limit excess connective tissue prodn. during wound healing.
PS   Claim 1; Page 42-43; 61pp; English.
CC   A cDNA clone (T34991) codes for human vascular insulin-like
CC   growth factor binding protein-like growth factor (R98994).
CC   or VIGF, a protein structurally related to the IBP and CCN

```
CC  families. It was discovered in a cDNA library derived from human
CC  umbilical vein endothelial cells. The cDNA can be used for
CC  prodn. of recombinant VIGF, e.g. by expression in E.coli, CHO
CC  or insect host cells. It is also useful therapeutically e.g.
CC  to treat muscle wasting diseases or osteoporosis, or to design
CC  probes for the detection of diseases associated with under- or
CC  over-expression of VIGF.
SQ  Sequence 1271 BP;  360 A;  246 C;  337 G;  320 T;

Query Match       100.0%;  Score 549;  DB 1;  Length 1271;
Best Local Similarity  100.0%;
Matches  549;  Conservative   0;  Mismatches   0;  Indels   0;  Gaps   0;

Qy      1 AAGAGGCGTCTTGCGTGCTGGTGACCAACGCGTCCTCGTTCGTGTGGCCGGCCTCGGAGC 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     61 AAGAGGCGTCTTGCGTGCTGGTGACCAACGCGTCCTCGTTCGTGTGGCCGGCCTCGGAGC 120

Qy     61 AATAATTATTGCGGTGACTGCCCTCAACACACTGTGACAGTGAGTGCAAAAGCAGCCCG 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    121 AATAATTATTGCGGTGACTGCCCTCAACACACTGTGACAGTGAGTGCAAAAGCAGCCCG 180

Qy    121 CGCTCGAAGAGGACAGTGCTCGACGACTGTGGCGTTGCGCTGCGGCGCTGCAGGGGCGG 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    181 CGCTCGAAGAGGACAGTGCTCGACGACTGTGGCGTTGCGCTGCGGCGCTGCAGGGGCGG 240

Qy    181 GGAGAAAACTTGCTACCGCACAGTCTTCAGGCAGTGCATGGAATGGAGACTGTGGCCCTG 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    241 GGAGAAAACTTGCTACCGCACAGTCTTCAGGCAGTGCATGGAATGGAGACTGTGGCCCTG 300

Qy    241 AGGGTGTCAGCGTCAGCCTTCTAATGGGAGGGAGGATCCTTTTGGTGAAGAGTTTGGTATCTGCAAAGAC 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    301 AGGGTGTCAGCGTCAGCCTTCTAATGGGAGGGAGGATCCTTTTGGTGAAGAGTTTGGTATCTGCAAAGAC 360

Qy    301 TGTCCCTACGGCACCTTCGGGATGGATTGCAGAGAGAGCACCTGCCAACTGCAGTCAGGCATC 360
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    361 TGTCCCTACGGCACCTTCGGGATGGATTGCAGAGAGAGCACCTGCCAACTGCAGTCAGGCATC 420

Qy    361 TGTGACAGGGGGACGGGGAAAATGCCTGAAAATTCCCCTTCTTCCAATATTCAGTAACCAAG 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    421 TGTGACAGGGGGACGGGGAAAATGCCTGAAAATTCCCCTTCTTCCAATATTCAGTAACCAAG 480

Qy    421 TCTTCCACAGATTTGTTTTCTCTCACGGAGCATGACATGGCATCTGGAGATGGCAAATATT 480
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    481 TCTTCCACAGATTTGTTTTCTCTCACGGAGCATGACATGGCATCTGGAGATGGCAAATATT 540

Qy    481 GTGAGAGGAAGAAGTTGTGAAAGAGAAATGGCTGCCCGGGTCTCCCGGTAATGAGGAAAATGGTTA 540
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    541 GTGAGAGGAAGAAGTTGTGAAAGAGAAATGGCTGCCCGGGTCTCCCGGTAATGAGGAAAATGGTTA 600

Qy    541 AATCCACGC 549
          |||||||||
Db    601 AATCCACGC 609
```

```
RESULT 2
ID  T94700
AC  T94700;
DT  27-MAR-1998  (first entry)
DE  Murine Fisp12 cDNA.
KW  Fisp12; cysteine rich protein; mouse; Cyr61;
KW  extracellular matrix signalling molecule; cell adhesion;
KW  cell migration; cell proliferation; angiogenesis; chondrogenesis;
OS  Mus musculus.
FH  Key            Location/Qualifiers
FT  CDS            138..1284
FT                 /*tag= a
PN  WO9733995-A2.
PD  18-SEP-1997.
PF  14-MAR-1997; U04193.
PR  15-MAR-1996; US-013958.
```

```
PA  (MUNI-) MUNIN CORP.
PI  Lau LF;
PR  WPI; 97-470875/43.
DR  P-PSDB; W35731.
PT  Isolated and purified cysteine rich protein 61, Cyr61 - useful to
PT  modulate e.g. haematostasis, induce wound healing, promote organ
PT  regeneration etc
PS  Example 2; Page 113-114; 133pp; English.
CC  This cDNA clone codes for murine Fisp12 (see W35731), an
CC  extracellular matrix signalling molecule (ECM) that exhibits
CC  structural similarity to Cyr61 (see W35730) and which, like
CC  Cyr61, influences cell adhesion, proliferation and migration.
CC  The human ortholog of Fisp12 is connective tissue growth
CC  factor Fisp12 polynucleotides can be used for the production
CC  of Fisp12 polypeptides by recombinant methods. Polypeptide
CC  compositions are provided that comprise mammalian ECM signalling
CC  molecules, peptide fragments, inhibitory peptides capable of
CC  interacting with receptors for ECM signalling molecules, and
CC  antibody products. Further provided are methods for using
CC  mammalian ECM signalling molecules to screen for, and/or modulate
CC  disorders associated with angiogenesis, chondrogenesis and
CC  oncogenesis; ex vivo methods for using ECM signalling molecules
CC  to prepare blood products are also provided.
SQ  Sequence 2267 BP;  570 A;  568 C;  582 G;  547 T;

Query Match       6.6%;  Score 36.4;  DB 1;  Length 2267;
Best Local Similarity  66.7%;  Pred. No. 0.037;
Matches  52;  Conservative   0;  Mismatches  26;  Indels   0;  Gaps   0;

Qy    114 CAGCCCGCGCTGCAAGAGGACAGTGCTCGACGACTGTGGCGCTGCGAGTGTGCGCCTGC 173
          |||||| ||| ||   ||| | ||||| || ||| || ||| ||| | |  || || ||
Db    260 CTGCCCCGCGCCGCGCGTCAGCCCTGGTCCGTCGGACGGCGTCGCGCGTCTGCGGCCAA 319

Qy    174 AGGGCGGGGGAGAAACTTG 191
          || |||||||| || ||
Db    320 GCAGCTGGGGAGGAACTTG 337
```

```
RESULT 3
ID  Q26422
AC  Q26422;
DT  18-JAN-1993  (first entry)
DE  Gene for beta-IG-M2.
KW  Transforming growth factor beta; induced; CEF-10; v-src; chicken;
OS  Gallus gallus.
OS  embryo; fibroblasts; TGF-beta; ss.
FH  Key            Location/Qualifiers
FT  cds            204..1247
FT                 /*tag= a
PN  EP-495674-A.
PD  22-JUL-1992.
PR  17-JAN-1992; 300429.
PR  18-JAN-1991; US-642991.
PR  10-JAN-1992; US-816270.
PA  (BRIM) BRISTOL-MYERS SQUIBB CO.
PI  Brunner AM, Chinn J, Neubauer MG, Purchio AF;
PR  WPI; 92-243508/30.
DR  P-PSDB; R25565.
PT  TGF-beta induced gene family - encodes proteins involved in
PT  growth and differentiation effects of TGF-beta-1
PS  Claim 7; Fig 2; 35pp; English.
CC  The DNA encoding mouse beta-IG-M2 was obtd. from AKR-2B mouse cells
CC  induced with TGF-beta1 and cycloheximide. The
CC  these cells was used to create a cDNA library which was screened
CC  using two probes. The probes were prepd. from untreated AKR-2B mRNA
CC  and AKR-2B mRNA respectively with the CEF-10
CC  beta-IG-M2) were then sequenced. The DNA encodes proteins that
CC  Hybridising colonies were isolated and two clones (beta-IG-M1 and
CC  have a 80 and 50 percent homology respectively with the CEF-10
CC  protein induced by v-src in chicken embryo fibroblasts. The
CC  proteins encoded by TGF-beta induced genes are likely to be
```

```
CC   involved in mediation of the biological effects of TGF-beta
CC   relating to cell growth and differentiation.
CC   See also Q26421.
SQ   Sequence 2330 BP; 589 A; 598 C; 595 G; 548 T;

Query Match             66.7%;  Score 36.4;  DB 1;  Length 2330;
Best Local Similarity   66.7%;
Matches   52;  Conservative    0;  Mismatches   26;  Indels    0;  Gaps    0;

Qy    114 CAGGCCCGGCTGCAAGAGGACAGTGCTCGACGACTGTGCCGAGTGTGCCGGCTGC 173
          | |||| ||||||||||||||||||||||||||||||| || || |||||
Db    326 CTCCCCCCGGCGGCGGTGAGCCTGGTGCTGGACGACGGGCTGCGGCCCGGTCGTCTGCCGCCAA 385

Qy    174 AGGGGCGGGGAGAAACTTG 191
          ||  || |||||||| |||
Db    386 GCAGCTGGGAGAACTGTG 403
```

```
RESULT 4
Q36033
ID   Q36033 standard; cDNA; 230 BP.
AC   Q36033;
DT   24-MAY-1993 (first entry)
DE   Chicken nov gene exon 2 fragment III.
KW   avian nephroblastoma; avian myeloblastoma virus;
KW   stringent hybridisation; ss.
OS   Gallus domesticus.
PN   WO9300430-A.
PD   07-JAN-1993.
PR   25-JUN-1992; FR-007807.
PR   25-JUN-1991; FR-007807.
PA   (CNRS ) CENT NAT RECH SCI.
PI   Martinerie C, Perbal B;
PR-PSDB; R31600.
WPI; 93-036377/04.
PS   Claim 2; Page 27; 67pp; French.
PT   The chicken nov gene is stimulated in avian nephroblastoma induced
PT   by avian myeloblastoma virus but not in normal adult kidney. A
PT   1975bp cDNA sequence was isolated from a gene bank prepared from
PT   chicken embryonic fibroblasts screened with a tumour-derived probe.
PT   Nucleotide sequences hybridising to regions of chicken nov gene -
PT   useful as probes for detecting complementary sequences to
PT   evaluate development and/or differentiation of tumours
CC   Fragment III is derived from the 2nd. exon of the nov gene;
CC   nucleotide sequences which hybridise to Fragment III under stringent
CC   conditions (i.e. 50% formamide, 5 x SCC) are claimed. The claimed
CC   sequences preferably encode a protein with at least 70% homology to
CC   R31600 which is encoded by Fragment III.
SQ   Sequence 230 BP;  18 A;  89 C;  97 G;  26 T;

Query Match             63.1%;  Score 34.4;  DB 1;  Length 230;
Best Local Similarity   63.1%;
Matches   53;  Conservative    0;  Mismatches   31;  Indels    0;  Gaps    0;

Qy    113 GCAGCCCGCCGCTGCAAGAGGACAGTGCTCGACGACTGTGGCCGAGTGTGCCGGCTG 172
          ||||||||| ||||| |||| |||||||||||||||||||||||||||||||||||
Db     67 GCTCGCGCCCCGGGAGTGCCCGCCGTGCTGGACGCGGCTGCCTGGGTGTGTGCGCCC 126

Qy    173 CAGGGCGGGGAGAAACTTCCTACC 196
          ||||| ||||||||| | |||||
Db    127 GGCAGCGCGGCGAGAGCTGCTCCC 150
```

```
RESULT 5
Q36031
ID   Q36031 standard; cDNA; 1975 BP.
AC   Q36031;
DT   24-MAY-1993 (first entry)
DE   Chicken nov coding sequence.
KW   avian nephroblastoma; avian myeloblastoma virus; ss.
OS   Gallus domesticus.

FH   Key             Location/Qualifiers
FT   cds             24..1079
FT   polya_signal    1814..1818   /*tag= a
FT   polya_signal    1932..1937   /*tag= b
FT   signal_peptide  24..95       /*tag= c
FT   exon            1..92        /*tag= d
FT                                /number= 1
FT   exon            93..321      /*tag= e
FT                                /number= 2
FT   exon            322..573     /*tag= f
FT                                /number= 3
FT   exon            574..782     /*tag= g
FT                                /number= 4
FT   exon            783..1975    /*tag= h
FT                                /number= 5
PN   WO9300430-A.
PD   07-JAN-1993.
PR   25-JUN-1992; FR-007807.
PR   25-JUN-1991; FR-007807.
PA   (CNRS ) CENT NAT RECH SCI.
PI   Martinerie C, Perbal B;
P-PSDB; R31599.
WPI; 93-036377/04.
PS   Claim 1; Fig 1; 67pp; French.
PT   Nucleotide sequences hybridising to regions of chicken nov gene -
PT   useful as probes for detecting complementary sequences to
PT   evaluate development and/or differentiation of tumours
CC   The chicken nov gene is stimulated in avian nephroblastoma induced
CC   by avian myeloblastoma virus but not in normal adult kidney. The
CC   1975bp cDNA sequence was isolated from a gene bank prepared from
CC   chicken embryonic fibroblasts screened with a tumour-derived probe.
CC   The cDNA was cloned in Bluescript KS+ to form plasmid pCIK which was
CC   labelled and used to screen a human placental DNA library. A nov-
CC   analogous gene was isolated from the human library. Nucleotide
CC   sequences which hybridise to the chicken nov gene under stringent
CC   conditions (i.e. 50% formamide, 5 x SCC) are claimed. Nucleotide
SQ   Sequence 1975 BP;  522 A;  451 C;  486 G;  516 T;

Query Match             52.9%;  Score 35.8;  DB 1;  Length 1975;
Best Local Similarity   52.9%;
Matches  101;  Conservative    0;  Mismatches   87;  Indels    3;  Gaps    1;

Qy      6 CGTCTTGCCTGCTGACCACGCTCCTTCGTCGTGCCTGCACACCTGGTTGGCCGGCCTGGAGCAATAA 65
          |||||| ||||||||||||||| |||||| |||||| ||||||||||||||||||||||||||
Db      5 CGTCCTGCCTGCTGCCTCCCTGCTCCTCCTGCGGCCGTCGGAGGTGACGGGCGGGGAGGGGC 112

Qy     66 TTATGCGGTGGACNTGCCCCTCAACACTGTGACAGCAGTGAGTGCAAAAGCAGCCCCGGCGCTG 125
          ||| ||          |||      |||||||||||||||  |||||| |||||||||||||
Db    113 GTGCCCCCCGGCCTGCCCGGGGGGCGGCCCGTG---CCCCGCGGAGCCCGCCGGCCGCCCCGGG 169

Qy    126 CAAGAGGACAGTGCTCGACGACTGTGGCCTGCTGCCGAGTGTGCCGCTGCAGGGCGGGGGAGA 185
          ||||| ||||||||||||||||||  |||| ||||||||||||||||||||  ||  | |||
Db    170 AGTGCCCGCGCCGTGCTTGGACGGCTCGGGCGTCGCGGGGCCTGGGGCCGCGGGGCGGGGGGA 229

Qy    186 AACTTGCTACC 196
          |||| ||||||
Db    230 GAGCTGCTCCC 240
```

```
RESULT 6
T04226
ID   T04226 standard; cDNA; 2075 BP.
AC   T04226;
```

RESULT 7

ID   T51234 standard; cDNA; 2075 BP.
AC   T51234;
DT   18-MAR-1997 (first entry)
DE   Connective tissue growth factor coding sequence.
KW   Connective tissue growth factor; CTGF; human; connective tissue cell;
KW   proliferative disease; platelet-derived growth factor; PDGF; development;
KW   tissue growth; repair; umbilical vein endothelial cell; HUVE cell;
KW   antibody; wound healing; cancer; fibrotic disease; atherosclerosis;
KW   inhibitor; protease degradation; growth factor; therapy; ss.
OS   Homo sapiens.
FH
FH   Key   Location/Qualifiers
FT   cds   130..1179
FT   /*tag= a
FT   /product= connective tissue growth factor

PN   US5585270-A.
PD   17-DEC-1996;
PF   30-AUG-1991; 752427.
PR   30-AUG-1991; US-752427.
PR   14-DEC-1993; US-167628.
PR   10-FEB-1995; US-386680.
PA   (UYSF-) UNIV SOUTH FLORIDA.
PI   Bradham DM, Grotendorst GR;

DT   12-JUN-1996 (first entry)
DE   Connective tissue growth factor cDNA.
KW   Connective tissue growth factor; CTGF; wound healing; vulnerary;
KW   cell proliferation; cancer; fibrosis; atherosclerosis; diagnosis
KW   therapy; mitogen; ss.
OS   Homo sapiens.
FH
FH   Key   Location/Qualifiers
FT   cds   130..1179
FT   /*tag= a

PN   US5408040-A.
PD   18-APR-1995;
PF   30-AUG-1991; 752427.
PR   30-AUG-1991; US-752427.
PR   14-DEC-1993; US-167628.
PA   (UYSF-) UNIV SOUTH FLORIDA.
PI   Bradham DM, Grotendorst GR;
DR   WPI; 95-161147/21.
DR   P-PSDB; R79964.
PT   New connective tissue growth factor - used to develop prods. for
PT   wound healing and for diagnosis and therapy of cell proliferative
PT   disorders.
PS   Example 5; Column 15-18; 12pp; English.
CC   A cDNA clone (T04226), designated DB60R32, codes for human
CC   connective tissue growth factor (CTGF) (R79964), a protein that
CC   has mitogenic and chemotactic activity for connective tissue
CC   cells and which binds to the platelet-derived growth factor
CC   (PDGR) receptor. The cDNA was obtd. from a library of human
CC   umbilical vein endothelial cell cDNA in vector lambda gt11 by
CC   screening with an anti-PDGF antibody. The cDNA is useful for
CC   prodn. of recombinant CTGF or in the design of antisense or
CC   ribozyme constructs used to treat disorders associated with
CC   overgrowth of tissue cells, such as cancer, fibrotic diseases
CC   and atherosclerosis.
SQ   Sequence 2075 BP;   491 A;   558 C;   546 G;   480 T;

Qy   173 CAGGGCGGGGAGAAACTTGC 192
         || ||| || |||
Db   254 GCTGCCCGCGGCGGCGTGAGCCTCGTGCTGCTGGACGGCGTCGGCGTCTGCCCA 313
Db   314 AGCAGCTGGGCGAGCTGTGC 333

Query Match   Best Local Similarity   65.0%;   Score 35.2; DB 1; Length 2075;
Matches   52;   Conservative   0;   Mismatches   28;   Indels   0;   Gaps   0;

Qy   173 CAGGGCGGGGAGAAACTTGC 192

CC   to platelet-derived growth factor (PDGF), but is encoded by an unrelated
CC   gene. CTGF is thought to play a significant role in the normal
CC   development, growth, and repair of human tissue, similarly to PDGF. This
CC   sequence was isolated by screening a cDNA library from human umbilical
CC   vein endothelial (HUVE) cells with anti-PDGF antibodies. CTGF may be
CC   used to accelerate wound healing. Also, elevated levels of CTGF may be
CC   diagnostic of proliferative diseases involving outgrowth of connective
CC   tissue cells, such as cancer, fibrotic disease and atherosclerosis. All
CC   of these diseases can be treated with reagents reactive with CTGF, such
CC   as antibodies (which can also serve as assay reagents). Antisense
CC   nucleic acids, and ribozymes could also be used to inhibit CTGF
CC   production. The advantage with using CTGF is that it is more stable, and
CC   less susceptible to protease degradation than PDGF, and other growth
CC   factors involved in wound healing. This is believed to be due to the
CC   high Cys content.
SQ   Sequence 2075 BP;   491 A;   558 C;   546 G;   480 T;

Qy   113 GCAGCCCCGCGCTGCAAGAGGACAAGTGCTCGACGACTGTGGCGTCGGCTGCCGAGTGTGCCCTG 172
         || |||||| | || |||| | || ||| |||| ||||| | ||||||||||| ||||||||
Db   254 GCTGCCCGCGGCGGCGTGAGCCTCGTGCTGCTGGACGGCGTCGGCGTCTGCCCA 313
Db   314 AGCAGCTGGGCGAGCTGTGC 333

Query Match   Best Local Similarity   65.0%;   Score 35.2; DB 1; Length 2075;
Matches   52;   Conservative   0;   Mismatches   28;   Indels   0;   Gaps   0;

Qy   173 CAGGGCGGGGAGAAACTTGC 192

DR   WPI; 97-051180/05.
DR   P-PSDB; W11302.
PT   New nucleic acid encoding connective tissue growth factor - useful
PT   for accelerating wound healing, also for diagnosis and treatment of
PT   proliferative disease
PN   Claim 10; Column 15-18; 11pp; English.
CC   This sequence represents the cDNA encoding the human connective tissue
CC   growth factor (CTGF). CTGF is related immunologically and biologically

---

RESULT 8

ID   T45360 standard; cDNA; 2075 BP.
AC   T45360;
DT   26-APR-1997 (first entry)
DE   Human connective tissue growth factor cDNA.
KW   Connective tissue growth factor; CTGF; mitogen; cell proliferation;
KW   wound healing; cancer; tumour; fibrosis; glaucoma; atherosclerosis;
KW   diagnosis; therapy; antisense; triple helix; ribozyme; ss.
OS   Homo sapiens.
FH
FH   Key   Location/Qualifiers
FT   cds   130..1179
FT   /*tag= a

PN   WO9638172-A1.
PD   05-DEC-1996;
PF   31-MAY-1996; U08140.
PR   31-MAY-1996; WO-US08140.
PA   (UYSF-) UNIV SOUTH FLORIDA.
PI   Bradham DM, Grotendorst GR;
WPI; 97-042659/04.
P-PSDB; W09089.
PT   Connective tissue growth factor coding sequence and protein - used
PT   in the treatment of proliferative disorders and to accelerate wound
PT   healing
PS   Claim 20; Page 50-52; 76pp; English.
CC   A cDNA clone (T45360) codes for novel human connective tissue growth
CC   factor (CTGF) (W09089), a PDGF-immunorelated protein that may play a
CC   significant role in the normal development, growth and repair of
CC   human tissue and which probably functions as a growth factor in
CC   wound healing. CTGF may be involved in diseases in which there is
CC   an overgrowth of connective tissue cells, such as cancer, tumour
CC   formation and growth, fibrotic diseases (e.g. pulmonary fibrosis,
CC   kidney fibrosis, glaucoma) and atherosclerosis. The cDNA clone was
CC   isolated from a HUVEC cDNA library using anti-PDGF antibody. CTGF

CC nucleic acids can be used for recombinant prodn. of CTGF and as
CC probes to detect CTGF mRNA. CTGF genomic DNA (T58534) has also
CC been isolated. A proliferative disorder may be treated using e.g.
CC a CTGF antisense, ribozyme or triplex agent.
SQ Sequence 2075 BP; 491 A; 558 C; 546 G; 480 T;

Query Match   6.4%; Score 35.2; DB 1; Length 2075;
Best Local Similarity   65.0%; Pred. No. 0.087;
Matches 52; Conservative   0; Mismatches 28; Indels   0; Gaps   0;

Qy 113 GCAGCCCGGCCGTGCAAGAGAGAGGACAGTGTCCTCGACGACAGTGTTGGCTGCTGCTGCCGAGTGTTGCGGCTG 172
        || ||||| ||| || | | |||||| || | || || || |||||||||| | |||||| | ||||
Db 254 GCTGCCCCGGCCGTGAGCCTCGTTCGTGCTGGACGGCTGGCTTGCTGCTGCCGCGCCCGGCTGCTTCGCGGCCA 313

Qy 173 CAGGGCGGGGAGAAAACTTGC 192
        ||| ||||||||||| || |
Db 314 AGCAGCTGGGCGAGCTGTGC 333

RESULT 9
V38085
ID V38085 standard; cDNA; 2075 BP.
AC V38085;
DT 15-SEP-1998 (first entry)
DE Human connective tissue growth factor encoding cDNA.
KW Human; connective tissue growth factor; CTGF; PDGF; diagnosis; cancer;
KW platelet derived growth factor; ameliorating cell proliferative disorder;
KW atherosclerosis; fibrotic disease; ss.
OS Homo sapiens.
FH Key   Location/Qualifiers
FT CDS   110. .1179
FT   /*tag= a
FT   /product= "connective tissue growth factor"

PN US5783187-A.
PD 21-JUL-1998;
PF 11-SEP-1996; US-712302.
PR 30-AUG-1991; US-752427.
PR 14-DEC-1993; US-167628.
PR 11-SEP-1996; US-712302.
PA (UYSF-) UNIV SOUTH FLORIDA.
PI Bradham DM, Grotendorst GR;
DR WPI; 98-426958/36.
DR P-PSDB; W62004.

PT Ameliorating cell proliferative disorder associated with connective
PT tissue growth factor comprises the administration of an antibody
PT which binds to connective tissue growth factor and not to
PT platelet-derived growth factor
PS Example 6; Column 15-18; 11pp; English.
PA A method has been developed for ameliorating a cell proliferative
PA disorder associated with connective tissue growth factor (CTGF). The
PA method comprises the administration of an antibody or its fragment that
PA binds to CTGF and not to platelet-derived growth factor (PDGF), to the
PA site of the disorder. CTGF is related immunologically and biologically
PA to PDGF. The present sequence encodes CTGF. The method is used to treat
PA conditions involving the overgrowth of connective tissue cells such
PA as cancer, atherosclerosis and other fibrotic diseases.
SQ Sequence 2075 BP; 491 A; 558 C; 546 G; 480 T;

Query Match   6.4%; Score 35.2; DB 1; Length 2075;
Best Local Similarity   65.0%; Pred. No. 0.087;
Matches 52; Conservative   0; Mismatches 28; Indels   0; Gaps   0;

Qy 113 GCAGCCCGGCCGTGCAAGAGAGAGGACAGTGTCCTCGACGACAGTGTTGGCTGCTGCTGCCGAGTGTTGCGGCTG 172
Db 254 GCTGCCCCGGCCGTGAGCCTCGTTCGTGCTGGACGGCTGGCTTGCTGCTGCCGCGCCCGGCTGCTTCGCGGCCA 313

Qy 173 CAGGGCGGGGAGAAAACTTGC 192
Db 314 AGCAGCTGGGCGAGCTGTGC 333

RESULT 10
V65380
ID V65380 standard; DNA; 4212 BP.
AC V65380;
DT 25-JAN-1999 (first entry)
DE Connective tissue growth factor (CTGF) genomic DNA sequence.
KW CTGF; connective tissue growth factor; bone formation; tissue; arthritis;
KW wound healing; cartilage formation; skeletal disorder; osteoporosis; osteoarthritis; burn;
KW osteochondritis; hypertrophic scar; protease; PDGF;
KW degradation; vascular hypertrophy; platelet derived growth factor; ss.
OS Homo sapiens.
FH Key   Location/Qualifiers
FT 5'UTR   1. .1022
FT   /*tag= a
FT CDS   1023. .2928
FT   /*tag= b
FT   /product= "CTGF"
FT   /note= "contains introns"
FT sig_peptide   1023. .1085
FT   /*tag= c
FT mat_peptide   1086. .2925
FT   /*tag= d
FT exon   1023. .1088
FT   /*tag= e
FT   /number= 1
FT intron   1089. .1202
FT   /*tag= f
FT   /number= 1
FT exon   1203. .1425
FT   /*tag= g
FT   /number= 2
FT intron   1426. .1651
FT   /*tag= h
FT   /number= 2
FT exon   1652. .1902
FT   /*tag= i
FT   /number= 3
FT intron   1903. .2032
FT   /*tag= j
FT   /number= 3
FT exon   2033. .2244
FT   /*tag= k
FT   /number= 4
FT intron   2245. .2631
FT   /*tag= l
FT   /number= 4
FT exon   2632. .2925
FT   /*tag= m
FT   /number= 5
FT 3'UTR   2928. .4212
FT   /*tag= n
FT polyA_signal 3984. .3989
FT   /*tag= o

PN US5837258-A.
PD 17-NOV-1998;
PF 11-NOV-1998;
PR 31-MAY-1996; US-656393
PR 31-MAY-1996; US-656393
PR 30-AUG-1991; US-752427.
PR 14-DEC-1993; US-167628.
PR 10-FEB-1995; US-386680.
PR 02-JUN-1995; US-459717.
PA (UYMI-) UNIV MIAMI.
PA (UYSF-) UNIV SOUTH FLORIDA.
PI Grotendorst GR;
DR WPI; 99-023382/02.
DR P-PSDB; W84425#.

PT Use of connective tissue growth factor - for inducing bone, tissue
PT or cartilage formation in a patient or for inducing wound healing
PS Disclosure; Fig 1C; 30pp; English.
PA This represents the genomic DNA sequence of connective tissue growth
PA factor (CTGF). This can be used in the method of the invention for
PA inducing bone or tissue formation that comprises administration to a
CC patient, a composition comprising CTGF and a carrier. CTGF can also be

```
CC   used in a method for inducing wound healing. The methods can be used for
CC   inducing bone, tissue or cartilage formation in disorders such as
CC   osteoporosis, osteoarthritis or osteochondrytis, arthritis, skeletal
CC   disorders, hypertrophic scars, burns, vascular hypertrophy, or in wound
CC   healing. The CTGF and functional fragments are more stable and les
CC   susceptible to protease degradation than platelet derived growth factor
CC   (PDGF) and other growth factors known to be involved in wound healing.
SQ   Sequence 4212 BP; 1038 A; 1080 C; 1008 G; 1086 T;

RESULT 11
ID   T58534
ID   T58534 standard; cDNA; 4214 BP.
AC   T58534;
DT   26-APR-1997 (first entry)
DE   Human connective tissue growth factor gene.
KW   Connective tissue growth factor; CTGF; mitogen; cell proliferation;
KW   wound healing; cancer; tumour; fibrosis; glaucoma; atherosclerosis;
KW   diagnosis; therapy; antisense; triple helix; ribozyme; ss.
OS   Homo sapiens.
FH   Key                 Location/Qualifiers
FT   promoter            1..1024

Query Match             6.4%;   Score 35.2;   DB 1;   Length 4212;
Best Local Similarity   65.0%;  Pred. No. 0.12;
Matches  52;  Conservative  0;  Mismatches  28;  Indels  0;  Gaps  0;

Qy   113 GCAGCCCGCGCTGCAAGAGACAGTACTCGACGACTGTGGCTGCTGCCGAGTGTGCCGCTG 172
         || |||||| || ||| |||||||||||||||||||||| |||||||| || ||||||
Db  1261 GCTGCCCGCGCGGGGCGGTGAGCCTCGTGTGCTGGACGGCTGCGGCTCGTCGCCGTCTGCGCCA 1320

Qy   173 CAGGGCGGGGGAGAAACTTGC 192
         ||||| || ||||||||| |||
Db  1321 AGCAGCTGGGCGAGCTGTGC 1340
```

```
FT   misc_feature        173..179
FT                       /note= "promoter region (-823 to +200 relative
FT                       to the transcription start site)"
FT                       /tag= b
FT   misc_feature        443..452
FT                       /label= AP-1
FT                       /tag= c
FT   misc_feature        533..539
FT                       /label= CArG_box
FT                       /tag= d
FT   misc_feature        630..642
FT                       /label= AP-1
FT                       /tag= e
FT   misc_feature        660..705
FT                       /label= NF-1_like
FT                       /tag= f
FT   misc_feature        660..705
FT                       /note= "transforming growth factor-beta response
FT                       element (Claim 31)
FT                       /tag= g
FT   misc_feature        667..679
FT                       /label= T-beta-RE
FT                       /tag= h
FT   misc_feature        696..705
FT                       /note= "transforming growth factor-beta response
FT                       element (Claim 32)"
FT                       /label= TIE-like
FT                       /tag= i
FT   misc_feature        766..770
FT                       /note= "transforming growth factor-beta inhibito"
FT                       /tag= j
FT   misc_feature        782..787
FT                       /label= CATbox
FT                       /tag= k
FT   tata_signal         794..800
FT                       /label= SP-1
FT   misc_feature        809..818
FT                       /tag= l
```

```
FT   misc_feature        824
FT                       /label= SP-1
FT                       /tag= m
FT   exon                1..1090
FT                       /function= transcription start site
FT                       /tag= n
FT   intron              1091..1204
FT                       /codon_start= 1025..1027
FT                       /tag= o
FT   exon                1205..1427
FT                       /tag= p
FT   intron              1428..1653
FT                       /tag= q
FT   exon                1654..1905
FT                       /tag= r
FT   intron              1906..2034
FT                       /tag= s
FT   exon                2035..2306
FT                       /tag= t
FT   intron              2307..2633
FT                       /tag= u
FT   exon                2634..4214
FT                       /note= "in-frame stop codon at bases 2928-2930"
FT                       /tag= v
FT   polya_signal        3986..3991
FT                       /tag= w
FT   polya_signal        4138..4143
FT                       /tag= x

PN   W09638172-A1.
PD   05-DEC-1996.
PF   31-MAY-1996; U08140.
PR   31-MAY-1996; WO-U08140.
PA   (UYSF-) UNIV SOUTH FLORIDA.
PI   Bradham DM, Grotendorst GR;
DR   WPI; 97-042659/04.
DR   P-PSDB; W09089.
PT   Connective tissue growth factor coding sequence and protein - used
PT   in the treatment of proliferative disorders and to accelerate wound
PT   healing.
PS   Claim 22; Page Fig 1C; 76pp; English.
CC   The human CTGF gene (T58534) codes for novel human connective
CC   tissue growth factor (CTGF) (W09089), a PDGF-immunorelated protein
CC   that may play a significant role in the normal development, growth
CC   and repair of human tissue and which probably functions as a growth
CC   factor in wound healing. The gene was isolated from a human
CC   library using a partial gene fragment as probe. A CTGF CDNA clone
CC   (see also T45360) has also been obtd. The 5' nontranslated region
CC   of the CTGF gene functions as a transforming growth factor-beta
CC   (TGF-beta) inducible promoter. The TGF-beta regulatory element
CC   was identified (see also T49433) and can be used to identify cpds.
CC   the affect CTGF expression.
SQ   Sequence 4214 BP; 1039 A; 1079 C; 1090 G; 1090 T;

RESULT 12
ID   T59618
ID   T59618 standard; DNA; 4214 BP.
AC   T59618;
DT   31-MAY-1997 (first entry)
DE   Connective tissue growth factor gene.

Query Match             6.4%;   Score 35.2;   DB 1;   Length 4214;
Best Local Similarity   65.0%;  Pred. No. 0.12;
Matches  52;  Conservative  0;  Mismatches  28;  Indels  0;  Gaps  0;

Qy   113 GCAGCCCGCGCTGCAAGAGACAGTACTCGACGACTGTGGCTGCTGCCGAGTGTGCCGCTG 172
         || |||||| || ||| |||||||||||||||||||||| |||||||| || ||||||
Db  1263 GCTGCCCGCGCGGGGCGGTGAGCCTCGTGTGCTGGACGGCTGCGGCTCGTCGCCGTCTGCGCCA 1322

Qy   173 CAGGGCGGGGGAGAAACTTGC 192
         ||||| || ||||||||| |||
Db  1323 AGCAGCTGGGCGAGCTGTGC 1342
```

KW   Connective tissue growth factor; CTGF; bone; cartilage; vulnerary;
KW   wound healing; osteoporosis; osteoarthritis; osteochondrytis; ss.
OS   Mus sp.
FH   Key   Location/Qualifiers
FT   promoter   1..823
FT   /note= "CTGF gene promoter region"
FT   misc_feature   173..179
FT   /tag= a
FT   misc_feature   443..452
FT   /label= AP-1
FT   /tag= b
FT   misc_feature   630..642
FT   /label= CArG_box
FT   /tag= c
FT   misc_feature   696..705
FT   /label= NF-1_like
FT   /tag= d
FT   misc_feature   766..771
FT   /label= TIE_like
FT   /tag= e
FT   misc_feature   782..787
FT   /label= CATbox
FT   /tag= f
FT   misc_feature   794..800
FT   /label= SP-1
FT   /tag= g
FT   tata_signal   809..818
FT   /label= TATAbox
FT   /tag= h
FT   misc_feature   1..1090
FT   /label= SP-1
FT   /tag= i
FT   exon   1091..1204
FT   /codon_start= 1025..1028
FT   intron   1205..1427
FT   /label= Intron-1
FT   /tag= l
FT   exon   1428..1652
FT   /label= Intron
FT   /tag= m
FT   intron   1653..1905
FT   /label= Intron-2
FT   /tag= n
FT   exon   1906..2034
FT   /tag= o
FT   intron   2035..2246
FT   /label= Intron-3
FT   /tag= p
FT   exon   2247..2633
FT   /label= Intron-4
FT   /tag= r
FT   polya_signal   2634..4214
FT   /tag= s
FT   exon   3986..1991
FT   /note= "in-frame stop codon at position 2928-2930"
FT   polya_signal   4138..4143
FT   /tag= t

PN   WO9638168-A1.
PD   05-DEC-1996.
PF   31-MAY-1996; U08210.
PR   31-MAY-1996; WO-U08140.
PA   (GROT/) GROTENDORST G R.
PI   Grotendorst GR;
DR   WPI; 97-042658/04.
DR   P-PSDB; W12694.

CC   Connective Tissue Growth Factor composition - for inducing bone,
CC   tissue and cartilage formation and wound healing
PS   Disclosure: Fig 1C1-3; 60pp; English.
PT   The CTGF gene (T59618) codes for connective tissue growth factor
CC   (W12694), a cysteine-rich mitogenic protein which is selectively
CC   induced in fibroblasts after activation with transforming growth

CC   factor beta. The gene may be incorporated into a vector and
CC   utilised in the prodn. of recombinant CTGF in prokaryotic or
CC   eukaryotic host cells, or used to design probes and primers. The
CC   promoter region of the gene can be used in methods for the
CC   identification of cpds. which enhance the activity of CTGF, for
CC   use in inducing bone, tissue and cartilage and for wound
CC   healing.
SQ   Sequence   4214 BP; 1039 A; 1078 C; 1009 G; 1088 T;

Query Match   6.4%;   Score 35.2; DB 1; Length 4214;
Best Local Similarity 65.0%;   Pred. No. 0.12;
Matches 52; Conservative 0; Mismatches 28; Indels 0; Gaps 0;

Qy   113 GCAGCCCCCGCGCTGCAAGAGGACAGTGCTCGACGACTGTGGCGTGCCGCTGCGGAGTGTGCCGCTG 172
          |||·|||| || ||||||||| || || ||||| ||||·|·|·||| || ||||||||||||
Db   1263 GCTGCCCCGGCGCGGGCGTGAGCCTGTGCTGTGCTGGAGACGGCTCGGCCGCTCGCTGCGGCGCGCCA 1322

Qy   173 CAGGGCGGGGAGAAACTTGC 192
          ||·||| ||| ||| |||
Db   1323 AGCAGCTGGGCGCGAGCTGTGC 1342

RESULT 13
ID   V29260
AC   V29260;
DT   14-SEP-1998 (first entry)
DE   Human connective tissue growth factor-3 gene.
KW   Connective tissue growth factor-3; CTGF-3; human; cancer;
KW   arthritis; fibrosis; osteoporosis; diagnosis; therapy; ds.
OS   Homo sapiens.
FH   Key   Location/Qualifiers
FT   CDS   9..761
FT   sig_peptide   9..65
FT   /tag= a
FT   mat_peptide   66..758
FT   /tag= b
FT   /tag= c
PN   WO9821236-A1.
PD   22-MAY-1998.
PF   08-NOV-1996; U17856.
PR   08-NOV-1996; WO-U17856.
PA   (HUMA-) HUMAN GENOME SCI INC.
PI   Chopra A, Ebner R, Ruben SM;
DR   WPI; 98-297864/26.
DR   P-PSDB; W37946.
PT   Novel human connective tissue growth factor 3 gene - useful for the
PT   diagnosis and treatment of e.g. cancer, arthritis, fibrosis,
PS   osteoporosis
PT   Claim 2; Fig 1A-B; 87pp; English.
CC   This nucleotide sequence codes for human connective tissue growth
CC   factor-3 (CTGF-3) protein (see W37946), a novel member of the
CC   growth factor superfamily. It was discovered in a cDNA library
CC   derived from human osteoblasts. The gene has also been identified
CC   in cDNA libraries from ovary, testis, heart, lung, skeletal muscle,
CC   adrenal medulla, adrenal cortex, thymus, prostate, small intestine
CC   and colon. A cDNA clone is deposited as ATCC 97756. Also provided
CC   are vectors, host cells and recombinant methods for producing
CC   CTGF-3 polypeptides. CTGF-3 nucleic acid sequences or their
CC   fragments, e.g. primers or probes, can be used to diagnose diseases
CC   where CTGF-3 expression is enhanced, e.g. cancer, arthritis,
CC   fibrosis or atherosclerosis, or diseases where expression is
CC   decreased such as in osteoporosis. Disorders characterised by
CC   decreased or increased levels of CTGF-3 can be treated by
CC   administering CTGF-3 polypeptides and anti-CTGF-3 antibodies,
CC   respectively.
SQ   Sequence   1285 BP; 237 A; 418 C; 389 G; 241 T;

Query Match   6.28;   Score 33.8; DB 1; Length 1285;
Best Local Similarity 72.1%;   Pred. No. 0.2;
Matches 44; Conservative 0; Mismatches 17; Indels 0; Gaps 0;

```
Qy   136  GTGCTCGACGACTGTGGCCTGCTGCCGAGTGTGCGCTGCCAGGGCGGGGGAGAAACTTGCTAC  195
               |||||   || |||||| || |||||| |||||| |  ||||||||| || ||||||
Db   144  GTGCTGGAGGGCGTGTGGCCTCGGTGGTTGGTGGGGGCTGCCGGGTATGTGCACGGCGCGGGCTGGGGGGAGCCCTGCCGAC  203

Qy   196  C 196
          C
Db   204  C 204
```

RESULT 14

```
ID   Q36032
AC   Q36032;
DT   24-MAY-1993    (first entry)
DE   Chicken nov gene fragment II.
KW   avian nephroblastoma; avian myeloblastoma virus;
KW   stringent hybridisation; ss.
OS   Gallus domesticus.
PN   WO9300430-A.
PD   07-JAN-1993.
PF   25-JUN-1992; F00589.
PR   25-JUN-1991; FR-007807.
PA   (CNRS ) CENT NAT RECH SCI.
PI   Martinerie C, Perbal B;
DR   WPI; 93-036377/04.
PT   Nucleotide sequences hybridising to regions of chicken nov gene -
PT   useful as probes for detecting complementary sequences to
PT   evaluate development and/or differentiation of tumours
PS   Claim 1; Page 26; 67pp; French.
CC   The chicken nov gene is stimulated in avian nephroblastoma induced
CC   by avian myeloblastoma virus but not in normal adult kidney. A
CC   1975bp cDNA sequence was isolated from a gene bank prepared from
CC   chicken embryonic fibroblasts screened with a tumour-derived probe.
CC   Fragment II is derived from the nov gene; nucleotide sequences
CC   which hybridise to Fragment II under stringent conditions (i.e.
CC   50% formamide, 5 x SSC) are claimed.
SQ   Sequence  684 BP;   141 A;   197 C;   226 G;   120 T;
```

RESULT 15

```
ID   T40206    standard; cDNA to mRNA; 1614 BP.
AC   T40206;
DT   17-DEC-1996   (first entry)
DE   Tobacco lycopene cyclase cDNA.
KW   Lycopene cyclase; carotenoid; beta-carotene; herbicide resistance;
KW   transgenic plant; crop protection; pigmentation; crtL gene;
KW   tobacco; ss.
OS   Nicotiana tabacum cv. xanthii.
PN   WO9628014-A1.
PD   19-SEP-1996.
PF   05-MAR-1996; WO96US3044.
PR   07-MAR-1995; US-399561.
PA   (YISS ) YISSUM RES & DEV CO.
PI   Cunningham FX, Gantt E, Hirschberg J;
DR   WPI; 96-433414/43.
PT   DNA encoding lycopene cyclase or mutants resistant to herbicides -
PT   used to control carotenoid biosynthesis and to produce herbicide
PT   resistant plants and algae
```

```
Qy   173  CAGGGCGGGGAGAAACTTGCTACC  196
               |||| || |||| || ||||
Db    92  GGCAGCGCCGGCGGAGAGCTGCTCCC  115
```

Query Match   6.08%;   Score 32.8;   DB 1;   Length 684;
Best Local Similarity   61.9%;   Pred. No. 0.3;
Matches   52;   Conservative   0;   Mismatches   32;   Indels   0;   Gaps   0;

```
Qy   113  GCAGCCCGGCGCTGCAAGAGGACAGTGCTCGACGACTGTGGCCTGCTGCCGAGTGTGCGCTG  172
               |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    32  GCTGCGCCCCCGGGAGTGCCCCCGCCCGGCGGCTCGCCGCCTGCCCGTGGCCGTGTGCGCCC  91
```

```
CC   A cDNA clone (T40206), corresponding to the crtL gene, codes for
CC   the lycopene synthase of tobacco cv. xanthii. It was isolated
CC   from a leaf cDNA library using the Synechococcus lycopene synthase
CC   lcy gene (T40205) as probe. A tomato crtL cDNA (T40207) was
CC   similarly isolated. Lycopene synthase genes can be used to control
CC   carotenoid biosynthesis in bacteria, algae and plants, e.g. to
CC   improve nutritional value (e.g. beta-carotene prodn.), to
CC   pharmacological properties or appearance. Antisense sequences
CC   inhibit synthesis of the enzyme, resulting in increased red
CC   pigmentation. Mutant crtL genes can be used to impart herbicide
CC   resistance to transgenic plants.
SQ   Sequence  1614 BP;   447 A;   288 C;   370 G;   509 T;
```

PS   Claim 2; Page 39-40; 59pp; English.

RESULT 15

```
ID   T40206/c
```

Query Match   5.8%;   Score 31.8;   DB 1;   Length 1614;
Best Local Similarity   57.6%;   Pred. No. 1;
Matches   57;   Conservative   0;   Mismatches   42;   Indels   0;   Gaps   0;

```
Qy   379  AAATGCCTGAAATTCCCCTTTCTTCCAATAATTCAGTAACCAAGTGTCTTCCAACAGAATTTGTT  438
               ||| ||  || |||||||  |||||  ||||| || ||  || || ||| |  |||  ||
Db   816  AAAGGGATGTTCCTCCACTTCTGCCAATAATGCCATAAGCTACTTGATATCCAGGTTTATA  757
```

```
Qy   439  TCTCTCACGGAGCAATGACATGGCATCTGGGAGATGGCAAT  477
               |||||  |||||  |||||  |||| ||||  |||||
Db   756  TGGCTTATCATACTGAACAAGACACATCTTGAGAAGCCAGT  718
```

Search completed: May 3, 1999, 23:14:13
Job time: 1325 sec

OM nucleic - nucleic search, using sw model

GenCore version 4.5
Copyright (c) 1993 - 1998 Compugen Ltd.

Run on: May 3, 1999, 23:57:01 ; Search time 188.7 Seconds
                                (without alignments)
                                4438.039 Million cell updates/sec

Title: us-09-037-460-1_copy_61_609
Perfect score: 549
Sequence: 1 AAGAGCGTCTTGCTGCCTGAC...........GGAAATGGTTAAATCCACGC 549
Scoring table: IDENTITY_NUC
Searched: 2002476 seqs, 762712212 residues
Database :   EST:*

```
 1: em_est1:*
 2: em_est2:*
 3: em_est3:*
 4: em_est4:*
 5: em_est5:*
 6: em_est6:*
 7: em_est7:*
 8: em_est8:*
 9: em_est9:*
10: gb_est1:*
11: gb_est2:*
12: gb_est3:*
13: gb_est4:*
14: gb_est5:*
15: gb_est6:*
16: gb_est7:*
17: gb_est8:*
18: gb_est9:*
19: gb_est10:*
20: gb_est11:*
21: gb_est12:*
22: gb_est13:*
23: gb_est22:*
24: gb_est14:*
25: gb_est15:*
26: gb_est16:*
27: gb_est17:*
28: gb_est18:*
29: gb_est19:*
30: gb_est20:*
31: gb_est21:*
32: em_est10:*
33: em_est11:*
34: em_est12:*
35: em_est13:*
36: em_est14:*
37: em_est15:*
38: em_est16:*
39: em_est17:*
40: em_est18:*
41: em_est19:*
```

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

	Result No.	Score	% Match	Query Length	DB	ID	Description
c	1	35.8	6.5	599	23	AA540522	AA540522 LD20232.5
c	2	33.8	6.2	398	10	R48383	R48383 yj67h05.r1
c	3	32.6	5.9	253	31	AU018204	AU018204 Mus muscu
c	4	32.4	5.9	360	20	AA449580	AA449580 zx06e08.r
c	5	32.2	5.9	242	13	W01086	W01086 za59h04.r1
c	6	32.2	5.9	355	16	AA162292	AA162292 ms22f08.r
c	7	32	5.8	536	23	AA264358	AA264358 LD08029.5
c	8	32	5.8	546	23	AA439173	AA439173 LD13657.5
c	9	32	5.8	756	23	AA978722	AA978722 LD32729.5
	10	31.8	5.8	442	11	AI011272	AI011272 EST205723
	11	31.8	5.8	485	22	H06070	H06070 yl72g12.s1
	12	31.8	5.8	394	21	AA607213	AA607213 vm84g08.r
c	13	31.8	5.8	338	27	AA485611	AA485611 zx90g08.r
c	14	31.4	5.7	371	30	AA875541	AA875541 UI-R-E0-c
c	15	31.4	5.7	422	10	AI017046	AI017046 ov01c01.x
	16	31.4	5.7	534	22	T80915	T80915 yd25g02.r1
	17	31.4	5.7	425	23	AA202628	AA202628 LD02785.5
	18	31	5.7	534	30	AI159468	AI159468 vz75a11.r
	19	31	5.7	296	15	AI028047	AI028047 ow43a11.x
	20	30.6	5.6	238	30	AA027418	AA027418 m03f07.r
	21	30.6	5.6	304	31	AI266608	AI266608 qn29d01.x
	22	30.6	5.6	400	28	AA887391	AA887391 oj37a05.s
	23	30.6	5.6	400	31	AI262853	AI262853 qk36d04.x
c	24	30.6	5.6	406	27	AI272063	AI272063 qj89d05.x
c	25	30.6	5.6	443	31	AA844402	AA844402 aj19e03.s
c	26	30.6	5.6	465	31	AI264140	AI264140 qk03b09.x
	27	30.6	5.6	482	30	AI262554	AI262554 qk42e02.x
	28	30.6	5.6	489	29	AI022804	AI022804 ow55e07.x
	29	30.6	5.6	489	29	AI088087	AI088087 oz94h04.x
	30	30.6	5.6	498	22	AA584389	AA584389 nn77c08.x
	31	30.4	5.6	250	31	D31399	D31399 Human fetal
c	32	30.4	5.6	564	31	AI193129	AI193129 qe40ell.s
c	33	30.4	5.6	282	17	AA324516	AA324516 EST27355
c	34	30.4	5.6	502	19	AA434839	AA434839 vel7b08.r
c	35	30.4	5.6	503	23	AI273346	AI273346 ql45g07.x
c	36	30.4	5.6	546	27	AI196958	AI196958 zq09f07.r
c	37	30.4	5.5	655	23	AA802895	AA802895 GM06533.5
	38	30.2	5.5	423	21	AA504577	AA504577 aa60f06.r
	39	30.2	5.5	549	14	W85569	W85569 mf58a01.r1
c	40	30.2	5.5	566	29	C79130	C79130 Mus muscu
c	41	30.2	5.5	582	29	C79086	C79086 Mus musculu
c	42	30	5.5	330	17	AA301623	AA301623 EST14659
c	43	30	5.5	582	17	W79063	W79063 zd80a01.s1
	44	30	5.5	456	14	AA594191	AA594191 nn29a08.s
	45	29.8	5.4	294	25	T20823	T20823 2831 Lambda

ALIGNMENTS

RESULT 1
AA540522/c

```
LOCUS       AA540522      599 bp    mRNA            EST       28-NOV-1998
DEFINITION  LD20232.5prime LD Drosophila melanogaster embryo BlueScript
            Drosophila melanogaster cDNA clone LD20232 5prime similar to
            U72331: Drosophila melanogaster putative RNA-binding protein (how)
            mRNA, complete cds, mRNA sequence.
ACCESSION   AA540522
NID         g2286956
KEYWORDS    EST.
SOURCE      fruit fly.
  ORGANISM  Drosophila melanogaster
            Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
            Pterygota; Diptera; Brachycera; Muscomorpha; Ephydroidea;
            Drosophilidae; Drosophila.
REFERENCE   1  (bases 1 to 599)
  AUTHORS   Harvey,D., Hong,L., Evans-Holm,M., Pendleton,J., Su,C.,
            Brokstein,P., Lewis,S. and Rubin,G.M.
  TITLE     BDGP/HHMI Drosophila EST Project
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Harvey, D.
            G. M. Rubin-Molecular and Cell Biology
            University of California Berkeley
            539 LSA, Berkeley, CA 94720-3200, USA
```

Fax: 510 643 9947
Email: http://www.fruitfly.org/EST, est@fruitfly.berkeley.edu
Plate: 202 row: C column: 8
High quality sequence stop: 564.

FEATURES
  source   Location/Qualifiers
                  1..599
                  /organism="Drosophila melanogaster"
                  /note="Organ: embryo; Vector: BlueScript SK; Site_1:
                  EcoRI; Site_2: XhoI; Constructed using Stratagene ZAP-cDNA
                  Synthesis kit. Oligo dT-primed and directionally cloned at
                  EcoRI and XhoI in BlueScript SK(+/-)."
                  /db_xref="BDGP_EST:BDcln019291"
                  /db_xref="taxon:7227"
                  /clone="LD20232"
                  /clone_lib="LD Drosophila melanogaster embryo BlueScript"
                  /sex="male and female"
                  /dev_stage="0 to 24 hours mixed stage embryonic"
                  /lab_host="SOLR"
BASE COUNT   205 a   164 c   138 g   92 t
ORIGIN

Query Match   6.5%;   Score 35.8; DB 23; Length 599;
Best Local Similarity 54.1%;   Pred. No. 0.62;
Matches 73; Conservative 0; Mismatches 62; Indels 0; Gaps 0;

Qy   47 TGGCCGCCTGAGCAATAATTAATTATGCGGTTGGACTTGCCCTTCAACACTGTGAACAGCAGTGAGT 106
          | ||| |||||| ||| | |||||||| | ||| |||||||| || | ||||
Db   536 TGAGCAACTGGGCCCCAGATAGTCGGGCGATGCTCTGTTGGTGTGTCCTGCTGCTGCTGTGTGGGG 477

Qy   107 GCAAAAGCAGCCCGCGCCGCTGCAAGAGGACAGTGCTCGACGACTGGGCTGCTGCCGAGTGT 166
          || || ||| || | | ||| |||||||| |||||||||| ||||||| || ||||||| |
Db   476 TCAAGTGCTGCGCGGGTCATGGAGGAGCACACACTGCGCGCGCCGCCGTGTTGCTGCTGCGTGCCCT 417

Qy   167 GCGCTGCAGGGCGGG 181
          | | ||| |||
Db   416 GAGCCTGAGCCTGG 402

RESULT 2
R48383/c
LOCUS   R48383   398 bp   mRNA   EST   18-MAY-1995
DEFINITION   yj67h05.r1 Homo sapiens cDNA clone 153849 5' similar to gb:M75126
             HEXOKINASE, TYPE I (HUMAN);.
ACCESSION   R48383
NID   g810409
KEYWORDS   EST.
SOURCE   human clone=153849 library=Soares breast 2NbHBst vector=pT7T3D
             (Pharmacia) with a modified polylinker host=DH10B (ampicillin
             resistant) primer=M13RPl Rsite1=Not I Rsite2=Eco RI Adult female.
             1st strand cDNA was primed with a Not I - oligo(dT) primer [5'
             TGTTACCAATCTGAAGTGGGAGACGGCCGCGCCGCTTTTTTTTTTTTTTTTT 3'], primed
             double-stranded cDNA was ligated to Eco RI adaptors (Pharmacia),
             digested with Not I and cloned into the Not I and Eco RI sites of a
             modified pT7T3 vector (Pharmacia). Library went through one round
             of normalization to a Cot = 230. Library constructed by Bento
             Soares and M.Fatima Bonaldo.
ORGANISM   Homo sapiens
             Eukaryotae; Metazoa; Eumetazoa; Bilateria; Coelomata;
             Deuterostomia; Chordata; Vertebrata; Gnathostomata; Osteichthyes;
             Sarcopterygii; Choanata; Tetrapoda; Amniota; Mammalia; Theria;
             Eutheria; Archonta; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 398)
AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
             Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
             Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
             Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
             Wilson,R.
TITLE   The WashU-Merck EST Project
JOURNAL   Unpublished (1995)
COMMENT   Contact: Wilson RK
             WashU-Merck EST Project

FEATURES
  source   Location/Qualifiers
                  1..398
                  /organism="Homo sapiens"
                  /clone="153849"
BASE COUNT   70 a   107 c   107 g   111 t   3 others
ORIGIN

Query Match   6.2%;   Score 33.8; DB 10; Length 398;
Best Local Similarity 48.2%;   Pred. No. 2.4;
Matches 95; Conservative 0; Mismatches 102; Indels 0; Gaps 0;

Qy   158 GCCGAGTGTGCGCTGCCAGGGCGGGGGAGAAACTTGCTACCGCACAGTGTCCAGGCATGGATG 217
          ||| ||| |||| | ||| | |||||||||| || || |||||| ||| | ||| || |
Db   269 GCCCACAGTGGGGTGCCCCAGGAGGGGAGAGGAAGCAGCTAATGCTATGCCCCACACTCGCCTT 210

Qy   218 GCATGAAGTGTGGCCCGGGGGCTGAGGTGTCAGCCTTCTTAATGGGGAGGAGGATCCTTTGGGTG 277
          ||| || || ||| | || || |||| || | || | || | | || || || || ||
Db   209 TCAGGCAGTGCCCCCGGGGAGGGAGGCCCGCAGTGTCTGCTGGTGATAATACATTTCACA 150

Qy   278 AAGAGTTTGGTATCTGCAAAAGACTTGTTCCCTACGGCACCTTCGGGATGGGATTGGCAGAGAGA 337
          |||||| ||| || |||| ||| || | ||| ||||| || || |||| || |||| ||
Db   149 CAGGGAGGGGAACCCCAAGGATGGGCTTTGGACCCCAGAAGCGCCTGTCAGGGTGGTGGTCA 90

Qy   338 CCTGCAACTGCCAGTCA 354
          || | || ||||| ||
Db   89 TTTCCATCTCCAGCCA 73

RESULT 3
AU018204/c
LOCUS   AU018204   253 bp   mRNA   EST   14-OCT-1998
DEFINITION   Mus musculus 2-cell embryo cDNA 3'-end sequence, clone J0750B07,
             mRNA sequence.
ACCESSION   AU018204
NID   g3373694
KEYWORDS   EST.
SOURCE   Mus musculus (strain:C57BL/6J) 2-cell stage embryo cDNA to mRNA,
             clone:J0750B07.
ORGANISM   Mus musculus
             Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
             Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE   1 (sites)
AUTHORS   Ko,M.S.H., Kitchen,J.R., Wang,X., Threat,T.A., Sun,T.,
             DePalma,G.E., Liang,Y., Kargul,G.J., Sharara,R. and Doi,H.
TITLE   Systematic analyses of genes expressed in 2-cell stage mouse
             embryos (The ERATO/Doi Project at Wayne State University)
JOURNAL   Unpublished (1998)
REFERENCE   2 (bases 1 to 253)
AUTHORS   Ko,M.S.H. and Doi,H.
TITLE   Direct Submission
JOURNAL   Submitted (16-JUN-1998) to the DDBJ/EMBL/GenBank databases.
             Hirofumi Doi, Japan Science and Technology Corporation (JST), Doi
             Bioasymmetry Project, ERATO; WBG Marive East 12F, 2-6 Nakase,
             Mihama-ku, Chiba, Chiba 261-7112, Japan (E-mail:hd@bioa.jst.go.jp,
             Tel:+81-43-299-1351, Fax:+81-43-297-7530)
FEATURES
  source   Location/Qualifiers
                  1..253
                  /organism="Mus musculus"
                  /strain="C57BL/6J"
                  /db_xref="taxon:10090"
                  /clone="J0750B07"
                  /dev_stage="2-cell stage embryo"
BASE COUNT   60 a   65 c   61 g   61 t   6 others

RESULT 4

```
ORIGIN
```

Query Match   5.9%; Score 32.6; DB 31; Length 253;
Best Local Similarity 52.6%; Pred. No. 5.1;
Matches 71; Conservative 0; Mismatches 64; Indels 0; Gaps 0;

```
Qy   359 TCTGTGCAGCAGGGGGACGGGGAGGGGAAAATGCCTGAGAAATTCCCTTCTTCCAATATTCAGTRAACCA 418
             |||  | | | ||||  | |||  | |||||||  |  || || ||| ||||   |||| | || |||
Db   151 TCTTGAGACAGTTGACAGAAACAGCCCTTTTCCCGTTCTTTTCTCCCTTGGAGTTAACC 92

Qy   419 AGTCTCTTCCAACAGATTGTTCTCTCACGGAGCATGTCGACATGGCACCATGGCAATA 478
             ||  |  |||  |||  | || |  ||||| || | || | |||  |  |||||||
Db   91  TTTCCCCCACCGTTAATGTGTCCCCCACCGAGCACTGCAGAAAGAGGCAATAATA 32

Qy   479 TTTGTGAGGAAGAAG 493
             |  |  ||||||||
Db   31  CGGACCAACAAGAAG 17
```

```
LOCUS       AA449580       360 bp    mRNA             EST       04-JUN-1997
DEFINITION  zx06e08.r1 Soares total fetus Nb2HF8 9w Homo sapiens cDNA clone
            785702 5' similar to SW:ACON_BOVIN P20004 ACONITATE HYDRATASE,
            MITOCHONDRIAL PRECURSOR ;. mRNA sequence.
ACCESSION   AA449580
NID         g2163330
KEYWORDS    EST.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Mammalia; Eutheria; Primates; Catarrhini; Hominidae;
            Homo.
REFERENCE   1  (bases 1 to 360)
  AUTHORS   Hillier,L., Allen,M., Bowles,L., Dubuque,T., Geisel,G., Jost,S.,
            Kucaba,T., Lacy,M., Le,N., Lennon,G., Marra,M., Martin,J.,
            Moore,B., Schellenberg,K., Steptoe,M., Tan,F., Theising,B.,
            White,Y., Wylie,T., Waterston,R. and Wilson,R.
  TITLE     WashU-Merck EST Project 1997
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Wilson RK
            WashU-Merck EST Project
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Seq primer: -28nl3 rev2 ET from Amersham.
FEATURES    Location/Qualifiers
     source          1..360
                     /organism="Homo sapiens"
                     /note="Vector: pT7T3D-Pac (Pharmacia) with a modified
                     polylinker; Site_1: Not I; Site_2: Eco RI 1st strand cDNA
                     was prepared from mRNA obtained from pooled 8-9 week
                     (total) fetus material with a Not I - oligo(dT) primer [5'
                     TGTTACCAATCTGAAGTGGGAGGGGGCGGCCGCGTTAATTTTTTTTTTTTTTTTTT 3'].
                     Double-stranded cDNA was ligated to Eco RI adaptors
                     (Pharmacia), digested with Not I and cloned into the Not I
                     and Eco RI sites of the modified pT7T3 vector. Library
                     went through one round of normalization, and was
                     constructed by Bento Soares and M. Fatima Bonaldo."
                     /db_xref="taxon:9606"
                     /dev_stage="8-9 weeks"
                     /lab_host="DH10B"
                     /clone="785702"
                     /clone_lib="Soares total fetus Nb2HF8 9w"
                     /db_xref="GDB:5983320"
                     /<1. >360

BASE COUNT       92 a    106 c    104 g     58 t
mRNA
```

RESULT 5

```
ORIGIN
```

Query Match   5.9%; Score 32.4; DB 20; Length 360;
Best Local Similarity 51.4%; Pred. No. 6.3;
Matches 75; Conservative 0; Mismatches 71; Indels 0; Gaps 0;

```
Qy   206 CAGGCANGGAGGATGGCATGAAGTGTGGCCCGGGGGGCTGAGGTGTCAGCCTTCTAATGGGGGAGG 265
             ||||  | ||||| |   |  ||  ||||  |||   |   ||  |||    || |   ||||| |
Db   19  CGGGCACGGGATGGGCCAGAAAGTTCAGCGTGGAGGTCGGGATGCGAGATGAGAGCTTCCCAAAGG 78

Qy   266 ATCCTTTTGGGTGAAGAGTTGGTATCTGCAAAGAACTGTCCTTACGGCGCCACCTTCGGGATGG 325
             | |  ||  | |  | |  | |||   |||| ||  | | || | |||  |||  ||||| ||
Db   79  GGACGTTTGACCCAGGGCAGGACACTTACCAGCACCACCCAAAGGACGACGAGCACGGGGCAGC 138

Qy   326 ATTGCAGAGAGAACCTGCAAACTGCCAG 351
             | ||  |  | |  | | ||  ||||||
Db   139 AtGTGGACGTGAGCCCCACCAGCCAG 164
```

```
LOCUS       W01086/c       242 bp    mRNA             EST       18-APR-1996
DEFINITION  za59h04.r1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone
            296887 5', mRNA sequence.
ACCESSION   W01086
NID         g1273230
KEYWORDS    EST.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 242)
  AUTHORS   Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
            Holman,M., Hultman,M., Kucaba,T., Le,N., Lennon,G., Marra,M.,
            Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
            Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
            Wilson,R.
  TITLE     The WashU-Merck EST Project
  JOURNAL   Unpublished (1995)
COMMENT     Contact: Wilson RK
            WashU-Merck EST Project
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Seq primer: mob.REGA+ET
            High quality sequence stop: 176.
FEATURES    Location/Qualifiers
     source          1..242
                     /organism="Homo sapiens"
                     /note="Organ: Liver and Spleen; Vector: pT7T3D (Pharmacia)
                     with a modified polylinker; Site_1: Pac I; Site_2: Eco RI;
                     1st strand cDNA was primed with a Pac I - oligo(dT) primer
                     [5' AACTGGAAGAATTAATTAAAGATCTTTTTTTTTTTTTTTTTT 3'],
                     double-stranded cDNA was ligated to Eco RI adaptors
                     (Pharmacia), digested with Pac I and cloned into the Pac I
                     and Eco RI sites of the modified pT7T3 vector. Library
                     went through one round of normalization. Library
                     constructed by Bento Soares and M.Fatima Bonaldo."
                     /db_xref="taxon:9606"
                     /sex="male"
                     /dev_stage="20 week-post conception fetus"
                     /clone="296887"
                     /clone_lib="Soares fetal liver spleen 1NFLS"
                     /lab_host="DH10B (ampicillin resistant)"
                     /<1. >242

BASE COUNT       60 a     50 c     73 g     57 t      2 others
mRNA
ORIGIN
```

Left column (RESULT 6)

```
RESULT   6
AA168292
LOCUS       AA168292          355 bp    mRNA              EST       12-FEB-1997
DEFINITION  ms22f08.r1 Stratagene mouse skin (#937313) Mus musculus cDNA clone
            607719 5' similar to gb:X03212 KERATIN, TYPE II CYTOSKELETAL 7
            (HUMAN); gb:X03491 Mouse mRNA for type II 57 kd keratin (MOUSE);.,
            mRNA sequence.
ACCESSION   AA168292
NID         g1746494
KEYWORDS    EST.
SOURCE      house mouse.
  ORGANISM  Mus musculus
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
            Mus.
REFERENCE   1  (bases 1 to 355)
  AUTHORS   Marra,M., Hillier,L., Allen,M., Bowles,M., Dietrich,N., Dubuque,T.,
            Geisel,S., Kucaba,T., Lacy,M., Le,M., Martin,J., Morris,M.,
            Schellenberg,K., Steptoe,M., Tan,F., Underwood,K., Moore,B.,
            Theising,B., Wylie,T., Lennon,G., Soares,B., Wilson,R. and
            Waterston,R.
  TITLE     The WashU-HHMI Mouse EST Project
  JOURNAL   Unpublished (1996)
COMMENT     Contact: Marra M/Mouse EST Project
            WashU-HHMI Mouse EST Project
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: mouseest@watson.wustl.edu
            This clone is available royalty-free through LLNL ; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            MGI:37151
            Seq primer: -28m13 rev1 ET from Amersham
            High quality sequence stop: 329.
FEATURES             Location/Qualifiers
     source          1..355
                     /organism="Mus musculus"
                     /strain="C57BL/6"
                     /note="Vector: pBluescript SK-; Site_1: EcoRI; Site_2:
                     XhoI; Cloned unidirectionally. Primer: Oligo dT. Whole
                     skin from 11 week old C57BL/6 female mice. Average insert
                     size: 1.0 kb; Uni-ZAP XR Vector: -5' adaptor sequence: 5'
                     GAATTCGGCACGAG 3' -3' adaptor sequence: 5'
                     CTCGAGTTTTTTTTTTTTTTTTTT 3'."
                     /clone="607719"
                     /clone_lib="Stratagene mouse skin (#937313)"
                     /sex="females"
                     /dev_stage="11 weeks old"
                     /lab_host="SOLR (kanamycin resistant)"
BASE COUNT         100 a        76 c        119 g        60 t
ORIGIN
```

Left column top (query match)

```
Query Match        5.9%;  Score 32.2;  DB 13;  Length 242;
Best Local Similarity  61.2%;  Pred. No. 6.7;
Matches   52;  Conservative    0;  Mismatches   33;  Indels    0;  Gaps    0;

Qy    422  CTTCCAACAGARTTGTTTCTCTCACCGGAGCANTGACANTGGCANTGGCAATATTG  481
           ||||   ||| |||||||| ||  ||||| || | || ||||| || |  ||||||
Db    187  CTTCCGCTCCAAATATTCTTTCTCAATTAGAATGTCAATGCANTTCTGGGTGTGTTATTTTTA  128

Qy    482  TGAGAGAAGAAGTTGTGAAAGAGAA  506
           |||||||||  ||||||| |||||
Db    127  AAAAGGAAGAAGGTAGTGAAAAGAGAA  103
```

Right column (RESULT 7)

```
RESULT   7
AA264358/c
LOCUS       AA264358          536 bp    mRNA              EST       29-NOV-1998
DEFINITION  LD08029.5prime LD Drosophila melanogaster embryo Bluescript
            Drosophila melanogaster cDNA clone LD08029 5prime, mRNA sequence.
ACCESSION   AA264358
NID         g1900427
KEYWORDS    EST.
SOURCE      fruit fly.
  ORGANISM  Drosophila melanogaster
            Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
            Pterygota; Diptera; Brachycera; Muscomorpha; Ephydroidea;
            Drosophilidae; Drosophila.
REFERENCE   1  (bases 1 to 536)
  AUTHORS   Harvey,D., Hong,L., Evans-Holm,M., Pendleton,J., Su,C.,
            Brokstein,P., Lewis,S. and Rubin,G.M.
  TITLE     BDGP/HHMI Drosophila EST Project
  JOURNAL   Unpublished (1997)
COMMENT     Contact: Harvey, D.
            G. M. Rubin-Molecular and Cell Biology
            University of California Berkeley
            539 LSA, Berkeley
            Fax: 510 643 9947
            Email: http://www.fruitfly.org/EST, est@fruitfly.berkeley.edu
            Blast expect value = 3.7E-211 on U72331: Drosophila melanogaster
            putative RNA-binding protein (how) mRNA, complete cds
            Plate: 80  row: C  column: 5
            High quality sequence stop: 535.
FEATURES             Location/Qualifiers
     source          1..536
                     /organism="Drosophila melanogaster"
                     /note="organ: embryo; Vector: Bluescript SK; Site_1:
                     EcoRI; Site_2: XhoI; Constructed using Stratagene zAP-cDNA
                     Synthesis kit. Oligo dT-primed and directionally cloned at
                     EcoRI and XhoI in Bluescript SK(+/-)"
                     /db_xref="BDGP_EST:BDcln007384"
                     /db_xref="taxon:7227"
                     /clone="LD08029"
                     /clone_lib="LD Drosophila melanogaster embryo Bluescript"
                     /sex="male and female"
                     /dev_stage="0 to 24 hours mixed stage embryonic"
                     /lab_host="SOLR"
BASE COUNT         143 a       171 c       138 g        84 t
ORIGIN
```

Right column top (query match)

```
Best Local Similarity  48.6%;  Pred. No. 7.2;
Matches   88;  Conservative    0;  Mismatches   93;  Indels    0;  Gaps    0;

Qy     2  AGAGCGTCTTGCTGTGCTGACCACGCCTCCTCCGTCGTCGCACACCTGGTGGCCGCCTGGAGCA  61
          ||||| ||||  || ||||  || || ||  || ||| |  |  ||||||  ||| |||| ||
Db    10  AGAACCAGGTGCTGCTGCAGACCAAGTGGGAGCTGCTGCAGCACACGTGGACCTGAACAACTGCA  61

Qy    62  ATAATTANTGCGGTGGACTGCCCTCAACACTGTGCACACCAGTGAGTGCAAAAGCACCCGC  121
          |  ||| || | ||||| ||||| ||||| ||| ||| || | |||| |||| || |
Db    70  AGAACAACCTGAACAACCCATCCTTGAGGGCCCACATCACCAACAACATGGCCGAGAGAC  129

Qy   122  GCTGCAAGAGGACCAGCAGTGCTCGACGACTGTCGTGGGGTCGCCGAGTGTGCGCGTCGCAGGGCGGG  181
          |  |||  ||  ||  ||| |  ||||  | || |||| || | ||| || || ||| ||
Db   130  GCTGCTCTGGGGACAGAGAGAGGCTGGACTCGAGCTCAGGAATGTGCGTGGCGGTGGTGGA  189

Qy   182  G 182
          |
Db   190  G 190
```

Bottom left (mRNA)

```
Query Match        5.9%;  Score 32.2;  DB 16;  Length 355;
```

Bottom right

```
Query Match        5.8%;  Score 32;  DB 23;  Length 536;
Best Local Similarity  50.7%;  Pred. No. 9;
Matches   77;  Conservative    0;  Mismatches   75;  Indels    0;  Gaps    0;

Qy    47  TGGCCGCCTGGAGCAATAATTATTATTATCGGTGGGGACTGCCCTCAACACTGTGACAGCAGTGAGT  106
```

us-09-037-460-1_copy_61_609.rst

RESULT 8

```
Qy   314  TCAGCCAACTGGGCAAAAGCAGCCCGCCTGCGCAAGGAGGACAGTGCCTGGCTGCCGAGTGT
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Qy   107  GCAAAAGCAGCCCGCCTGCGCAAGGAGGACAGTGCCTGGCTGCCGAGTGGGGGG  600
Db   254  TCAAGTGCTCGGGGTCATGGGGGACCACCACGTGCGGGGCCGCCTGTTGCTCGCTGCTGTGGGG  100
```

```
Qy   167  GCGCTGCAGGGGGGGGGGGAGAAACTTGCTACCGC  198
          |||||||||||||||||||||||||||||||||||
Db   194  GAGCCTGAGCCTGGGCTTGGGCTTGAGCCTGC  163
```

LOCUS   AA439173/c
DEFINITION 546 bp   mRNA   EST   27-NOV-1998
            LD13657.5prime LD Drosophila melanogaster embryo BlueScript
            Drosophila melanogaster cDNA clone LD13657 5prime similar to
            U72331: Drosophila melanogaster putative RNA-binding protein (how)
            mRNA, complete cds, mRNA sequence.
ACCESSION   AA439173
NID   g2793228
KEYWORDS   EST.
SOURCE   fruit fly.
  ORGANISM Drosophila melanogaster
            Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
            Pterygota; Diptera; Brachycera; Muscomorpha; Ephydroidea;
            Drosophilidae; Drosophila.
REFERENCE   1 (bases 1 to 546)
  AUTHORS   Harvey,D., Hong,L., Evans-Holm,M., Pendleton,J., Su,C.,
            Brokstein,P., Lewis,S. and Rubin,G.M.
  TITLE   BDGP/HHMI Drosophila EST Project
  JOURNAL   Unpublished (1997)
COMMENT   On Jan 20, 1998 this sequence version replaced gi:2151054.
            High quality sequence stop: 431.
            Plate: 136 row: E column: 9
            Contact: Harvey, D
            G. M. Rubin-Molecular and Cell Biology
            University of California Berkeley
            539 LSA, Berkeley, CA 94720-3200, USA
            Fax: 510 643 9947
            Email: http://www.fruitfly.org/EST, est@fruitfly.berkeley.edu
FEATURES   Location/Qualifiers
     source   1..546
                     /organism="Drosophila melanogaster"
                     /note="Organ: embryo; Vector: BlueScript SK; Site_1:
                     EcoRI; Site_2: XhoI; Constructed using Stratagene ZAP-cDNA
                     Synthesis kit. Oligo dT-primed and directionally cloned at
                     EcoRI and XhoI in BlueScript SK(+/-)"
                     /db_xref="BDGP_EST:BDcln01284"
                     /clone="LD13657"
                     /clone_lib="LD Drosophila melanogaster embryo BlueScript"
                     /sex="male and female"
                     /dev_stage="0 to 24 hours mixed stage embryonic"
                     /lab_host="SOLR"
BASE COUNT   196 a   147 c   126 g   77 t
ORIGIN

Query Match   5.8%;   Score 32; DB 23; Length 546;
Best Local Similarity   50.7%; Pred. No. 9.1;
    Matches 77; Conservative 0; Mismatches 75; Indels 0; Gaps 0;
```

```
Qy    47  TGGCCCGCCTGGAGCAATAATTATTATGCGGTGGACTGCCTCCCTCAACACTGTGACAGCAGTGAGT  106
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   526  TGAGCAACTGGGCCACAATAGTCGGCGAGTGCTCTGTGTGGCTCTGCTCTGCTGTGGGGG  467
```

```
Qy   107  GCAAAAGCAGCCCGCCTGCGCAAGGAGGACAGTGCCTGGCTGCCGAGTGT  166
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   466  TCAAGTGCTCGGGGTCATGGGGGACCACCACGTGCGGGGCCGCCTGTTGCTCGCTGCTGTGCCT  407
```

```
Qy   167  GCGCTGCAGGGGGGGGGGGAGAAACTTGCTACCGC  198
          |||||||||||||||||||||||||||||||||||
Db   167  GCGCTGCAGGGGGGGGGGGGAGAAACTTGCTACCGC  198
```

RESULT 9

LOCUS   AA978722
DEFINITION 750 bp   mRNA   EST   24-NOV-1998
            LD32729.5prime LD Drosophila melanogaster embryo pOT2 Drosophila
            melanogaster cDNA clone LD32729 5prime similar to U85651:
            Drosophila melanogaster KH RNA binding protein (who) mRNA, complete
            cds, mRNA sequence.
ACCESSION   AA978722
NID   g3156138
KEYWORDS   EST.
SOURCE   fruit fly.
  ORGANISM Drosophila melanogaster
            Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
            Pterygota; Diptera; Brachycera; Muscomorpha; Ephydroidea;
            Drosophilidae; Drosophila.
REFERENCE   1 (bases 1 to 756)
  AUTHORS   Harvey,D., Hong,L., Evans-Holm,M., Pendleton,J., Su,C.,
            Brokstein,P., Lewis,S. and Rubin,G.M.
  TITLE   BDGP/HHMI Drosophila EST Project
  JOURNAL   Unpublished (1997)
COMMENT   High quality sequence stop: 753.
            Plate: 327 row: C column: 5
            Contact: Harvey, D
            G. M. Rubin-Molecular and Cell Biology
            University of California Berkeley
            539 LSA, Berkeley, CA 94720-3200, USA
            Fax: 510 643 9947
            Email: http://www.fruitfly.org/EST, est@fruitfly.berkeley.edu
FEATURES   Location/Qualifiers
     source   1..756
                     /organism="Drosophila melanogaster"
                     /note="Organ: embryo; Vector: pOT2; Site_1: EcoRI; Site_2:
                     XhoI; Sized fractionated cDNAs were directly ligated into
                     pOT2."
                     /db_xref="taxon:7227"
                     /clone="LD32729"
                     /clone_lib="LD Drosophila melanogaster embryo pOT2"
                     /sex="male and female"
                     /dev_stage="0 to 24 hours mixed stage embryonic"
                     /lab_host="Xli Blue"
BASE COUNT   238 a   216 c   182 g   120 t
ORIGIN

Query Match   5.8%;   Score 32; DB 23; Length 756;
Best Local Similarity   50.7%; Pred. No. 9.6;
    Matches 77; Conservative 0; Mismatches 75; Indels 0; Gaps 0;
```

```
Qy    47  TGGCCCGCCTGGAGCAATAATTATTATGCGGTGGACTGCCTCCCTCAACACTGTGACAGCAGTGAGT  106
          |||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   504  TGAGCAACTGGGCCACAATAGTCGGCGAGTGCTCTGTGTGGCTCTGCTCTGCTGTGGGGG  445
```

```
Qy   107  GCAAAAGCAGCCCGCCTGCGCAAGGAGGACAGTGCCTGGCTGCCGAGTGT  166
          |||||||||||||||||||||||||||||||||||||||||||||||||
Db   444  TCAAGTGCTCGGGGTCATGGGGGACCACCACGTGCGGGGCCGCCTGTTGCTCGCTGCTGTGCCT  385
```

```
Qy   167  GCCCTGCAGGGGGGGGGGGGAGAAACTTGCTACCGC  198
          ||||||||||||||||||||||||||||||||||||
Db   384  GAGCCTGAGCCTGGGCTTGGGCTTGAGCCTGC  353
```

RESULT 10

LOCUS   AI011272
DEFINITION 424 bp   mRNA   EST   15-JUN-1998
            ROVAS70 3'end, mRNA sequence.
ACCESSION   AI011272
NID   g3225104
KEYWORDS   EST.
```

```
SOURCE
ORGANISM    Rattus sp.
            Rattus sp.
            Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
            Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
REFERENCE   1  (bases 1 to 424)
AUTHORS     Lee,N.H., Glodek,A., Chandra,I., Mason,T.M., Quackenbush,J.,
            Kerlavage,A.R. and Adams,M.D.
TITLE       Rat Genome Project: Generation of a Rat EST (REST) Catalog & Rat
            Gene Index
JOURNAL     Unpublished (1998)
COMMENT     Seq primer: M13-21.
            Contact: Lee, NH
            The Institute for Genomic Research
            9712, Medical Center Drive, Rockville, MD 20850, USA
            Tel: (301)-838-3529
            Fax: (301)-838-0208
            Email: nhlee@tigr.org
FEATURES    Location/Qualifiers
source      1..424
            /organism="Rattus sp."
            /note="Organ: ovary; Vector: pT7T3Pac; Site_1: EcoRI;
            Site_2: NotI"
            /db_xref="taxon:10118"
            /clone_lib="Normalized rat ovary, Bento Soares"
            /clone="ROVAS70"
BASE COUNT    86 a    112 c    123 g    103 t
ORIGIN

Query Match    5.8%;  Score 31.8;  DB 28;  Length 424;
Best Local Similarity    57.6%;  Pred. No. 10;
Matches   57;  Conservative   0;  Mismatches   42;  Indels   0;  Gaps   0;

Qy   195 CCGCACAGTCTCAGGCATGGATGGCCATGAAGTGTGGCCCGCGGGGGCCTGAGGTTCAGCCCTTC 254
         |||||||||||||||||||  ||||||||||||||  |||||||||  ||||||||||||| ||||
Db   230 CCTGACGGGCCCAGGAAGACTTGGCAAATGTTAGGGCTGTGGGCTGAGGGTCACCAGGC 289

Qy   255 TAAATGGGGGAGGGAGGGATCCTTTTGGTGAAGAGAGTTTGGTATATCTG 293
         ||| ||||||||||||||||||||||||||||||||||||||||||||
Db   290 CAAAGCTGGGGGAACTTTGGGGCAAAGGCTGTGCCACATG 328
```

```
RESULT 11
LOCUS       H06070     442 bp    mRNA    EST    21-JUN-1995
DEFINITION  yl72g12.s1 Homo sapiens cDNA clone 43492 3'.
ACCESSION   H06070
NID         g869622
KEYWORDS    EST.
SOURCE      human clone 43492 library=Soares infant brain 1NIB vector=Lafmid BA
            host=DH10B (ampicillin resistant) primer=Promega -21m13 Rsite1-Not
            I Rsite2=Hind III Whole brain from a 73 days post natal female. 1st
            strand cDNA was primed with a Not I - oligo(dT) primer [5'-
            AACTGGAAGAATTCGGCACGAGGCGGCCGCCGGGAATTTTTTTTTTTTTTTTTT 3']; double-stranded
            cDNA was ligated to Hind III adaptors (Pharmacia), digested with
            Not I and directionally cloned into the Not I and Hind III sites of
            the Lafmid BA vector. Library went through one round of
            normalization. Library constructed by Bento Soares and M.Fatima
            Bonaldo.
ORGANISM    Homo sapiens
            Eukaryota; Metazoa; Chordata; Vertebrata; Bilateria; Coelomata;
            Deuterostomia; Chordata; Vertebrata; Gnathostomata; Osteichthyes;
            Sarcopterygii; Choanata; Tetrapoda; Amniota; Mammalia; Theria;
            Eutheria; Archonta; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 442)
AUTHORS     Hillier,L., Clark,N., Dubuque,T., Elliston,K., Hawkins,M.,
            Holman,M., Hultman,M., Kucaba,T., Le,M., Lennon,G., Marra,M.,
            Parsons,J., Rifkin,L., Rohlfing,T., Soares,M., Tan,F.,
            Trevaskis,E., Waterston,R., Williamson,A., Wohldmann,P. and
            Wilson,R.
TITLE       The WashU-Merck EST Project
JOURNAL     Unpublished (1995)
COMMENT     GDB: G00-416-033
            Contact: Wilson RK
            WashU-Merck EST Project
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            High quality sequence stops: 354
            Source: IMAGE Consortium, LLNL
            This clone is available royalty-free through LLNL.; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
FEATURES    Location/Qualifiers
source      1..442
            /organism="Homo sapiens"
            /clone="43492"
BASE COUNT    78 c    91 g    148 t    12 others
ORIGIN

Query Match    5.8%;  Score 31.8;  DB 11;  Length 442;
Best Local Similarity    53.7%;  Pred. No. 10;
Matches   66;  Conservative   0;  Mismatches   57;  Indels   0;  Gaps   0;

Qy   201 AGTCTCAGGCCATGGATGGCCATGAAGTGTGGCCCGCGGGCCTGAGGTTCACCCTTCTTAAATGG 260
         |||||||| |||||| |||||||||||||||||||||||  |||||||| ||||||||  ||||||
Db   240 AGACTGAGGTATCCCGTGACACAGGGCAGGAAGGCATGTAGTGGGTCCTCAGTTCCCAAGTGG 299

Qy   261 GGAGGGATCCTTTTGGTGAAGAGAGTTTGGTATCTGCAAAGACTGTCCCTACGGCACCTTCG 320
         ||||||||||||||||||||||||||||| |||  ||||| |||||||  ||||||||| |||
Db   300 GAAGGAGGGCTAAATGGGTTAAAAGTTCATATATTCAGGAAGGGCTTTCACATCCATATAGTTTCTG 359

Qy   321 GAT 323
         |||
Db   360 GAT 362
```

```
RESULT 12
LOCUS       AA607213    485 bp    mRNA    EST    30-SEP-1997
ACCESSION   AA607213
NID         g2456106
KEYWORDS    EST.
SOURCE      house mouse.
ORGANISM    Mus musculus
            Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
            Rodentia; Sciurognathi; Muridae; Murinae; Mus.
DEFINITION  vn84g08.r1 Knowles Solter mouse blastocyst B1 Mus musculus cDNA
            clone 1004990 5', mRNA sequence.
REFERENCE   1  (bases 1 to 485)
AUTHORS     Marra,M., Hillier,L., Allen,M., Bowles,M., Dietrich,N., Dubuque,T.,
            Geisel,S., Kucaba,T., Lacy,M., Le,M., Martin,J., Morris,M.,
            Schellenberg,K., Steptoe,M., Tan,F., Underwood,K., Moore,B.,
            Theising,B., Wylie,T., Lennon,G., Soares,B., Wilson,R. and
            Waterston,R.
TITLE       The WashU-HHMI Mouse EST Project
JOURNAL     Unpublished (1996)
COMMENT     Contact: Marra M./Mouse EST Project
            WashU-HHMI Mouse EST Project
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: mouseest@watson.wustl.edu
            This clone is available royalty-free through LLNL.; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            MGI:569206
            High quality sequence stop: 466.
FEATURES    Location/Qualifiers
source      1..485
```

Left column

FEATURES
  source
        /organism="Mus musculus"
        /strain="B6D2 F1/J"
        /note="Organ: embryo; Vector: pSPORT; Site_1: NotI;
        Site_2: SalI; Cloned unidirectionally from mRNA prepared
        from 800 blastocysts. Primer: SalI(dT):
        5'-CGGTCGACGCGTCGACGGTTTTTTTTTTTTTTTT-3'; cDNAs were
        cloned into the NotI/SalI sites of a pSPORT vector (Life
        Technologies). Two different size selections: B1 (larger
        inserts) and B3."
        /db_xref="taxon:10090"
        /clone="1004990"
        /clone_lib="Knowles Solter mouse blastocyst B1"
        /tissue_type="blastocyst"
        /dev_stage="embryo (pre-implantation)"
        /lab_host="DH10B"

BASE COUNT   144 a   102 c   124 g   115 t
ORIGIN

Query Match   Best Local Similarity 52.7%; 5.8%   Score 31.8; DB 22; Length 485;
Matches 69; Conservative 0; Pred. No. 10; Mismatches 62; Indels 0; Gaps 0;

```
Qy   16 CTGACCACGCGTCCTCGTGCCGCCACCTGGTGTGGCCGCCCGTCGAGCAATAATATATGCGGTG 75
Db  216 CTGAACATGGTGTGTACACATCTGAAAATCCCAGTGGGTGGGAGGTAAAGGCAAGAGAATCAG 275

Qy   76 GACTGCCTCAACACTGTGACGACGCAGTAGTGAGTGCAAAAGCAGCCCGCCGCTGCAAGAGGACA 135
Db  276 GAATGCAGTTTAGCCTTGGCTGCTGCATGTGAGTGCAATGCCAGCCCGGGCTGCAAGAAACCA 335

Qy  136 GTGCTCGACGA 146
Db  336 GATCCTAATGA 346
```

RESULT 13
LOCUS   AA485611   394 bp   mRNA   EST   11-AUG-1997
DEFINITION zx90g08.r1 Soares ovary tumor NbHOT Homo sapiens cDNA clone 811070
            5', mRNA sequence.
ACCESSION   AA485611
NID   g2214830
KEYWORDS   EST.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Mammalia; Eutheria; Primates; Catarrhini; Hominidae;
            Homo.
REFERENCE   1 (bases 1 to 394)
  AUTHORS   Hillier,L., Allen,M., Bowles,L., Dubuque,T., Geisel,G., Jost,S.,
            Kucaba,T., Lacy,M., Le,N., Lennon,G., Marra,M., Martin,J.,
            Moore,B., Schellenberg,K., Steptoe,M., Tan,F., Theising,B.,
            White,Y., Wylie,T., Waterston,R. and Wilson,R.
  TITLE   WashU-Merck EST Project 1997
  JOURNAL   Unpublished (1997)
COMMENT   Contact: Wilson RK
            Washington University School of Medicine
            4444 Forest Park Parkway, Box 8501, St. Louis, MO 63108
            Tel: 314 286 1800
            Fax: 314 286 1810
            Email: est@watson.wustl.edu
            This clone is available royalty-free through LLNL; contact the
            IMAGE Consortium (info@image.llnl.gov) for further information.
            Seq primer: -28m13 rev2 ET from Amersham
            High quality sequence stop: 385.

Right column

        TGTTACCAAACTGAAGTGGGAGCGCGCCGCGCGGTTTTTTTTTTTTTTTTT 3'),
        double-stranded cDNA was size selected, ligated to Eco RI
        adapters (Pharmacia), digested with Not I and cloned into
        the Not I and Eco RI sites of a modified pT7T3 vector
        (Pharmacia). Library constructed by Bento Soares and
        M.Fatima Bonaldo."
        /db_xref="taxon:9606"
        /clone="811070"
        /clone_lib="Soares ovary tumor NbHOT"
        /sex="Female"
        /tissue_type="ovarian tumor"
        /lab_host="DH10B (ampicillin resistant)"
        /db_xref="GDB:6041982"
        <1..>394

mRNA
BASE COUNT   79 a   126 c   125 g   64 t
ORIGIN

Query Match   Best Local Similarity 58.5%; 5.8%   Score 31.6; DB 21; Length 394;
Matches 55; Conservative 0; Pred. No. 11; Mismatches 39; Indels 0; Gaps 0;

```
Qy  177 GCGGGGAGAAACTTGCTCACCGCACAGTCTCAGGCACATGGATGGAAGTGTGGCCCGGG 236
Db   94 GCGGTGGGCACTGGGGACCGCCTCCAATTCTCCACACAGGGACGGCGGAGGAGGAGGG 35

Qy  237 GCTGAGGTGTCAGCCTTCTAATGGGGAGGATCCT 270
Db   34 GCTGCAGCCACTCCACCACCCCACGGGGGTTGATCTT 1
```

RESULT 14
LOCUS   AA875541   338 bp   mRNA   EST   20-MAR-1998
DEFINITION UI-R-E0-cv-g-12-0-UI.s1 UI-R-E0 Rattus norvegicus cDNA clone
            UI-R-E0-cv-g-12-0-UI 3', similar to gi|2863898|gb|AA800943|AA800943
            EST190440 Normalized rat lung, Bento Soares Rattus sp. cDNA 3' end,
            mRNA sequence.
ACCESSION   AA875541
NID   g2980489
KEYWORDS   EST.
SOURCE   Norway rat.
  ORGANISM Rattus norvegicus
            Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
            Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
REFERENCE   1 (bases 1 to 338)
  AUTHORS   Bonaldo,M.F., Lennon,G. and Soares,M.B.
  TITLE   Normalization and subtraction: two approaches to facilitate gene
            discovery
  JOURNAL   Genome Res. 6 (9), 791-806 (1996)
  MEDLINE   97044477
COMMENT   Contact: Soares, MB
            Program for Rat Gene Discovery and Mapping
            University of Iowa
            451 Eckstein Medical Research Building Iowa City, IA 52242, USA
            Tel: 319 335 8250
            Fax: 319 335 9555
            Email: msoares@blue.weeg.uiowa.edu
            Oligo-dT track not found. Not I site shown in beginning of sequence
            is likely internal to the message. cDNA Library Preparation: M.
            Fatima Bonaldo, Ph.D. Clone distribution: clones will be available
            through Research Genetics
            Seq primer: M13 Forward

FEATURES
  source
        1..338
        /organism="Rattus norvegicus"
        /strain="Sprague-Dawley"
        /note="Vector: pT7T3D-Pac (Pharmacia) with a modified
        polylinker; Site_1: NotI; Site_2: EcoRI; This library
        consists of a mixture of individually tagged normalized
        libraries constructed from 8, 12 and 18-day embryo. The
        tag is a string of 3-5 nucleotides present between the

Not I site and the oligo-dT track which allows
identification of the library of origin of a clone within
the mixture."
          /db_xref="taxon:10116"
          /clone_lib="UI-R-E0"
          /clone="UI-R-E0-cv-g-12-0-UI"
          /dev_stage="embryonic"
          /lab_host="DH10B (Life Technologies)"

BASE COUNT   61 a   112 c   132 g   33 t
ORIGIN

Query Match 5.7%; Score 31.4; DB 27; Length 338;
Best Local Similarity 52.7%; Pred. No. 13;
Matches 68; Conservative 0; Mismatches 61; Indels 0; Gaps 0;

```
Qy   70 GCGGTGGACTGCCCTCACACACTGTGACAGCAGTGAGTGCAAAAGCAGCCCGGCCGGCTGCAAG 129
        |||| ||||| ||||||||||||||||| ||| |||| |||||||| || |||||| |||||
Db  129 GCGCGGCCTTGTTCCTGCGGCGTGTCGGCGTGTCCGACGTGTCCGACCCTGCCTGG       70

Qy  130 AGGACAGTGCTCGACGACTGTGGGTGCTGCCGCAGTGTGGCGTGCCCTCGGGGGGGGAGAAACT 189
        |||||| ||| ||||| ||||||||||| |||||| ||| |||||||||| |||| |||||
Db   69 GGCTATGTGCCAGACCCTCTGCAACTGCTGCTTGGTGTGTCGCCCCCAGCGGAGGGTGAGCCC   10

Qy  190 TGCTACCGC 198
        ||| |||||
Db    9 TGCGGCCGC   1
```

M. Fatima Bonaldo. "
          /db_xref="taxon:9606";
          /clone="IMAGE:1636032"
          /clone_lib="NCI_CGAP_Kid3"
          /lab_host="DH10B"

BASE COUNT   76 a   99 c   119 g   77 t
ORIGIN

Query Match 5.7%; Score 31.4; DB 30; Length 371;
Best Local Similarity 49.1%; Pred. No. 13;
Matches 83; Conservative 0; Mismatches 86; Indels 0; Gaps 0;

```
Qy  162 AGTGTGCGCTGCAGGGCGGGGGAGAAACTTGCTACCGCACAGTCTCAGGCATGGATGGCAT 221
        | |||| ||| || ||||| ||| ||| ||||| ||| ||||| |||| ||| | |||
Db  139 ACTCAGTGCTGAGTGGAGGGGATGGGGGGTTGCCGGGATCTCAGGCTTCGCCTTCCTTTTGTT 198

Qy  222 GAAGTGTGGCCCGGGGGCTGAGGTGTCAGGGTGTCAGCCTTCTTAAATGGGGAGGAATCCTTTTTGGTGAAGA 281
        ||| |||| |||| ||| |||| || || || || ||||| ||||| || |||| ||||
Db  199 CGGATGGAGGCCTGAGAGAGAGGGGACAGCGTGGCTCCAGGCGCGAGAATGCTGAAGCAGCAGA 258

Qy  282 GTTTGGTATCTGCAAAGAGACTGTCCCTACGGCACCTTCGGGATGGAATTGC 330
        ||| || || ||| ||||| ||| || ||| |||||| ||||| || |
Db  259 GGGGTGCTGGCTCCACTGACCACTCCACCCGTCTGTGTGGGAGGGCGTGGC 307
```

RESULT 15
LOCUS   AI017046   371 bp   mRNA   EST   27-AUG-1998
DEFINITION   ov01c01.x1 NCI_CGAP_Kid3 Homo sapiens cDNA clone IMAGE:1636032 3',
   mRNA sequence.
ACCESSION   AI017046
NID   g3231382
KEYWORDS   EST.
SOURCE   human.
ORGANISM   Homo sapiens
   Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
   Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 371)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE   National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
   Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
   Tel: (301) 496-1550
   Email: Robert_Strausberg@nih.gov
   Tissue Procurement: Christopher Moskaluk, M.D., Ph.D., Michael R.
   Emmert-Buck, M.D., Ph.D.
   cDNA Library Preparation: M. Bento Soares, Ph.D.
   cDNA Library Arrayed by: Greg Lennon, Ph.D.
   DNA Sequencing by: Washington University Genome Sequencing Center
   Clone distribution: NCI-CGAP clone distribution information can be
   found through the I.M.A.G.E. Consortium/LLNL at:
   www-bio.llnl.gov/bbrp/image/image.html

FEATURES   Location/Qualifiers
source   1..371
   /organism="Homo sapiens"
   /note="Organ: kidney; Vector: pT7T3D-Pac (Pharmacia) with
   a modified polylinker; Site_1: Not I; Site_2: Eco RI; 1st
   strand cDNA was primed with a Not I - oligo(dT) primer,
   double-stranded cDNA was ligated to Eco RI adaptors
   (Pharmacia), digested with Not I and cloned into the Not
   I and Eco RI sites of the modified pT7T3 vector. mRNA
   source: 2 pooled kidneys. Library went through one round
   of normalization. Library constructed by Bento Soares and

Insert Length: 1051   Std Error: 0.00
Seq primer: -40m13 fwd. ET from Amersham
High quality sequence stop: 350.

Search completed: May 4, 1999, 00:11:42
Job time: 881 sec

```
                                GenCore version 4.5
                                Copyright (c) 1993 - 1998 Compugen Ltd.

Run on:                 May 3, 1999, 14:59:21 ; Search time 398.05 Seconds

OM nucleic - nucleic search, using sw model
                                         (without alignments)
                                         4934.239 Million cell updates/sec

Title:          US-09-037-460-1_COPY_61_609
Perfect score:  549
Sequence:       1 AAGAGCGTCTTGCTCGTCGAC..........GGAAATGGTTAAATCCACGC 549

Scoring table:  IDENTITY_NUC
Searched:       808301 seqs, 1788773984 residues
Database :      GenEmbl:*
```

1:	gb_ba1:*			
2:	gb_ba2:*			
3:	gb_in:*			
4:	gb_om:*			
5:	gb_ov:*			
6:	gb_pat:*			
7:	gb_ph:*			
8:	gb_pl1:*			
9:	gb_pl2:*			
10:	gb_pr1:*			
11:	gb_pr2:*			
12:	gb_pr3:*			
13:	gb_ro:*			
14:	gb_st:*			
15:	gb_sy:*			
16:	gb_un:*			
17:	gb_vi:*			
18:	gb_htg:*			
19:	em_ba:*			
20:	em_fun:*			
21:	em_hum1:*			
22:	em_hum2:*			
23:	em_in:*			
24:	em_om:*			
25:	em_or:*			
26:	em_ov:*			
27:	em_pat:*			
28:	em_ph:*			
29:	em_pl:*			
30:	em_ro:*			
31:	em_sy:*			
32:	em_un:*			
33:	em_vi:*			
34:	em_htg:*			
35:	em_sts:*			
36:	em_ba1:*			
37:	gb_ba2:*			
38:	gb_pl1:*			
39:	gb_pl2:*			
40:	gb_pr1:*			
41:	gb_pr2:*			
42:	gb_pr3:*			
43:	gb_sts:*			

* Pred. No. is the number of results predicted by chance to have a
  score greater than or equal to the score of the result being printed,
  and is derived by analysis of the total score distribution.

```
SUMMARIES

Result                  %      Query
No.     Score   Match Length DB   ID          Description
------  -----   ----- ------ --   --          -----------
```

1	549	100.0	1271	6	AR004664	AR004664 Sequence
2	549	100.0	2006	10	HSRNAESM1	X89426 H.sapiens m
3	549	100.0	2006	40	HSRNAESM1	X89426 H.sapiens m
4	340.8	62.1	2009	13	RNU80818	U80818 Rattus norv
5	38	6.9	6504	3	AAU02548	U02548 Aedes aegyp
6	38	6.9	8780	3	MQSVITE	L41842 Aedes aegyp
7	38.2	7.0	38962	1	SC2E1	AL023797 Streptomy
8	38.2	7.0	38962	36	SC2E1	AL023797 Streptomy
9	37.4	6.8	162485	18	AC004840	AC004840 *** SEQUE
10	36.4	6.6	2267	13	MUSFISP12B	M70642 Mouse FISP-
11	36.4	6.6	2330	13	MUSFGFB	M80263 Mouse mRNA
12	36.4	6.6	4128	13	MUSFISP12A	M70641 Mouse FISP-
13	36	6.5	1927	5	CJU13063	U13063 Coturnix ja
14	35.8	6.5	1975	6	A28405	A28405 Sequence I
15	35.8	6.5	1975	6	A28444	A28444 nov mRNA se
16	35.8	6.5	1976	5	GGNOVMRNA	X59284 G.gallus no
17	36	6.5	40397	38	SC9959	Z49939 S.cerevisia
18	36	6.6	40397	38	SC9959	Z49939 S.cerevisia
19	35.4	6.4	1406	8	CRU24500	U24500 Chlamydomon
20	35.4	6.4	1406	8	CRU24500	U24500 Chlamydomon
21	35.4	6.4	2154	5	TMCRETRA	X77306 T.marmorata
22	35.2	6.4	2075	6	AR018957	AR018957 Sequence
23	35.2	6.4	2075	6	I11636	I11636 Sequence 1
24	35.2	6.4	2075	6	I32210	I32210 Sequence 1
25	35.2	6.4	2075	10	HUMCONGRO	M92934 Human conne
26	35.2	6.4	2075	40	HUMCONGRO	M92934 Human conne
27	35.2	6.4	2312	11	HSCTGF	X78947 H.sapiens m
28	35.2	6.4	2312	41	HSCTGF	X78947 H.sapiens m
29	35	6.4	1496	4	SSU83916	U83916 Sus scrofa
30	34.4	6.3	230	6	A28407	A28407 Sequence th
31	34.4	6.3	684	6	MTV008	MTV008 Mycobacte
32	35	6.4	63033	36	MTV008	MTV008 Mycobacte
33	35	6.4	63033	36	MTV008	AL021246 Mycobacte
34	34.4	6.3	10471	3	AF008228	AF008228 Drosophil
35	34.4	6.3	11451	3	DMTENM	X73154 D.melanogas
36	34.4	6.3	14045	3	DMOD24	AF008227 Drosophil
37	33.8	6.2	1283	12	AF083500	AF083500 Homo sapi
38	33.8	6.2	1283	42	AF083500	AF083500 Homo sapi
39	33.8	6.2	1309	11	AF074604	AF074604 Homo sapi
40	33.8	6.2	1309	41	AF074604	AF074604 Homo sapi
41	33	6.0	4180	13	RNU49058	RNU49058 Rattus norv
42	32.8	6.0	1781	18	MUSH1X	L26164 Mouse histo
43	33.5	6.1	323900	18	HS402G11	AL022328 Human DNA
44	32.6	5.9	1028	5	XLCAP	Y00791 Xenopus lae
45	32.8	6.0	5597	13	MHHIST431	Y12290 M.musculus

```
ALIGNMENTS

RESULT  1
LOCUS           AR004664        1271 bp    DNA             PAT     04-DEC-1998
DEFINITION      Sequence 1 from patent US 5747280.
ACCESSION       AR004664
NID             g3965543
KEYWORDS        .
SOURCE          Unknown.
  ORGANISM      Unknown.
                Unclassified.
REFERENCE       1 (bases 1 to 1271)
  AUTHORS       Hastings,G.A. and Rosen,C.A.
  TITLE         Human vascular IBP-like growth factor
  JOURNAL       Patent: US 5747280-A 1 05-MAY-1998;
                Human Genome Sciences, Inc.;
FEATURES        Location/Qualifiers
  source        1..1271
                /organism="unknown"
BASE COUNT      361 a    246 c    336 g    320 t      8 others
ORIGIN

Query Match         100.0%;  Score 549;  DB 6;  Length 1271;
Best Local Similarity   100.0%;  Pred. No. 3.2e-156;
```

RESULT 2

```
Matches 549;  Conservative  0;  Mismatches  0;  Indels  0;  Gaps  0;
```

```
Qy     1 AAGAGGCTCTTGCTCTGTGCTGCACCACGCTCCTCGTCGTCTGCCTGCACCTGTGGCCGCCTGGAGC 60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    61 AAGAGGCTCTTGCTCTGTGCTGCACCACGCTCCTCGTCGTCTGCCTGCACCTGTGGCCGCCTGGAGC 120

Qy    61 AATAATTATTCGGGTGGACTGCCCTCAACACTGTGACAGCAGTGCAAAAGCAGCCCG 120
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   121 AATAATTATTCGGGTGGACTGCCCTCAACACTGTGACAGCAGTGCAAAAGCAGCCCG 180

Qy   121 CGCTGCAAGAGGAGGACAGTGCTTCGACGACTGTGGCGTCGCTGCGCAGGGGCGG 180
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   181 CGCTGCAAGAGGAGGACAGTGCTTCGACGACTGTGGCGTCGCTGCGCAGGGGCGG 240

Qy   181 GGAGAAAACTTGCTACCGGACAGTCTCAGGGATGGGCATGGGCCCGGGGGGCTG 240
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   241 GGAGAAAACTTGCTACCGGACAGTCTCAGGGATGGGCATGGGCCCGGGGGGCTG 300

Qy   241 AGGTGTCAGCGTTCTTTAATGGGGAGAGATCCTTTGGTGAAGAGTTTGGTATCGCAAAGAC 300
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   301 AGGTGTCAGCGTTCTTTAATGGGGAGAGATCCTTTGGTGAAGAGTTTGGTATCGCAAAGAC 360

Qy   301 TGTCCCTACGGCCACTTCGGGATGGGATTGCGAGAGGACAGTCCAGTCTCAGGCATC 360
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   361 TGTCCCTACGGCCACTTCGGGATGGGATTGCGAGAGGACAGTCCAGTCTCAGGCATC 420

Qy   361 TGTGACAGGGGGACGGGGAAAAATGCCTGAAAATTCCCTTCTTCCAATATTCAGTTAACCAAG 420
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   421 TGTGACAGGGGGACGGGGAAAAATGCCTGAAAATTCCCTTCTTCCAATATTCAGTTAACCAAG 480

Qy   421 TCTTCCAACAGATTTGTTTCTCTCACGGAGCATGACATGGCAATGGCAAATATT 480
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   481 TCTTCCAACAGATTTGTTTCTCTCACGGAGCATGACATGGCAATGGCAAATATT 540

Qy   481 GTGAGAGAAGAAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGTAATGGGTTA 540
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   541 GTGAGAGAAGAAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGTAATGGGTTA 600

Qy   541 AATCCACGC 549
         |||||||||
Db   601 AATCCACGC 609
```

LOCUS   HSRNAESM1   2006 bp   RNA   PRI   07-OCT-1996
DEFINITION H.sapiens mRNA for ESM-1 protein.
ACCESSION   X89426
NID   g1150418
KEYWORDS   ESM-1 protein.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata;
            Vertebrata; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 2006)
  AUTHORS   Lassalle,P., Molet,S., Janin,A., Heyden,J.V., Tavernier,J.,
            Fiers,W., Devos,R. and Tonnel,A.B.
  TITLE   ESM-1 is a novel human endothelial cell-specific molecule expressed
            in lung and regulated by cytokines
  JOURNAL   J. Biol. Chem. 271 (34), 20458-20464 (1996)
  MEDLINE   96355375
REFERENCE   2 (bases 1 to 2006)
  AUTHORS   Lassalle,P.M.
  TITLE   Direct Submission
  JOURNAL   Submitted (06-JUL-1995) P.M. Lassalle, INSERM, Unite 416, 1, bd du
            Prof. CALMETTE, LILLE 59019, FRANCE
FEATURES   Location/Qualifiers
     source   1..2006
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /cell_line="HUVEC"
                     /clone="All.1"
     sig_peptide   56..112

BASE COUNT   623 a   333 c   475 g   575 t
ORIGIN

RESULT 3

```
Query Match        100.0%;  Score 549;  DB 10;  Length 2006;
Best Local Similarity 100.0%;  Pred. No. 3.4e-156;
Matches 549; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
Qy     1 AAGAGGCTCTTGCTCTGTGCTGCACCACGCTCCTCGTCGTCTGCCTGCACCTGTGGCCGCCTGGAGC 60
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    59 AAGAGGCTCTTGCTCTGTGCTGCACCACGCTCCTCGTCGTCTGCCTGCACCTGTGGCCGCCTGGAGC 118

Qy    61 AATAATTATTCGGGTGGACTGCCCTCAACACTGTGACAGCAGTGCAAAAGCAGCCCG 120
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   119 AATAATTATTCGGGTGGACTGCCCTCAACACTGTGACAGCAGTGCAAAAGCAGCCCG 178

Qy   121 CGCTGCAAGAGGAGGACAGTGCTTCGACGACTGTGGCGTCGCTGCGCAGGGGCGG 180
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   179 CGCTGCAAGAGGAGGACAGTGCTTCGACGACTGTGGCGTCGCTGCGCAGGGGCGG 238

Qy   181 GGAGAAAACTTGCTACCGGACAGTCTCAGGGATGGGCATGGGCCCGGGGGGCTG 240
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   239 GGAGAAAACTTGCTACCGGACAGTCTCAGGGATGGGCATGGGCCCGGGGGGCTG 298

Qy   241 AGGTGTCAGCGTTCTTTAATGGGGAGAGATCCTTTGGTGAAGAGTTTGGTATCGCAAAGAC 300
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   299 AGGTGTCAGCGTTCTTTAATGGGGAGAGATCCTTTGGTGAAGAGTTTGGTATCGCAAAGAC 358

Qy   301 TGTCCCTACGGCCACTTCGGGATGGGATTGCGAGAGGACAGTCCAGTCTCAGGCATC 360
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   359 TGTCCCTACGGCCACTTCGGGATGGGATTGCGAGAGGACAGTCCAGTCTCAGGCATC 418

Qy   361 TGTGACAGGGGGACGGGGAAAAATGCCTGAAAATTCCCTTCTTCCAATATTCAGTTAACCAAG 420
         ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   419 TGTGACAGGGGGACGGGGAAAAATGCCTGAAAATTCCCTTCTTCCAATATTCAGTTAACCAAG 478

Qy   421 TCTTCCAACAGATTTGTTTCTCTCACGGAGCATGACATGGCAATGGCAAATATT 480
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   479 TCTTCCAACAGATTTGTTTCTCTCACGGAGCATGACATGGCAATGGCAAATATT 538

Qy   481 GTGAGAGAAGAAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGTAATGGGTTA 540
         ||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   539 GTGAGAGAAGAAGTTGTGAAAGAGAAATGCTGCCGGGTCTCCCGTAATGGGTTA 598

Qy   541 AATCCACGC 549
         |||||||||
Db   599 AATCCACGC 607
```

LOCUS   HSRNAESM1   2006 bp   RNA   PRI   07-OCT-1996
DEFINITION H.sapiens mRNA for ESM-1 protein.
ACCESSION   X89426
NID   g1150418
KEYWORDS   ESM-1 protein.
SOURCE   human.
  ORGANISM Homo sapiens
            Eukaryota; Metazoa; Chordata;
            Vertebrata; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1 (bases 1 to 2006)
  AUTHORS   Lassalle,P., Molet,S., Janin,A., Heyden,J.V., Tavernier,J.,
            Fiers,W., Devos,R. and Tonnel,A.B.
  TITLE   ESM-1 is a novel human endothelial cell-specific molecule expressed

```
JOURNAL    in lung and regulated by cytokines
MEDLINE    96355375
REFERENCE  2  (bases 1 to 2006)
AUTHORS    Lassalle,P.M.
TITLE      Direct Submission
JOURNAL    Submitted (06-JUL-1995) P.M. Lassalle, INSERM, Unite 416, 1, bd du
           Prof. CALMETTE, LILLE 59019, FRANCE
FEATURES           Location/Qualifiers
  source   1..2006
           /organism="Homo sapiens"
           /db_xref="taxon:9606"
           /cell_line="HUVEC"
           /clone="All.1"
  sig_peptide  56..112
  CDS      56..610
           /codon_start=1
           /product="ESM-1 secretory protein"
           /db_xref="PID:e1892266"
           /db_xref="PID:g1150419"
           /translation="MKSVLLLITLLLVPAHLVAAWSNNYAVDCPQHCDSSEKSSPRCK
           RIVLDDGCGCRVCAAGPGETCYRTVSGMDGMKCGPGLRCQPSNGEDPFGEEFGICKDC
           PYGTFGMDCRETCNCQSGICRGRTGKCLKFPPQYSVTKSSNRFVSLTEHDMASGDGN
           IVREEVVKENAAGSPYMRKWLNPR"

BASE COUNT  623 a    333 c    475 g    575 t
ORIGIN

Query Match     Best Local Similarity    100.0%;
Matches 549;  Conservative   0;  Pred. No. 3.4e-156;
                                  Score 549;  DB 40;   Length 2006;
                                  Mismatches  0;  Indels  0;  Gaps  0;

Qy     1 AAGAGCGTCTTGCTGTGCTCTGCTCTGACCACGCTCCTCTGTTGGGCCGCGCTGGAGC 60
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db    59 AAGAGCGTCTTGCTGTGCTCTGCTCTGACCACGCTCCTCTGTTGGGCCGCGCTGGAGC 118

Qy    61 AATAATTATGCGGTGGACTGCCCTCAACACTGTGACAGCAGTGAGTGCAAAAGCAGCCG 120
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   119 AATAATTATGCGGTGGACTGCCCTCAACACTGTGACAGCAGTGAGTGCAAAAGCAGCCG 178

Qy   121 CGCTGCAAGAGGACAGCAGTGCTCGACGACTGTGGCCGGAGTGTCGCGGCTGCAGGGCGG 180
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   179 CGCTGCAAGAGGACAGCAGTGCTCGACGACTGTGGCCGGAGTGTCGCGGCTGCAGGGCGG 238

Qy   181 GGAGAAACTTGCTACCGCACAGTCTCAGGCACATGGGACGATGAAGTGGTGCCGGGCCTG 240
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   239 GGAGAAACTTGCTACCGCACAGTCTCAGGCACATGGGACGATGAAGTGGTGCCGGGCCTG 298

Qy   241 AGGTGTCAGCCTTCTAATGGGGAGGAGATCCTTTTGGTGAAGAGTTTGGTATCTGCAAAGAC 300
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   299 AGGTGTCAGCCTTCTAATGGGGAGGATCCTTTTGGTGAAGAGTTTGGTATCTGCAAAGAC 358

Qy   301 TGTCCCTACGGCACCTTCGGGATGGATGGCATGACTCAGCATC 360
          ||||||||||||||||||||||||||||||||||||||||||||
Db   359 TGTCCCTACGGCACCTTCGGGATGGATGGCATGACTCAGCATC 418

Qy   361 TGTGACAGGGGGACGGGAAAAATGCCTGAAATTCCCCTTCTTCCAATATTCAGTAACCAAG 420
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   419 TGTGACAGGGGGACGGGAAAAATGCCTGAAATTCCCCTTCTTCCAATATTCAGTAACCAAG 478

Qy   421 TCTTCCCAACAGATTTGTTTCTCTCACGGACGACATGGCATGGCATGGCAATATT 480
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   479 TCTTCCCAACAGATTTGTTTCTCTCACGGACGACATGGCATGGCATGGCAATATT 538

Qy   481 GTGAGAGAAGAAGTTGTGAAAGAGAATGCTGCCGGGGTCTCCCGTAATGAGGAAAATGGTTA 540
          ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db   539 GTGAGAGAAGAAGTTGTGAAAGAGAATGCTGCCGGGGTCTCCCGTAATGAGGAAAATGGTTA 598

Qy   541 AATCCACGC 549
          |||||||||
Db   599 AATCCACGC 607
```

```
RESULT  4.
LOCUS       RNU80818        2009 bp    mRNA                        ROD   23-DEC-1996
DEFINITION  Rattus norvegicus pineal specific PG25 mRNA, complete cds.
ACCESSION   U80818
NID         g1750197
KEYWORDS    .
SOURCE      Norway rat.
  ORGANISM  Rattus norvegicus
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
            Rattus.
REFERENCE   1  (bases 1 to 2009)
AUTHORS     Wang,X., Brownstein,M.J. and Young,W.S.
TITLE       PG25, a full-length pineal-specific cDNA, cloned by differential
            display PCR (DDPCR) and rapid amplification of cDNA ends (RACE)
JOURNAL     Unpublished (1996)
REFERENCE   2  (bases 1 to 2009)
AUTHORS     Wang,X., Brownstein,M.J. and Young,W.S.
TITLE       Direct Submission
JOURNAL     Submitted (03-DEC-1996) LCMR, NIMH, 36 Convent Drive, MSC 40688,
            Bethesda, MD 20892-4068, USA
FEATURES           Location/Qualifiers
  source   1..2009
           /organism="Rattus norvegicus"
           /strain="Sprague Dawley"
           /db_xref="taxon:10116"
           /tissue_type="pineal gland"
  CDS      51..605
           /note="similar to human lung endothelial cell-specific
           ESM-1 gene, encoded by Genbank Accession Number X89426"
           /codon_start=1
           /product="PG25"
           /db_xref="PID:g1750198"
           /translation="MKSLLLITLLPLHLGMAWSAKYAVDCPEHCDNTECRSSLRCK
           RIVLDDGCGCQVCAAGPGETCYRTVSGMDGVKCGPGLKCHFYSEEDDFGDEEFGVCKDC
           PYGTFGMDCKETCNCQSGICRDVTGRCLLDFFFQYAAAKSPSRTSASQTERDAASGDG
           NAVREEIGDRNAARPSVMRKWLNPR"

BASE COUNT  576 a    346 c    503 g    584 t
ORIGIN

Query Match     Best Local Similarity    78.6%;
Matches 434;  Conservative   0;  Pred. No. 5.2e-93;
                                  Score 340.8;  DB 13;   Length 2009;
                                  Mismatches 112;  Indels  6;  Gaps  2;

Qy     1 AAGAGCGTCTTGCTGTGCTCTGCTCTGACCACGCTCCTCTGTTGGGCCGCGCTGGAGC 60
          |||||||||||||||||||||||||||||||||||||||||||| |||||||||||||
Db    54 AAGAGCGTCTTGCTACTGACCACGCTCCTCGATTCTCTGACAATTC 113

Qy    61 AATAATTATGCGGTGGACTGCCCTCAACACTGTGACAGCAGTGAGTGCAAAAGCAGCCG 120
          |||||||||||||||||||||| |||| ||||||||||||||||||||||||||||||
Db   114 GCCAAGTATGCGGTGGATTGCCCGGAACATTGTGACAATACTGAGTGCAGAAGCAGCCTG 173

Qy   121 CGCTGCAAGAGGACAGCAGTGCTCGACGACTGTGGCCGGAGTGTCGCGGCTGCAGGGCGG 180
          | |||||||||| |||| |||| || ||||| |||| ||||| ||| || ||||||||||
Db   174 CGTTGCAAGAGGACAGTGCTGGATGACTGTGGCTGCCAAGTGTGCGCTGCCGGGCCT 233

Qy   181 GGAGAAACTTGCTACCGCACAGTCTCAGGCACATGGGACGATGAAGTGGTGCCGGGCCTG 240
          ||||||| ||||||| |||||| || || || ||||| ||||| || ||||| ||||||
Db   234 GGGGAAACCTGCTACGGTACAGTCTCAGGCATGGAAGTGTCAAGTGGTGCCGGGACTG 293

Qy   241 AGGTGTCAGCCTTCTAATGGGGAGGATCCTTTTGGTGAAGAGTTTGGTATCTGCAAAGAC 300
          |||||||| |||| ||||| |||| |||| ||||| ||||| || ||||| ||||||||
Db   294 AAGTGTCACTTTACAGCGGAGGAAGATGAATTGGTGCGAAGACTTGCAACTGCAAAGAC 353

Qy   301 TGTCCCTACGGCACCTTCGGGATGGATGGCATGACTCAGCATC 360
          |||||||||||||| || || |||||||| |||| ||||||||
Db   354 TGTCCCTACGGCCACATTCGGGATGGATGAATTGCAAGGAGAC 413

Qy   361 TGTGACAGGGGGACGGGAAAAATGCCTGAAATTCCCCTTCTTCCAATATTCAGTAACCAAG 420
          ||||||||||||||||| ||| |||||||| ||| || |||| |||||| ||||| ||||
Db   414 TGTGACAGGGTGACGGGAGGTGTCTGGACTCTCCTTCTTCCAGTATGCAGCAGCCAAG 473
```

```
Qy    421  TCTTCCAACAG---AATTGTTTCTCTCACGGAGCATGCAATCTGGAGATGGCAAT 477
           ||  |||    |   ||| |||||||||||| ||||||||||||||||||||||
Db    474  TCGCCCAGCAGGACCTCTGCCTCCCAACACAGCACGCTGGCATCTCGAGATGGCAAT 533

Qy    478  ATTGTGAGAGAAGAAGTTGTGAAGAGAATGCTGCCGGGGTCTCCCGTAATGAGGAAATGG 537
           ||||||||||||||||||||||||||||||||||||||||  || ||||||||||||||
Db    534  GCTCTGAGAGAAGAGGATTGGAGACCGGAAGCGCTGCCCCTCTGTAAT---GAAATGG 590

Qy    538  TTAAATCCACGC 549
           ||||||| |||
Db    591  TTAAAATCCGGC 602
```

RESULT   5
LOCUS   AAU02548   6504 bp   mRNA   INV   20-MAY-1994
DEFINITION Aedes aegypti UGALS vitellogenin mRNA, complete cds.
ACCESSION   U02548
NID   g472307
KEYWORDS   .
SOURCE   yellow fever mosquito.
  ORGANISM Aedes aegypti
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Arthropoda;
            Tracheata; Insecta; Pterygota; Diptera; Nematocera; Culicoidea;
            Culicidae; Aedes.
REFERENCE   1 (bases 1 to 6504)
  AUTHORS   Chen,J.S., Cho,W.L. and Raikhel,A.S.
  TITLE   Analysis of mosquito vitellogenin cDNA: similarity with vertebrate
            phosvitins and arthropod serum proteins
  JOURNAL   J. Mol. Biol. 237, 641-647 (1994)
  MEDLINE   94210487
REFERENCE   2 (bases 1 to 6504)
  AUTHORS   Chen,J.
  TITLE   Direct Submission
  JOURNAL   Submitted (15-OCT-1993) Chen J., Michigan State University,
            Genetics Program, S-138 Plant Biology Bldg., East Lansing, MI
            48824, USA
FEATURES   Location/Qualifiers
     source   1..6504
                     /organism="Aedes aegypti"
                     /strain="UGALS"
                     /db_xref="taxon:7159"
                     /clone_lib="Lambda Zap-II Vitellogenic fat body cDNA
                     library"
                     /sex="female"
                     /tissue_type="fat bodies"
                     /dev_stage="adult"
     misc_feature   1..6629
                     /note="6 wobble bases due to individual variation:
                     #102(G/A), #123 (G/A), #144 (T/C), #225 (T/C), #231 (C/T),
                     #240 (C/T)"
     CDS   /codon_start=1
                     /product="vitellogenin"
                     /db_xref="PID:g472308"
                     /translation="MLAKLLLLALAGLLTAAYQYENSFKGYINPGYKGYDAGYKGYGYDA
                     GYKYNQGYSKNGFEYGYQNAYQAAFYIKHRPNVTEFFSSWMPNYEYAYAVTSKIMT
                     ALAELDDQWTGVFTRAYLVIRPKSRDYVAVAVKQPEYAVENERLPHGYATKFYHDMFK
                     FQPMPMSSKEPGIRYHKGAIKGLYVEKTIPNNEVNILKAWISOLQVDTRGANLMHSSK
                     PIHPSKNEWNGHIYKVMEPLVTGECETHYDVNLIPAYMIOAHRQWPQGQLRGEDDOFI
                     QVIKTQNFDRCDQRMGYHFGPTGYSDFRPNTNQMGNVASKSLVSYMYLLTGNWYNTIQ
                     SSSMINKVAIAPSLVNKEPALVYAQVNMTLNDVHPYDKVPMGPAEDLKVFDLVYSYN
                     MPSDKNYVRPGNETSSSSSSSSSSSSSSSSSSEVENRPLISPVEQYKPLLDKV
                     EKRGNYRRDLNAIREKKYYEAYKMDQYRLRLNDTSDSDSSSSSSSSSSSSSSSESKKHRN
                     LPFFGYKGYIVFARNVDAIRSVGKIVEIASDLENPSNLPKANTMSKPNILFRAIR
                     AMGYEDIYIELAQKIYVSQKERQVAQFSDKKFSKRVDAWVTLRDAVAEAGTPSAFKLIF
                     DFIKEKLRGYEAAYIVIASLAQSIRYPTEHLLHEFFLLVTSDVVLHQEYINATALFAY
                     SNFVNQAHVSNRSAYNYIYPVFSFGRLADADYKIIEHKIVPFWAHQLREAVNEGDSVKI
                     QVIRSLGNLGHPQLLSVEPYLEGTIQIDFQRLAIMVALDNLVIYYSPSLARSVLYR
                     AYQNTADVHEVRCAAVHLLMRTDPPADMLQRMAEFTHHDPSLIVRAAVKSAIETAALA
                     DDYEDSKLALNAKRAAINFLNPEDVSIQYSFNHIRDYALENLELSYRLHYGEIASNDH
                     RYPSGLFYHLRQNFGGFKKYTSFYYLVSSMEAFDIFKKQYNTKFFADYKSADYSTN"
```

LOCUS   MQSVITE   8780 bp   DNA   INV   15-MAY-1996
DEFINITION Aedes aegypti vitellogenin (VgA1) gene, complete cds.
ACCESSION   L41842
NID   g790834
KEYWORDS   vitellogenin.
SOURCE   Aedes aegypti.
  ORGANISM Aedes aegypti
            Eukaryotae; mitochondrial eukaryotes; Metazoa; Arthropoda;
            Tracheata; Insecta; Pterygota; Diptera; Nematocera; Culicoidea;
            Culicidae; Aedes.
REFERENCE   1 (bases 1 to 8780)
  AUTHORS   Romans,P., Tu,Z., Ke,Z. and Hagedorn,H.H.
  TITLE   Analysis of a vitellogenin gene of the mosquito, Aedes aegypti and
            comparisons to vitellogenins from other organisms
  JOURNAL   Insect Biochem. Mol. Biol. 25 (8), 939-958 (1995)
  MEDLINE   96035842
FEATURES   Location/Qualifiers
     source   1..8780
                     /organism="Aedes aegypti"
                     /db_xref="taxon:7159"
                     /clone="403-1"
     exon   2016..2121
                     /gene="VgA1"
                     /evidence=experimental

Query Match
Best Local Similarity   49.5%;   Score 38;   DB 3;   Length 6504;
Matches 98; Conservative 0; Mismatches 100; Indels 0; Gaps 0;

```
Qy    289  ATCTGCAAAGACATGCTCCCTACGGCGACCTTCGGAGATGGACTGCAAACTGC 348
           ||| |||||| | ||| |||||||||| || || |||||||||| |||||||||
Db    6265 ATCAGCAAAATACTTCGAGTCCACTGCTTCGAGAAGGATTCCACCCAGCTAAGAAGTAC 6324

Qy    349  CAGTCAGGCATTCTTGACAGGGGGACGGGAAAAATGCCTGAAAATTCCCCTTCTTTCCAATAT 408
           ||  | ||| | |    |   | | ||||  | || | |||  || |  ||  | |||
Db    6325 AAATCCGAGATTGGGCCGGGGCTACACTCCGGACTTCAAGAGCTTCGCCCCACACAGACT 6384

Qy    409  TCAGTAACCAAGTCTTCCAACACAGATTGTGTTCTCTCACGGAGCATGACATGGCATCTGGA 468
           || | |||  | || |  | | ||| ||| ||| | |  ||| ||| ||| |||| || ||
Db    6385 TACAAGTTCAACTACCCGAAGAGCTGTGTCTACAAGGCATACTAGGAAACGACGACATTTGCA 6444

Qy    469  GATGGCAATAATTGTGAGA 486
           ||| || |||| ||||| ||
Db    6445 GATCCCATTTTGTGATGA 6462
```

BASE COUNT   1748 a   1847 c   1303 g   1606 t
ORIGIN

polyA_site   6504
                /note="16 A residues"

gene　　join(2016..2121,2192..7405,7463..>8722)
　　/gene="vgaI"
mRNA　join(2016..2121,2192..7405,7463..>8722)
　　/gene="vgaI"
CDS　join(2091..2121,2192..7405,7463..8664)
　　/gene="vgaI"
　　/note="putative"
　　/codon_start=1
　　/product="vitellogenin"
　　/db_xref="PID:g790835"
　　/translation="MLRLLLALAGLLPAYQYENSFGYNPCYKGIDAGYKGYGIDA
GYKGYGIDAGYKYKYNNQGYSYKGYEYGYKGYGVNAIQOAAFYKHRPNVTEFEFSSWMPNYEYV
TKFYHDMFKFQPMPMSSKPFGIRYHKGAIKGLYVEKIIPNNEVNILRAWISQLQVDTR
YNVTSKWTALAELDDQMTGVFTRAIVLVIRPKSRDYVVAYVAYKQPFAVFNERLPHGYA
GANLMHSSKPIHPSKNEWNGHVHYKVMEPLVTGECETHDVNLIPAYMIQAHKQWVPGQG
LRGEDDFQIVTKTQNFDRCDQRMGYHFGFGTCYSDFRPNTNQMGNVASKSLVSYMYLT
GNWYNFTIQSSMINKVAIAPSLVNKEPALVYAQVNMTLNDVHPVDVPMGPAEDLKV
FVDLVYSYNMPSDKNYVRPQNETSSSSSSSSSSSSSSSSSSSESSVENPKISPVE
QYKPLLDKVEKRGNRXRRDLNAIKEKKYYEAYKMDQYRLHLNDSSDSSSSSSSSSSS
SSEEKEHRNGTSYSSSSSSSSSESSYSSSSESSYSISSEEEYYYQPTPAN
FSYAPEAPFLPFFTGKYNIFYARNVDAIRSVGKLVEEIASDLENPSNLPKANTMSK
TPSAFKLIFDFIKEKLRGYEAATVIASLAQSIRYPEHLLHEFFLLVTSDVVLIHQEY
LNATALFAYSNFVNQAHVSNRSANYNYPVFSFGRLADADYKIIEHKIVPWFAHQLREA
VNEGDSVKIQVVIRSLGNLGHPQILSVFEPYLEGTIQIITDFQRLAIMVALDNLVIIYP
SLARSVLYRAYQNTADVHEYRCAAVHLLMKTDPPADMLQKEFTHHDPRLIVRAAVK
SAIEIAALADDYEDEDSKLALNAKAAINFLNPEDVSIQYSFNHIRDYALENLELSYRIH
YGEIASNDRYPSGLFYHLRQNFGGSKKYTSFYLVSSMEAFPDIFKKQYNTKIFADY
YKSADYSTNYNFDKYSKYYKQYYYSKDSEYQKFYGQKKDYNDKEPKFTAPRIAK
LINIDAEEAEOLEGOLIRKLFNGYFFTAFDNQTIENLPHMRHLFENLEDGYAPDVTK
FYQOQDVVLAWPLANTGPFIYTLRAPTVFRFEVDASAKTHPQYVKMPAGHPETENDDF
FYMPOSINGSVDVNLLIHRMVDAKVGYVTPFDHORYIAGYQKLHGIQFPNVELGIDF
VKDEYEFEFKFLEPKDHDLLFHMSSWPYTGYKDITDMRPIAENPNAKIVHDDNQSTKT
METFGQDMTGVALRFHAKYFDFLINFQQFWSLIQKNDFVSAVNYPFAYQPYEYHQFN
LFYDSORFPHAKSFFAYOKFGAPSFEETGPKHPANRHSYSGNYEYSNYAQPVSPG
SORRYEQFFRNAASGIRNSFVRYVDFGFEFYAPQYKSEFTFTAFADSPVDKYSROLY
YFYASPMFPSQSYFKDIPFSGRQFOCATATSEFPRVPYLRLKFSDFDKYYGDASQYFDF
LXGESCOGGAHIAVKGKOKOTSCREYLRFSDVAKACKEQMANGYIQFEECQOAIDOA
PYGDYINASFGPSYAPQVONPVYAFYPFESNFFYHGKSNYIKAEFEFA
NRPYYELSNYEQFAIFEDRKPQYSCSPSNDNRYTFDNKKYFYDWGECWHAVMTVKPD
YDFYAOQSHFYNSDFEYKYKNGFEEYEQFAALARRGSDNQLFKFLFGDNYIEVFPNN
GGVPFVKNGRPYDISKSNIAHFEYKEGYPSPFYPFAFAYPNKDLEVSFGGKLKFAT
DGYRARFFSDYSFYNFVGLCGTNNGEYFDEEVTADQCYMRKPEFFAASVAITGONCT
GPAKAPNYAYOQKAKOECVKREVIYGDIIYNQEYYHPRYRYNHNVEESSSSSSSSS
DSSSSSSSSEFSSLSRSGSSSSSSSEEQKEFPHKQEHSMKECPVQHOHQFPEQGDR
ICFSLRPLPVCHSKCAAPTEKISKYFDVHCFEKDSTQAKKYKSEIGRGYTPDFKSFAPH
KTYKFNYPKSCVYKAY"

intron　2122..2191
　　/gene="vgaI"
exon　2192..7405
　　/gene="vgaI"
intron　7406..7462
　　/gene="vgaI"
exon　7463..>8722
　　/gene="vgaI"
polyA_signal　8717..8722
　　/gene="vgaI"

BASE COUNT　2468 a　2274 c　1733 g　2305 t
ORIGIN

Query Match　98%; Score 38; DB 3; Length 8780;
Best Local Similarity　49.5%;
Matches　98; Conservative　0; Mismatches　100; Indels　0; Gaps　0;

Qy　289 ATCTGCAAAGACTGTCCTACCGGCACCTTCGGGATTCGAGACCTGCAACTGC 348
　　　　||| ||||||| |||||||| ||||||| ||||||| |||||
Db　8500 ATCAGAAAATACTTCGATGTCCACTGCTTCGAGAAGGATTCCCACCGGCTAAGAAGTAC 8559

Qy　349 CAGTCAGGCATCTGTGACAGGGGGACGGGAAAATGCCTGAAATTCCCCTTCTTCCAATAT 408
　　　　||| ||||| |||| ||||||| |||| |||||||||| |||||
Db　8560 AAATCCGAGATTGGCCGCGGCTACACTCCGGACTTCAAGAGCTTCGCCCCACACAAGACT 8619

Qy　409 TCAGTAACCAAGTCCTTCCAACAGATTTGTTTCTCTCACGGAGCATGACATGGCATCTGGA 468
　　　||| ||| |||| | | ||| || ||| ||| | | ||||| ||| ||| ||| ||
Db　8620 TACAAGTTCAACTACCCGAAGAGCTGTGTCTACAAGGCCATACTAGGAAAACGACATTTGCA 8679

Qy　469 GATGGCAAATATGTGAGA 486
　　　||| | | |||||| || |
Db　8680 GATCCCATTTTTGTATGA 8697

```
sequenced clone. It may be shorter because we only sequence
overlapping sections once, or longer, because we arrange for a
small overlap between neighbouring submissions. Cosmid 2E1 lies
between 7A1 and 6A9 on the AseI-B genomic restriction fragment.

FEATURES             Location/Qualifiers
    source           1..38962
                     /organism="Streptomyces coelicolor"
                     /strain="A3(2)"
                     /db_xref="taxon:1902"
                     /clone="cosmid 2E1"
    gene             1..166
                     /gene="glnB"
    CDS              <1..166
                     /gene="glnB"
                     /note="SC2E1.01, glnB, nitrogen regulatory protein PII,
                     partial CDS, len: >54 aa; highly similar to many e.g.
                     GLNB_AZOBR (112 aa), fasta scores: opt: 198 z-score: 381.9
                     E(): 4.9e-14, 50.0% identity in 54 aa overlap"
                     /codon_start=2
                     /transl_table=11
                     /product="nitrogen regulatory protein PII"
                     /db_xref="PID:e1296621"
                     /db_xref="PID:g3191977"
                     /translation="IREVLVEDDAEQLIDVVKAARTGKIGDGKVWAVPVDTAVRV
                     RTGERGPDAL"
    gene             231..2738
                     /gene="glnD"
    CDS              231..2738
                     /gene="glnD"
                     /note="SC2E1.02, probable glnD, protein PII
                     uridylyltransferase, len: 835 aa; similar to many e.g.
                     GLND_ECOLI (890 aa), fasta scores: opt: 403 z-score:540.4
                     E(): 7.3e-23, 26.2% identity in 851 aa overlap. Contains 7
                     degenerate repeats of the sequence PSS"
                     /codon_start=1
                     /transl_table=11
                     /product="putative protein PII uridylyltransferase"
                     /db_xref="PID:e1296622"
                     /db_xref="PID:g3191978"
                     /translation="MIDEAEDSGPGGTAAAARLRLLTEGARSGPPRRALAELTDGWLA
                     GLFGAATEEHTGISLVAVGGVGRGELSPRSDLDLLLLHDGRDDKAVAALADRLWIPVW
                     DLGIDLDHSVRPQQARKTAGQDLKVHLGLDARHLAGDLGLTASLRTAVLADWRNQA
                     AEARRLLDVRDALHLATGRATDRLALQEODQVAAELGLLDADALLRQVEEARVISY
                     AGDVTWREVGRVLRSRSVRPLRAWMNGRNGGKPVAERSPLAEGVWCNQEGEAVLARTA
                     RPERDPALPLRAAAAANQAGLPLSRHAVRRLAATARPLPTPWPAEAREQLVTLLGSGR
                     PTVQWWEALEAEGLVTRLLPDWERVRCRPQRNAVHLWTVDRHLIETAVRAAGFTRRVH
                     RPDLLIAALLHDIGKGWPGDHSVAGETIARDVAARIGFGDADTAVLALIVRHHLLLV
                     ETATRRDLDDPATVRAVAQVGETEHTLELHLHALTEADALATGPAAWSSWRGSLVADLV
                     KRVSGVLAGPEQPEAESAAPTAEQERLAVEARFRTGGGPVLALRAQTEPPADSAPAPSSP
                     SPSPSPSLSSPSSADGPEPPLGVELLIAVPDQAGVLPAVGVLALMRLTVRTAEL
                     RSVPLPDGVEGSVLLLLDWRVAAQYGSLPQAARLRADLVRALDGTLDIAARLAERDAH
                     LGANAVDAFYVTRGEGTPLPGDEAASVARGLEESLRT"
    repeat_region    2091..2153
                     /note="7 degenerate 9bp repeats"
    RBS              2719..2723
                     /gene="glnD"
                     /note="possible RBS upstream of ffh"
    gene             2735..4387
                     /gene="ffh"
    CDS              2735..4387
                     /gene="ffh"
                     /note="SC2E1.03, ffh, signal recognition particle protein,
                     len: 550 aa; highly similar to mnay e.g. SR54_ECOLI (453
                     aa), fatsa scores: opt: 1465 z-score: 1282.8 E(): 0, 50.0%
                     identity in 458 aa overlap. Contains PS00017
                     ATP/GTP-binding site motif A (P-loop), PS00300 SRP54-type
                     proteins GTP-binding domain signature and Pfam match to
                     entry SRP54 PF00448, SRP54-type proteins, score 66.57.
                     Similarities suggest possible start site at aa 35"
                     /codon_start=1
                     /transl_table=11
```

```
    gene             (continued)
                     /product="signal recognition particle protein"
                     /db_xref="PID:e1296623"
                     /db_xref="PID:g3191979"
                     /translation="MTVRSVQRAGTLCLPGIRGPIPWRTTHTNADARTYAAVFDILSDRLS
                     ATFKSLRGKRLTEADIDATAREIRIALLEADVALPVVRAFIKKVKERSLGAEVSKAL
                     NPAQVLKIVNEELVGIGGETRLRFRAKQPPTIVIMLAGLIQGLLAGKLGHWLKE
                     QGHSPLLVACDIQRPNAVNQLSVVAERAGVAVYAPEPCNGVGPDVVKAKDSIEFAKAK
                     VHDLVIVDTAGRLGIDQELMOQAADIRDAVSPDEILFVVDAMIGQDAVNTAEAFRDGV
                     GFDGGVVSKLDGDARGGAALSIASVTGKPIMFASNGEKLDDDFDAFHPDRMASRILDMG
                     DLLTLIEQAEKTPSQEAEKMASKLASKKQDTLDDELAQMEQVRKMGSISKLLGML
                     PGMGQMKDQINNLDERDVDRTAAIIKSMTPGEAKQEPTIINGSRRARIAKGSGVEVSAV
                     KNLVERFFEARKMNSRMAQGGGMPGMGMPGGPGPGRQKOKKAGKQRSGNPMKR
                     KQEEQEAARRAAAAQSGGALGLPQQGGQGQDFELPDEFKKFMG"
    misc_feature     3155..3178
                     /gene="ffh"
                     /note="PS00017 ATP/GTP-binding site motif A (P-loop)"
    misc_feature     3566..3697
                     /gene="ffh"
                     /note="Pfam match to entry SRP54 PF00448, SRP54-type
                     proteins, score 66.57"
    misc_feature     3647..3688
                     /gene="ffh"
                     /note="PS00300 SRP54-type proteins GTP-binding domain
                     signature"
    stem_loop        4405..4453
                     /note="hairpin loop with 22/23 bp stem"
    gene             4504..6450
                     /gene="ftsH"
    CDS              4504..6450
                     /gene="ftsH"
                     /note="SC2E1.04, ftsH, cell division protein ftsH homolog
                     (zinc metalloprotease, integral membrane protein), len:
                     648 aa; similar to many e.g. FTSH_LACLA (695 aa), fasta
                     scores: opt: 1489 z-score: 1195.5 E(): 0, 41.7% identity
                     in 640 aa overlap. Contains PS00017 ATP/GTP-binding site
                     motif A (P-loop), PS00674 AAA-protein family signature and
                     Pfam matches to entry AAA PF00004, ATPases associated with
                     various cellular activities (AAA) and to entry zn-protease
                     PF00099, zinc-binding metalloprotease domain, score 22.07,
                     score 357.96. Proline-rich N-terminus is not present in
                     other ftsH homologs"
                     /codon_start=1
                     /transl_table=11
                     /product="cell division protein FtsH homolog"
                     /db_xref="PID:e1296624"
                     /db_xref="PID:g3191980"
                     /translation="MTNPSPPRKAPEPPWRIEGTPDEPKPKPPGGRMRGGWWNLILA
                     ALIVYLIANLVLSFFNEGDEPFISIYEFSKQVDEGNVSKIYAQGDLQGLRKARDNP
                     EGDTVYRKFTTERPTFADDQLWADLIRNRVTVTAEPVVQHRSFLANILIALAPMLIV
                     VIWIFIARRMRGALGGGAGGMLGRKAPPKVELEAGKRPTTFADVAGIDEVEGELSDV
                     VDFLKNPDAYRRMGAKMPRGVLLLTGPPGTGKTLLARAVAGEAGVPFFSASASEFIEMI
                     VGVGASRVRELFAEARVAPSIIFIDEIDTIGRARGGGSGTGGHDEREQTLNQILTEM
                     DGFSGSEGVIVIAATNRADILDAALTRRGFRDRVVSVSPPDRGGREAILEIHTREIPL
                     APDIDLAQVARTTPGMVGAELANLANEAALVKRKOERVTOANLSEALEKVQLGAER
                     PLVMPEEERRRIAYHESGHALLGMLPGPADPVRKIILVPRGRALGVTLSTPDADKYAY
                     TEEYLRGHIIGALGGMAAEHVVGIMITGSESDLEQVTNIARGMVARNGMSERVGRLS
                     ALPGDAQQOAYCLAAAAPQTLDAIDGEMRVRVDSCYEEAVRKLRDHRGOLDALAESLLAS
                     ETLDEADAYRIAGITRLTKDDPEA"
    misc_feature     5215..5781
                     /gene="ftsH"
                     /note="Pfam match to entry AAA PF00004, ATPases associated
                     with various cellular activities (AAA), score 357.96"
    misc_feature     5230..5253
                     /gene="ftsH"
                     /note="PS00017 ATP/GTP-binding site motif A (P-loop)"
    misc_feature     5530..5586
                     /gene="ftsH"
                     /note="PS00674 AAA-protein family signature"
    misc_feature     5884..5931
                     /gene="ftsH"
                     /note="Pfam match to entry zn-protease domain, score 22.07,
                     zinc-binding metalloprotease domain, score 22.07"
    gene             complement(6468..7085)
```

CDS
/gene="SC2E1.05c"
complement(6468..7085)
/gene="SC2E1.05c"
/note="SC2E1.05c, probable lipoprotein, len: 205 aa;
contains N-terminal signal sequence and appropriately
positioned PS00013 Prokaryotic membrane lipoprotein
attachment site"
/codon_start=1
/transl_table=11
/product="putative lipoprotein"
/db_xref="PID:e1296625"
/db_xref="PID:g3191981"
/translation="MPHRTALRLAAPVAVLALALTACGGQDDDSGTDAKGGATTEAT
TQASPSPSQPASGGDHAQGESASGKVAEGPGEVTDVLAQKVEVGTEAEAAKAVADAA
DAKGKVLATAHIKYTHQGGRGPALTEGSDVHDGTTVFADGQRGGVLGAAEDAPGCEDPY
DAESWKQGESHVFCEITVVIPAGATSVEVHWSEEDGEPYVWKFPQK"

misc_feature
complement(7014..7046)
/gene="SC2E1.05c"
/note="PS00013 Prokaryotic membrane lipoprotein lipid
attachment site"

RBS
complement(7092..7096)
/gene="SC2E1.06c"
/note="possible RBS upstream of SC2E1.05c"

gene
complement(7236..8123)
/gene="SC2E1.06c"

CDS
complement(7236..8123)
/gene="SC2E1.06c"
/note="SC2E1.06c, unknown, len: 295 aa"
/codon_start=1
/transl_table=11
/product="hypothetical protein SC2E1.06c"
/db_xref="PID:e1296626"
/db_xref="PID:g3191982"
/translation="MPTLVRQHSSHAQAIPHVDPRARARDWSEIQERMLVPLYEAVY
ERLDVGGDTRMLGLNCGSGLALLMAASRGAAVTGVDSRSPELLDLARRRLLSGTSGDP
GADSTVSTRFRGDAPRIVQGTPGDAADPTPAPAFLLVTAFEPGGCRAGDSETIGDLLAR
ATPLAARGRAAVVLAGWGPPERCATTSVLRVAAKLIRDPIGTGTGWRPALRDDLEEVAQR
PDGTVWMPNVFRILIARVR"

gene
8793..9389
/gene="SC2E1.07"

CDS
8793..9389
/gene="SC2E1.07"
/note="SC2E1.07, unknown, len: 198 aa"
/codon_start=1
/transl_table=11
/product="hypothetical protein SC2E1.07"
/db_xref="PID:e1296627"
/db_xref="PID:g3191983"
/translation="MSTTPPVLAAELAQAWADIQRHHTELPDLAAPESLIGESSSACG
HELSFERLLHEAVHGIAAARGVRDTSRAGRYHNRFFLATAEELGLDHPEPHPSSGFS
LVILTPEAKRYRPTIEQLQRALKAHTVATATDTFARSRGPAARHGSSGSGGVRVKAVC
DCGRNVRVVPSVLAQAPIMCGGCGKPFRIPEVVGAGMS"

RBS
9629..9633
/gene="rpsP"
/note="possible RBS upstream of rpsP"

gene
9645..10064
/gene="rpsP"

CDS
9645..10064
/gene="rpsP"
/note="SC2E1.08, rpsP, 30S ribosomal protein S16, highly
similar to many e.g. RS16_MYCTU (162 aa), fatsa scores;
opt:480 z-score: 771.3 E(): 0, 56.3% identity in 144 aa
overlap. Contains PS00732 Ribosomal protein S16 signature"
/codon_start=1
/transl_table=11
/product="30S ribosomal protein S16"
/db_xref="PID:e1296628"
/db_xref="PID:g3191984"
/translation="MAVKLKRLGKIRSPHYRIVVADSRTRRDGRAIEEIGKYHPTY
NPSVMEVDAERVAYWLGVGAQPTEPVLAILKKTGDWQKFKGEPAPAPLLQPAEKAARP
SPEAIGGEDEGKGEAITQKKKADKKDEAAESSASEA"

misc_feature
9651..9680
/gene="rpsP"
/note="PS00732 Ribosomal protein S16 signature"

RBS
10056..10059
/gene="rpsP"
/note="possible RBS upstream of SC2E1.09"

gene
10067..10306
/gene="SC2E1.09"

CDS
10067..10306
/gene="SC2E1.09"
/note="SC2E1.09, unknown, len: 79 aa; highly similar to
small hypothetical proteins from several organisms, e.g.
YX40_MYCTU MTCY274.40c (80 aa), fatsa scores; opt: 356
z-score:628.4 E(): 9.1e-28, 71.6% identity in 74 aa
overlap"
/codon_start=1
/transl_table=11
/product="hypothetical protein SC2E1.09"
/db_xref="PID:e1296629"
/db_xref="PID:g3191985"
/translation="MLEEALEHLVKGIVDNPDDVQVASRNLRRGRVLEVRVHPDDLGK
VIGRNGRTARALRTTVGAIGGRGVRDLVDVDHVR"

RBS
10403..10407
/gene="SC2E1.10"
/note="possible RBS upstream of SC2E1.10"

gene
10418..10984
/gene="SC2E1.10"

CDS
10418..10984
/gene="SC2E1.10"
/note="SC2E1.10, unknown, len: 188 aa; similar to
hypothetical proteins from many organisms e.g. YX38_MYCTU
MTCY274.38c (176 aa), fasta scores; opt: 479 z-score:
693.1 E(): 2.3e-31, 48.3% identity in 176 aa overlap. Also
some similarity to RIMM_HAEIN 16S rRNA processing protein
rimM (178 aa) fasta scores; opt: 210 z-score: 174.2 E():
0.018, 27.6% identity in 170 aa overlap"
/codon_start=1
/transl_table=11
/product="hypothetical protein SC2E1.10"
/db_xref="PID:e1296630"
/db_xref="PID:g3191986"
/translation="MQLVARIGRAHGIKGEVTVEVRTDEPELRLGPGAVLATDPAST
GPLTIESGRVHSGRLLFAGVHDRGAEALRNTLLIADVDPDEREPEDEDEYYDHQLI
DLDVVTEDCTEVGRITEISHLPTQDLFVVERPDGSEVIVPFVSEIVTGIDLDAQRAVI
DPPPGLIDDRAEIASARDAGAEDAGDEA"

RBS
10976..10979
/gene="SC2E1.10"
/note="possible RBS upstream of trmD"

gene
10984..11817
/gene="trmD"

CDS
10984..11817
/gene="trmD"
/note="SC2E1.11, trmD, probable tRNA
(guanine-N1)-methyltransferase, len: 277 aa; similar to
many e.g. TRMD_ECOLI (EC2.1.1.31) (255 aa), fasta scores;
opt: 437 z-score: 660.6E(): 1.5e-29, 41.2% identity in 238
aa overlap"
/codon_start=1
/transl_table=11
/product="tRNA (guanine-N1)-methyltransferase"
/db_xref="PID:e1296631"
/db_xref="PID:g3191987"
/translation="MRLDVVTIFPEYLEPLNVSLVGKRARARGQLGVHHDLRDWTYDR
HNTVDDTPYGGGPGMVKKTEPWGDALDSVLADGYETGGCEPALVVPTPSGRPTOELA
VHLSERPWLIFTPARYEGIDRRVVDEYATRMPVYEVSIGDYVLAGGEAAVLVVTEAVA
RLLPGVLGNAESHRDDSFAPGAMANLLEGVHTKPPOWRGRGIPDVLLSGHHGKIARW
RLDEALRRTTANRPDLIERCDPAAFDKKDREMLSILGWQPDPDGEPYGRFWRITPGME
E"

RBS
11939..11942
/gene="rplS"
/note="possible RBS upstream of rplS"

gene
11954..12304
/gene="rplS"

CDS
11954..12304
/gene="rplS"
/note="SC2E1.12, rplS, 50S ribosomal protein L19, len:
116aa; highly similar to many e.g. RL19_MYCTU (113 aa),
fastascores; opt: 571 z-score: 1138.4 E(): 0, 77.3%

```
misc_feature          identity in110 aa overlap. Contains PS01015 Ribosomal
                      protein L19 signature"
                      /codon_start=1
                      /transl_table=1
                      /product="50S ribosomal protein L19"
                      /db_xref="PID:e1296632"
                      /translation="MSHLLDSVDAASLRSDVPAFRPGDTVNHVRVIEGNRSRVQOFK
                      GVVIRRQGAGVREFTVRKVSFSVGVERTFPVHIPIVEKIELVTRGDVRRAKLYYLRE
                      LRGKAAKIKEKRDS"

gene                  12215..13256
                      /gene="rpls"

misc_feature          12350..13129
                      /gene="sip1"

CDS                   12350..13129
                      /gene="sip1"
                      /note="SC2E1.13, sip1, probable signal peptidase I, len:
                      259 aa; similar to many e.g. LEP_HAEIN signal peptidase I
                      (EC 3.4.21.89) (349 aa), fasta scores; opt: 162 z-score:
                      381.2 E(): 5.3e-14, 32.5% identity in 243 aa overlap,
                      though with large internal deletions. Contains PS00761
                      Signal peptidases I signature 3, Pfam match to entry
                      signal_pept_I PF00461, Signal peptidases I, score 51.12
                      and probable transmembrane domain. Also similar to
                      downstream genes sip2 (E(): 9.7e-26, 44.9% identity in 274
                      aa overlap), sip3 (E(): 4.8e-16, 35.6% identity in 264 aa
                      overlap) and sip4 (E(): 8.7e-08, 37.08 identity in 219 aa
                      overlap)."
                      /codon_start=1
                      /transl_table=1
                      /product="putative signal peptidase I"
                      /db_xref="PID:e1296633"

stem_loop             12369..12455
                      /gene="sip1"

misc_feature          12509..12799
                      /gene="sip1"
                      /note="hairpin loop with 34/41 bp stem"

misc_feature          12869..12910
                      /gene="sip1"
                      /note="Pfam match to entry signal_pept_I PF00461, Signal
                      peptidases I, score 51.12"

gene                  13122..14462
                      /gene="sip2"

CDS                   13122..14462
                      /gene="sip2"
                      /note="SC2E1.14, sip2, probable signal peptidase I, len:
                      446 aa; similar to many e.g. LEP_HAEIN signal peptidase I
                      (EC 3.4.21.89) (349 aa), fasta scores; opt: 151, z-score:
                      317.3 E(): 1.9e-10, 30.1% identity in 286 aa overlap.
                      Contains PS00761 Signal peptidases I signature 3, Pfam
                      match to entry signal_pept_I PF00461, Signal peptidases I,
                      score 42.41 and probable transmembrane domain. Also
                      similar to surrounding genes sip1 (E(): 9.7e-24, 44.9%
                      identity in 274 aa overlap), sip3 (E(): 1.8e-28, 56.3%
                      identity in 245 aa overlap), and sip4 (E(): 1.1e-09, 35.9%
                      identity in 223 aa overlap). Note that after aa 325 the
                      ORF overlaps the downstream sip3 gene SC2E1.15, and
                      positional base preference suggests that translation is in
                      the other frame. No error in the cosmid sequence can be
                      found to account for this"
                      /codon_start=1
                      /transl_table=1
                      /product="putative signal peptidase I"
                      /db_xref="PID:e1296634"
                      /db_xref="PID:g3191990"

                      /translation="MGSRGKPRGAPSSPAANLLPTGSRRYPAAPSGGRSRAERRKLLORK
                      VKRRRRGAVKEIPLLVGVAVLIALVLKTFIVOAFVIPSGSMEQTIRIGDRVLVDKLI
                      PWFGSEPQRGDVVVFRDPGGWLQEGDTTKKDDPVVVKQVKEGLAFIGLLPSDDEKDLI
                      KRVVGVGGDHVKCCDKQGRVTVNGVPLTEDYLYPGDRPSRTPFDDVTVPEGRLWVMGDH
                      RSNSADSRAHQETDFGTVSQDEVGRAMVIAWPFDHWTTLDEPKTASVSDAASSTA
                      APELSHRVAPYDPNAMMELPTPAEIPLVMGVVGLRRIRGRRORVRSWRGGCGGWRTV
                      RSRRGEPRPRPGEYRSGRGRPRRLRTRLENRGROGDERTARAGRTORRDGGRGSRRD
                      ATRDPARGOEAALLLEGAADPGRHRAGARPADQDYPGAGVLDPVILDGEHPSDR"

misc_feature          13236..13484
                      /gene="sip2"
                      /note="Pfam match to entry signal_pept_I PF00461, Signal
                      peptidases I, score 42.41"

misc_feature          13755..13796
                      /gene="sip2"
                      /note="PS00761 Signal peptidases I signature 3"

RBS                   13855..15213
                      /gene="sip2"
                      /note="97.8% match to EMBL:SLTK24SIP YO9474 Streptomyces
                      lividans sip gene, from 5 to 1359"

gene                  14085..14089
                      /gene="sip2"
                      /note="possible RBS upstream of sip3"

CDS                   14095..15105
                      /gene="sip3"

misc_feature          14095..15105
                      /gene="sip3"
                      /note="SC2E1.15, sip3, probable signal peptidase I, len:
                      336 aa; identical to, but longer than, S. lividans sip
                      TR:E1228248 (EMBL:Y09474) signal peptidase I (291 aa),
                      identity in 232 aa overlap. Contains PS00761 Signal
                      peptidases I signature 3, 2x Pfam match to entry
                      signal_pept_I PF00461, Signal peptidases I, scores 48.83
                      and 46.79 and probable transmembrane domain. Also similar
                      to surrounding genes sip1 (E(): 7.6e-20, 35.6% identity in
                      264 aa overlap), sip2 (E(): 0, 55.38 identity in 245 aa
                      overlap) and sip4 (E(): 6.6e-15, 36.38 identity in 237 aa
                      overlap). Note that a more upstream start was chosen due
                      to positional base preference"
                      /codon_start=1
                      /transl_table=1
                      /product="putative signal peptidase I"
                      /db_xref="PID:e1296635"
                      /db_xref="PID:g3191991"

                      /translation="MGDVAVGARSGHDGEENRGRPEERSGPAAVGAPDSGHGSGTEDG
                      RVTNGRQGODGHHNGGTEDEGVGGTPPATPPAAKKQRSFWKELPILVGLALVLALLIKT
                      FLVQAFSIPSSSMENTLOIGDRVLVDKLTPWFGSEPERGEVVVFVHDPADWLAGEPTDD
                      PNALQTVLSWIGLMPSAEEKDLIKRVIGVAGDTVECNKTGPLKVNGRALNEPVYPGN
                      TPCSDDDQGGRFKVTVPEGKIWVMGDHRQNSRSRYNQSDKNGGMVPVDEVGRAIVV
                      AWPMNRWGTLPVPDTFDQDGLQARSSAAAALSVAPQGLAVAGVVPFVWWRRRTAPAE
                      TR"

misc_feature          14302..14547
                      /gene="sip3"
                      /note="Pfam match to entry signal_pept_I PF00461, Signal
                      peptidases I, score 48.83"

misc_feature          14632..14907
                      /gene="sip3"
                      /note="Pfam match to entry signal_pept_I PF00461, Signal
                      peptidases I, score 46.79"

gene                  14809..14850
                      /gene="sip3"
                      /note="PS00761 Signal peptidases I signature 3"

RBS                   15197..15202
                      /gene="sip3"
                      /note="possible RBS upstream of sip4"

gene                  15210..15986
                      /gene="sip4"

CDS                   15210..15986
                      /gene="sip4"
                      /note="SC2E1.16, sip4, probable signal peptidase I, len:
                      258 aa; similar to many e.g. LEPS_BACSU signal peptidase I
                      (EC 3.4.21.89) (184 aa), fasta scores; opt: 258 z-score:
```

Additional /translation fragment (sip1 CDS):
```
                      /translation="MDTETQHTERDRSSRPSDSEQPSEPEGPEERSRSAFTGRIGDWL
                      PGRITVTLILFLLFLLLVSTFVLQPFQIPSSSMERGLRIGDRVLVNKLAYRFDGRPR
                      RGDIVVFEDGTGSPGHGDYIKRVGVGGDHVVCCDEEGRVRVNGQPVDESAFIYPGDRP
                      STVPFDVVVPDGTLFVLGDHRSDSDSSDSRDHLGSPGGNWPLDGVIGRADWIWPFGHA
                      TRLDRPDAYARVPDAEAGAGASGAGAAPDGAAPDGDADG"
```

337.6 E(): 1.4e-11, 32.2% identity in 177 aa overlap.
contains Pfam match to entry signal_pept_I PF00461, Signal
peptidases I, score 49.57 and probable transmembrane
domain. Also similar to upstream genes sip1 (E(): 8.8e-10,
36.5% identity in 219 aa overlap), sip2 (E(): 3.8e-13,
35.9% identity in 223 aa overlap) and sip3 (E(): 8.1e-15,
35.4% identity in 237 aa overlap)"
          /codon_start=1
          /transl_table=11
          /product="putative signal peptidase I"
          /db_xref="PID:e1296636"
          /db_xref="PID:g3191992"
          /translation="MGGESTRTRVPRGGANKGPVGSRTGQRLSGIAVALGLVLFLGG
          FAWGAVVVRPYTVPTSSMTPPTIDAGDRVLAQRIDGADVRRGDVVVFKDATWANAPMVK
          RVVAVGGDTVSCCQQGKLKVNGKVIDEPYLPAGTPAEISDFQTVTVPEGRLFLLGDER
          RNSVDSTAHLTDAAGTVSRGAVDARVDAVAWAPMDGMLRRPTGFRTLGDLSSPGPLRT
          VVVLVIAGAVLILGGAAYGPLAKRAAASRARKGAEPAGGR"
gene   15255. .15605
          /gene="sip4"
          /note="SC2E1.16505"
misc_feature Pfam match to entry signal_pept_I PF00461, Signal
          peptidases I, score 49.57"
gene   15988. .16506
          /gene="SC2E1.17"
CDS   /gene="SC2E1.17"
          /note="SC2E1.17, unknown, len: 172 aa; similar to
          C-terminus of M. tuberculosis hypothetical protein
          TR:006205 (EMBL:295387) MTCY1A10.24 (351 aa), fasta
          scores; opt: 345 z-score: 375.2 E(): 1.2e-13, 44.7%
          identity in 161 aa overlap. Contains PS00893 mutT domain
          signature and Pfam match to entry mutT PF00293, Bacterial
          mutT protein, score 37.78"
          /codon_start=1
          /transl_table=11
          /product="hypothetical protein SC2E1.17"
          /db_xref="PID:e1296637"
          /db_xref="PID:g3191993"
          /translation="MIPAGQDIYEGGLRRYARVARVVLLDPEDRILILHGHEPDPADDWW
          ARTARTARTAEVGPGLTELERRSVAGARWWTCEELTRAREVYPTRLAELLTTLLDEGP
          PAGPVTLDTEIV"
misc_feature Pfam match to entry mutT PF00293, Bacterial mutT
          protein, score 37.78"
gene   16069. .16200
          /gene="SC2E1.17"
misc_feature PS00893 mutT domain signature"
gene   16132. .16191
          /gene="SC2E1.17"
CDS   /gene="SC2E1.18"
gene   16553. .16871
          /note="SC2E1.18"
gene   16553. .16871
          /gene="SC2E1.18"
          /note="SC2E1.18, unknown, len: 102 aa; highly similar to
          M. tuberculosis hypothetical protein YX29_MYCTU
          MTCY274.32c (101 aa), fasta scores; opt: 515 z-score:
          1085.2 E(): 0, 75.0% identity in 100 aa overlap"
          /codon_start=1
          /transl_table=11
          /product="hypothetical protein SC2E1.18"
          /db_xref="PID:e1296638"
          /db_xref="PID:g3191994"
          /translation="MSAEDLEKYETEMELKLYREYRDVGLFKYVIETERRFYLTNDY
          EMQVHSVQGEVFFEVSMADAWWDMTRPARFVKQVRVLTFKDVNIEELNKSDLELPGG
          "
gene   16930. .17322
          /gene="SC2E1.19"
CDS   16930. .17322
          /gene="SC2E1.19"
          /note="SC2E1.19, unknown, len: 130 aa; similar to M.
          tuberculosis hypothetical protein YX29_MYCTU MTCY274.29c
          (128 aa), fasta scores; opt: 253 z-score: 276.8 E():
          3.5e-08, 39.7% identity in 121 aa overlap."
          /codon_start=1

gene   /transl_table=11
          /product="hypothetical protein SC2E1.19"
          /db_xref="PID:e1296639"
          /db_xref="PID:g3191995"
          /translation="MIVGAAGGGADMNARGAMGRYGEFLAARRLTGAGMTVLERNWRCG
          RRGEIDIVARDGDVLVVCEVKTRRGGAFEHPMAAVTPDKAERLRRLAERWIQTHGGAP
          PGGVRIDLGVLLPQRGAPVVEHARGVA"
gene   17322. .18947
          /gene="SC2E1.20"
CDS   17322. .18947
          /gene="SC2E1.20"
          /note="SC2E1.20, unknown ATP/GTP binding protein, len:
          541aa; similar to hypothetical proteins from many
          organisms e.g. YIFB_ECOLI (516 aa), fasta scores; opt: 356
          z-score: 935.9 E(): 0, 37.0% identity in 513 aa overlap.
          Contains PS00017 ATP/GTP-binding site motif A (P-loop)"
          /codon_start=1
          /transl_table=11
          /product="hypothetical protein SC2E1.20"
          /db_xref="PID:e1296640"
          /db_xref="PID:g3191996"
          /translation="MGFARRCSVALVGEGVVVEVQOADLEPGVAAFTLVGLPDKSLTE
          SRDRVRAAVVNSGAQWPQKKLTVGLSPASVPKSCSGFDLAVAASVLGAAERIDPRVLA
          DIVMIGELGLDGRVRPVRGILPAVLAAAERGYEQVVPECAAPEASLVPGVSVLGVRS
          LRQLIAVLADEPVEPEEEQDLQGRPDPLMAGLRMPGTGAATGMHGMGMGAAQHDHGHDLAD
          VVGQESARTAVEVAAAGRHHLFLEGPPGAGKTMLAERLPAILPRLCRAESLEVTAVHS
          VAGLLPPGKPLIDVAPYCAPHSATMQALLVGGGPGIARPGAVSLAHRGVLFLDETPEF
          SSHALDALRQPLEAGHVVIARSAGVVRFPARFLMVLAANPCPGRFSRTDELCECPSS
          AIRYQARLSGPLLDRVDLREVERVTRSQLADGDPRGDSTRAVADRVRAAARDRAAAR
          VGHDRPDARDVALALQLRTGVPRGVPMALGALA"
misc_feature 18048. .18071
          /gene="SC2E1.20"
          /note="PS00017 ATP/GTP-binding site motif A (P-loop)"
gene   18944. .20092
          /gene="SC2E1.21"
CDS   18944. .20092
          /gene="SC2E1.21"
          /note="SC2E1.21, unknown, len: 382 aa; N-terminus is
          Gly-rich, C-terminus is similar to the N-terminus of
          several hypothetical proteins e.g. SMF_ECOLI SMF protein
          (374 aa), fasta scores; opt: 402 z-score: 277.5 E():
          3.2e-08, 40.7% identity in 194 aa overlap. This ORF
          appears to be interrupted by the following prophage at
          around aa 360, and to continue as the last part of
          SC2E1.37. The similarity to the M. tuberculosis
          hypothetical protein YX27_MYCTU MTCY274.27c (389 aa)
          (fasta scores; opt: 603 z-score: 511.5 E(): 3e-21, 46.8%
          identity in 267 aa overlap) stops at that position and
          restarts in SC2E1.37. Alternative start site at aa 118
          suggested by positional base preference"
          /codon_start=1
          /transl_table=11
          /product="hypothetical protein SC2E1.21"
          /db_xref="PID:e1296641"
          /db_xref="PID:g3191997"
          /translation="MSGNTRRPPEGAAPSGDTGPGCTSGTLFPEAAVSFGGSPAPGGAM
          TPPGAGDGPDGGEARWAGPGPGDGAGVGEAGVAAARGRSAAGTCGTGGGGGSGGGARGG
          GPEDRELLGRVFLARVEFPGDEAGGRWVRERGAPEVVRRLREGGRALPGVSERKWAGL
          CARAGRADPGRDLAVRSAGARRVVPGTAEWPGQLDDLGDARPLGLWVRGGPSLRMWA
          LRSVAVVGARACTEYGAANAATLAAGLAERGWVVVSGGAYGIDGAAHRGALGAGGATA
          AVLACGVDRPIPPGHTALITRIAEQGLVVGELPPGDHPTPSRFILRNVIAALTRGTV
          VVEAAHRSGGSLVTARAARRLGRHVMGVPTPLSGGAALAPIRFRLATAT"
misc_feature 20021. .32836
          /gene="SC2E1.21"
          /note="probable prophage: has low GC (approx 66-68%), and
          some ORF's with similarities to bacteriophage ORF's. The
          ORF SC2E1.21 appears to have been interrupted by this
          prophage and apparently continues as the last part of
          SC2E1.37"
gene   20571. .20582
          /gene="SC2E1.22"
CDS   20571. .20582
          /gene="SC2E1.22"

gene
/gene="SC2E1.22, unknown prophage gene, len: 103 aa"
/trans1_table=1

CDS
complement(20579..20869)
/product="hypothetical protein SC2E1.22"
/gene="SC2E1.23c"
/db_xref="PID:g3191998"
/note="SC2E1.23c"
/codon_start=1
/trans1_table=1
/translation="MTTQNSNHPCACGSYAFEVLIHENYGGDKVWQQKTTGCAATTQS
TFAPCHDAKLKSLLIAAGVGGHPVVRQTTRDTVVVKDALKVAADLGWRDLVGEAIAKGS
S"

gene
complement(20579..20869)
/gene="SC2E1.23c"
/codon_start=1

CDS
complement(20579..20869)
/note="SC2E1.23c, unknown prophage gene, len: 96 aa"
/gene="SC2E1.23c"
/db_xref="PID:e1296643"
/product="hypothetical protein SC2E1.23c"
/codon_start=1
/trans1_table=1

gene
20920..21114
/gene="SC2E1.24"
/codon_start=1

CDS
20920..21114
/gene="SC2E1.24"
/note="Pfam match to entry gntR PF00392, Bacterial
regulatory proteins, gntR family, score 43.92"

RBS
20912..20916
/note="possible RBS upstream of SC2E1.23"
/gene="SC2E1.24"
/translation="MTTRYPALPQSYAITRDRDTVIPRYLVVIALRGGQMAGLSIRVI
KIVGETGETEEVSAREWSVDQMPNLPLIDTRWPLCLCWKCNGNGTKGELRRR"

misc_feature
20920..21099
/gene="SC2E1.24"
/note="SC2E1.24, possible prophage transcriptional
regulator, len:64 aa; similar to the N-terminus of several
regulatory proteins e.g. Streptomyces phaechromogenes
plasmid pJV1 TR:Q54677 (EMBL:U23762) traR (245 aa), fasta
scores: opt:137 z-score: 268.5 E(): 1e-07, 39.3% identity
in 61 aa overlap. Contains Pfam match to entry gntR
PF00392, Bacterial regulatory proteins, gntR family, score
43.92"
/codon_start=1
/trans1_table=1

gene
complement(21969..22166)
/product="putative transcriptional regulator"
/db_xref="PID:e1296644"
/gene="SC2E1.25"

CDS
21209..21204
/note="possible RBS upstream of SC2E1.25"
/db_xref="PID:g3192000"
/translation="MAEISKRIADGTYPPGTRVPGIVELSAEFGIAASTAQKALAHL
RGTEEVRIELGIGTFVADAK"

RBS
21209..21910
/gene="SC2E1.25"
/note="possible RBS upstream of SC2E1.25"

CDS
21209..21910
/gene="SC2E1.25"
/note="SC2E1.25, unknown prophage gene, len: 233 aa"
/codon_start=1
/trans1_table=1
/product="putative transcriptional regulator"
/db_xref="PID:e1296645"
/translation="MATDGDEPPEEREFLTGDTPFVVREALERLAALNEGPRVEOR
VDRVDIQNVFIGQGQDTRGREVAERAATRAIQORKFHFDFLNHALKQAEWTFRLSV
WFMIGGALVILAGAVLALVHAGNPDLSYLPLVTSLTGAITVGGGALALHSKRAMANL
TKRAEDNENKIDIDHKLEVATTFIDRVQDSQAKDRINSAAALKALGMDAQPEFMVNRL
LPPDQTKEIDPGEPT"

gene
complement(21969..22166)
/gene="SC2E1.26c"

CDS
complement(21969..22166)
/gene="SC2E1.26c"
/note="SC2E1.26c, unknown prophage gene, len: 65 aa; very
hydrophobic"
/product="hypothetical protein SC2E1.26c"
/codon_start=1
/trans1_table=1
/db_xref="PID:e1296646"

RBS
/db_xref="PID:g3192002"
/translation="MNLPLGVKVLIVVICTLISIVIVAMVAGFLSHASGSSVGQAILYG
GGAFAGSLLLCLLAVLSALGVL"
complement(22177..22180)
/note="possible RBS upstream of SC2E1.26c"

gene
complement(22505..22867)
/gene="SC2E1.27c"
complement(22505..22867)

CDS
/product="hypothetical protein SC2E1.27c"
/db_xref="PID:e1296647"
/db_xref="PID:g3192003"
/translation="MSEIPAIRRRRASQFDHIDCGRADECPVHEPLLGGHPTRKVPSQL
DGAMTLAILAVAGVVSIFLFALKGVLDQVPDVIDSASRARDAWQRFKRKANEPPSPTV
LRELPPPAEDEQEPPAAA"
/note="SC2E1.27c, unknown prophage gene, len: 120 aa;
contains hydrophobic region near centre"
/codon_start=1
/trans1_table=1

gene
23631..23846
/gene="SC2E1.28"
23631..23846

CDS
/gene="SC2E1.28"
/note="SC2E1.28, possible prophage transcriptional
regulator, len: 71 aa; similar to the N-terminus of many
e.g. TR:Q37946 Salmonella typhimurium bacteriophage L
repressor protein C2 (220 aa), fasta scores; opt: 127
z-score: 227.1 E():2e-05, 45.7% identity in 46 aa overlap.
Contains probable helix-turn-helix motif at aa 21 to 42
(score 1829, +5.42 SD)"
/codon_start=1
/trans1_table=1
/product="putative transcriptional regulator"
/db_xref="PID:e1296648"
/db_xref="PID:g3192004"
/translation="MPARIFSPDALRQIRRQRGVTQYKLAASLGVHNTAISHYENGHR
RPDVETLIATIADVLGARMDFVTARAA"

RBS
23996..24001
/note="possible RBS upstream of SC2E1.29"
/codon_start=1
/trans1_table=1

gene
24008..26278
/gene="SC2E1.29"
24008..26278

CDS
/gene="SC2E1.29"
/note="SC2E1.29, unknown prophage ATP binding protein,
len: 756 aa; some similarity to TR:O38030 (EMBL:X76288)
Streptomyces Bacteriophage phi-C31 early region ORF 9 (519
aa), fasta scores: opt: 360 z-score: 374.4 E(): 1.3e-13,
24.4% identity in 553 aa overlap, and to a putative
prophage ORF from M. tuberculosis TR:O06508 (EMBL:Z95586)
MTCY336.22 (471 aa), fasta scores; opt: 655 z-score: 535.5
E(): 1.4e-22, 29.8% identity in 416 aa overlap. Contains
2x PS00017 ATP/GTP-binding site motif A (P-loop)"
/codon_start=1
/trans1_table=1
/product="putative ATP binding protein"
/db_xref="PID:e1296649"
/db_xref="PID:g3192005"
/translation="MSYTTSEARDLAATOSGLDVPEHDTDRAXFARLGFGVFPMPTN
KKMPRAKGWPDLAMTTVEEVEEMWRSFTPSGWQNIALTLDGWTVDVDVDPKNGGTASLE
KLTAEYELPVTRTHHTASGPDSLFEIYRDPDRPIKSGPLSSRYPGIDIKTGRGSLIV
APGSVINGRRYEVVSAAEPAVAPSWLSEIRGDAQYPVVPSARSRYPSRASAGHSRAAT
LAELRALPDDPGRGNGWLTQVAGHLARNHTDHDSYLHELRAIDSESEVPHDKDRFMK
TADSTWEREQAKERPKAAAPDKPKRSILWHEHTDLGNGRLRLDLHGEDMRHAPGWGWL
TWDGRRWARGDQARRFMHSVADAISEA1ESMEEKQRSDDLMRWFGRSCGSPGITSAAL
NEASVMLPIETEISDFDADPHKLLVGNGVVDLRTGELLPVDRKYLLTRGTTVEIVDPNA
DCPMWMDFLGWAFGQGDIEMIEYIQRMGMCLIGNNAHQVAFFLYGPGRSGKTLITRVL
SRLLGDYATSADLSVFNESSGHNEPLARLAGARLVVFSETRQGRINEAQFKKFTGE
DTLFASYKNKSWEFFLPAFTPVMFGNAQPSIAFDSGVERRMKVIPMRAQISDGQKNPK
LVEQMMLNEGPAIMAWAVEGARIIAAESEVFPDQVAQAVEKEVKRENDHIGDIEECL
VFDEGATVASDVVWGRYSKWIEAGGVDFVKKADDRAGKSLLVRMLKTWSIENGTPIES
FKSSNTRKLRGVALND"

misc_feature
25490..25513
/gene="SC2E1.29"

```
misc_feature   26147..26170
               /note="PS00017 ATP/GTP-binding site motif A (P-loop)"

gene           /gene="SC2E1.29"
               /note="PS00017 ATP/GTP-binding site motif A (P-loop)"

RBS            26551..26554
               /note="possible RBS upstream of SC2E1.30"

gene           26562..27113
               /gene="SC2E1.30"

CDS            26562..27113
               /note="SC2E1.30, unknown prophage gene, len: 183 aa"
               /gene="SC2E1.30"
               /codon_start=1
               /product="hypothetical protein SC2E1.30"
               /transl_table=11
               /db_xref="PID:e1296650"
               /db_xref="PID:g3192006"
               /translation="MNDLDRRGGRIFGRVDGEVDPSGVDSPYIRLMKLRDPEKYEREV
               ARQVDAQRVIVEWAEWYGLKRAKMACCPRWLTHKVSRRCNSRCTAFGGGATDHRWLEH
               GVGWVLDGQPVALTSASGISDEYRARFEWWVNEDPRLAVALGGQGWVYGYGSTQVLVW
               RDIVIEVMEPAPESVRALGYPQY"

gene           27578..27769
               /gene="SC2E1.31"

CDS            27578..27769
               /note="SC2E1.31, possible prophage transcriptional
               regulator, len: 63 aa; similar to the N-terminus of many
               bacteriophage ES18 gene C2 (216 aa), fasta scores; opt:
               133 z-score: 207.9E():0.00024, 35.8% identity in 53 aa
               overlap. Contains probable helix-turn-helix motif at aa 17
               to 38 (Score 1786, +5.27 SD)"
               /gene="SC2E1.31"
               /codon_start=1
               /product="putative transcriptional regulator"
               /transl_table=11
               /db_xref="PID:e1296651"
               /db_xref="PID:g3192007"
               /translation="MFSGRKLKEARNKRGMSQOAVAARMGLSGLYVSYWENGRYAPNG
               VNMVLLRALGCELEEVTE"

RBS            27754..27759
               /note="possible RBS upstream of SC2E1.32"

gene           27766..28116
               /gene="SC2E1.32"

CDS            27766..28116
               /note="SC2E1.32"
               /gene="SC2E1.32"
               /codon_start=1
               /product="hypothetical protein SC2E1.32"
               /transl_table=11
               /db_xref="PID:e1296652"
               /db_xref="PID:g3192008"
               /translation="MNAPETEFADAGWVAITRDEGGRVGKPVRMFELTGEGVTALTK
               NADGLMVPDPHAVEIINTPDLHAAKLAWLHKLVGVAERCTDEARADLRRIAEWLIDW
               EPGDPGLRLADAEA"

gene           28184..28672
               /gene="SC2E1.33"

CDS            28184..28672
               /note="SC2E1.32, unknown prophage gene, len: 116 aa"
               /gene="SC2E1.33"
               /codon_start=1
               /product="hypothetical protein SC2E1.33"
               /transl_table=11
               /db_xref="PID:e1296653"
               /db_xref="PID:g3192009"
               /translation="MVVLAQQGIGRNEISRTGISTSASVSRIAAAHGIEFDGSQTEV
               ALKARIAELKARQGIALGLVEDIITSARGLLRMATHRDFAFAKAISDLTQSAQRMT
               PEITNEELEEAKEGLRDLYFQMGLMREGFEAKYGVPLDSDEGRELWDKARQEDMENE"

RBS            28644..28649
               /gene="SC2E1.33"
               /note="possible RBS upstream of SC2E1.34"

gene           28659..29075
               /gene="SC2E1.34"

CDS            28659..29075
               /note="SC2E1.34, unknown prophage gene, len: 138 aa"
               /gene="SC2E1.34"
               /codon_start=1
               /product="hypothetical protein SC2E1.34"
               /transl_table=11
               /db_xref="PID:e1296654"
               /db_xref="PID:g3192010"
               /translation="MSNRDFSEDVGQPRSTDGPSVDDLRAEMYGGQVAGRFHYRESRT
               ERDSAVIQGPVLGDGTMDDQAAEIRKSFGIGADLRHAAQAAESYMDRDPTSGHTI
               RTYGNGRVVDLDAEPTQTGSDRVEYPRVWGDDPGA"

RBS            29481..29484
               /note="possible RBS upstream of SC2E1.35"

gene           29493..29936
               /gene="SC2E1.35"

CDS            29493..29936
               /note="SC2E1.35, unknown prophage gene, len: 147 aa"
               /gene="SC2E1.35"
               /codon_start=1
               /product="hypothetical protein SC2E1.35"
               /transl_table=11
               /db_xref="PID:e1296655"
               /db_xref="PID:g3192011"
               /translation="MAARKVFRPEFKTRDGRKVSFGANYTHDTKAKRRAGLTTAGRPK
               VETVGAGTVVVRSPRRWLPWAVFGTNSAVLGGGTWAVAELGPAVGGLVVGVALWAGYRIA
               RWTAGEWAYFAIKRSRQIRGGROVAEFASEGLPPQAHIPGEKVTRP"

RBS            30237..30240
               /gene="SC2E1.36"
               /note="possible RBS upstream of SC2E1.36"

gene           30248..30754
               /gene="SC2E1.36"

CDS            30248..30754
               /note="SC2E1.36, unknown prophage gene, len: 168 aa"
               /gene="SC2E1.36"
               /codon_start=1
               /product="hypothetical protein SC2E1.36"
               /transl_table=11
               /db_xref="PID:e1296656"
               /db_xref="PID:g3192012"
               /translation="MAAKKVTETAEAIPCECSMYDALPADLTEEQVASGDFEVLTTGCT
               ATTKRQFAPGHDAKILKSALIRWGALGLEIRRNEGGVATSASPAKHAARYAFAHMVTAG
               VKRAEAKAAEKRAAARAAKKAAPAPEVIKAKYGRVTIYOGRMDGDHFVYEVKGQERR
               TLKFQPAA"

gene           30824..33214
               /gene="SC2E1.37"

CDS            30824..33214
               /gene="SC2E1.37"
               /note="SC2E1.37, unknown prophage gene, len: 796 aa; shows
               very limited similarity to Rhodococcus opacus TR:G2935035
               (EMBL:AF003948) putative transposase homolog (242 aa),
               fasta scores; opt: 215 z-score: 280.3 E(): 2.2e-08, 33.3%
               identity in 105 aa overlap. Contains PS00397 Site-specific
               recombinases active site and Pfam match to entry
               recombinase PF00239, Site-specific recombinases, score
               36.16. The last part of this ORF (aa 672 onwards) appears
               to be a continuation of SC2E1.21, which was interrupted by
               the prophage; the similarities to YX27_MYCTU MYCY274.27c
               (389 aa) (fasta scores: opt: 246 z-score: 225.9 E():
               2.4e-05, 38.8% identity in 116 aa overlap) continue after
               aa 672. Contains probable coiled-coil from aa 449 to 505"
               /codon_start=1
               /product="hypothetical protein SC2E1.37"
               /transl_table=11
               /db_xref="PID:e1296657"
               /db_xref="PID:g3192013"
               /translation="MYQRNTIDALDVAMGVVERAVQPVRLRAVAYARVSTEEQAKGYGV
               QAALKKILRYIGRKDWDHVGTYTDEGISGSLEAADREDLKRLMADAHRQPKPDIVVV
               SEGRAIGRVGRAFWRWWALEDIGIYGVWEDDIDNSTPEGRKKMRRDADYAETEWET
               IRKRTQGGLQEKAEDGGWPGGPQPYGYIEIACQQGKGKSHIVQCAAEVKRLRMANAMVV
               EEKLNTREVAARLNALNRRTRSGVPWSHSNLRAKILSESTINARVIFRNPNRAHAGHG
               AKFGEDGKPLHGETVIILKIPFEPGEVAALQVTLAQTSKGAGRPKPKPYPLSKRLFN
               EHTGCNSHHVGMARTSREGRWRYRCTGLAAKYGDPTCTCKMVDADAMESAVWGEVVSL"
```

LGDPDRLRMAAEWGMAAGDVOHADRIADFDKIQIANLDRATASMATECVKAGLPAA
AIAQASRALLEERRQLADLRDEAAAWLEETEAAEQRARDLEALATAARTRLADMDPAE
QGEVLALDVKVITGPVFPKRGLGLTCSLAEWFRVAGRLVPSELITDDMWAAAAEPVVKA
WEPSNHKLRPGRLMLDAMYKARGGCRWDDLPERFGPWKGIHSRYKTWRNCGVWDEIM
AALPVDGYCYRPVPEINLVPPFRVEGRVDPRVLAGPDIQEEVVRPETGVGPPAISALS
AGVHEMLRGDAVLVGDAAVEIVGAMGELPPERRGFVPLTPTDLLLESRRTRQVLAGLPGR
GTATAGEVALRAQTTQDDAVARLVELRALGYVERHGDGWKLTRQAMISVRGGRSPC"

misc_feature   /gene="SC2E1.37"
30905..31387   /note="Pfam match to entry recombinase PF00239,
                Site-specific recombinases, score 36.16"

misc_feature   /gene="SC2E1.37"
30911..30937   /note="PS00397 Site-specific recombinases active site"

gene   /gene="whiG"
33497..34339

CDS   /gene="whiG"
33497..34339   /note="SC2E1.38, whiG, RNA polymerase sigma factor WhiG,
                len: 280 aa; identical to RPSW_STRCO RNA polymerase sigma
                factor whiG (280 aa). Also highly similar toRPSD_BACSU RNA
                polymerase sigma-D factor (sigma-28) (254 aa).(E(): 0,
                43.0% identity in 242 aa overlap) and FLIA_ECOLI RNA
                polymerase sigma factor for flagellar operon (sigma F)
                (239 aa).(E(): 0, 42.8% identity in 229 aa overlap).
                Contains PS00715 and PS00716 Sigma-70 factors family
                signatures 1 and 2, Pfam match to entry sigma70 PF00140,
                Sigma-70 factors, score 342.03 and probable
                helix-turn-helix motif at aa 245 to 266 (Score 1657, +4.83
                SD)"
                /codon_start=1
                /transl_table=11

misc_feature   /gene="whiG"
33626..34315   /note="Pfam match to entry sigma70 PF00140, Sigma-70
                factors, score 342.03"

RBS   /gene="whiG"
33725..33766   /note="PS00715 Sigma-70 factors family signature 1"

misc_feature   /gene="whiG"
34229..34309   /note="PS00716 Sigma-70 factors family signature 2"
                /translation="MPQHTSGSDRAAIPPAARDGGSVRPPAPSTLDELWRSYKTTGDE
RLREQLIHYSPLVKIYAGRVSVGLPPNVEQADFVSSGVFGLIDAIEKFDVDREIKFE
TYAITRIRGAMIDELRALDWIPRSVRQKARNVERAYATLEARLRRIPSESEVAVEMGI
AVEDLHAVFSQLSLANVVALEELLHAGEGGGRLSLMDTLEDTAADNPEVAEADRELR
RLLARAINTLPEREKTVVTLIYYEGLILAEIGNVLGIVTESRVSQIHYKSVLQLRAKLA
GFGR"

gene   /gene="SC2E1.39"
34468..35025

CDS   /gene="SC2E1.39"
34468..35025   /note="SC2E1.39, possible transcriptional regulator len:
                185 aa; equivalent to Streptomyces roseosporus TR:P72569
                (EMBL:U58281) tetR homologue whiR (179 aa) (86.6% identity
                in 179 aa overlap) and similar to several putative
                transcriptional regulators of the tetR family e.g.
                TR:E1247678 putative transcriptional regulator SC10A5.11
                (S. coelicolor) (198 aa), fasta scores: opt: 434 z-score:
                720.5 E(): 6.8e-33, 41.5% identity in 171 aa overlap.
                Contains probable helix-turn-helix motif at aa 29 to 50
                (Score 1618, +4.70 SD) and Pfam match to entry tetR
                PF00440, Bacterial regulatory proteins, tetR family, score
                29.18"
                /codon_start=1
                /transl_table=11
                /product="putative transcriptional regulator"
                /db_xref="PID:e1296659"

---

misc_feature   /gene="SC2E1.39"
34501..34641   /note="Pfam match to entry tetR PF00440, Bacterial
                regulatory proteins, tetR family, score 29.18"

gene   /gene="SC2E1.40c"
complement(34979..35659)

CDS   /gene="SC2E1.40c"
complement(34979..35659)
                /note="SC2E1.40c, probable secreted protein, len: 226 aa;
                some similarity to two putative secreted M. tuberculosis
                proteins YX22_MYCTU MTCY274.22 (249 aa), fasta scores;
                opt: 315 z-score: 268.8 E(): 9.7e-08, 40.7% identity in
                145 aa overlap (also upstream of rpsB) and YQGK_MYCTU
                MTCY13D12.20 (407 aa), fasta scores; opt: 218 z-score:
                176.1 E(): 0.014, 34.1% identity in 164 aa overlap.
                Contains probable N-terminal signal sequence."
                /codon_start=1
                /transl_table=11
                /product="hypothetical protein SC2E1.40c"
                /db_xref="PID:e1296660"
                /translation="MAEHRSMQRAALLDAARSLLSDGGTEALIFPPALAERTGLARSSV
YEVFRSRAAVEELCAVDPVWAAEVEAAMERETAPDAKVEAVYRTOLDLVGDRRHRA
VVAISASELDAGARKEKIRRAHGGLIIAMIVEALGEMGHGQQPRLAAMLLQGVVDAAVRRI
ELGARAEEPGAITEAAVSMALRGVRG"

misc_feature   /gene="SC2E1.40c"
complement(35024..38962)
                /note="overlap with cosmid 6A9 (unfinished)"

RBS   /gene="SC2E1.40c"
complement(35666..35669)
                /note="possible RBS upstream of SC2E1.40c"

misc_feature   37757..37919
                /note="97.4% match to AF034101 AF034101 Streptomyces
                coelicolor ribosomal protein S2 (rpsB) and elongation
                factor Ts (tsf) genes from 1 to 2154"

RBS   35934..35939
                /note="possible RBS upstream of rpsB"

gene   /gene="rpsB"
35948..36880

CDS   /gene="rpsB"
35948..36880   /note="SC2E1.41, rpsB, 30S ribosomal protein S2, len: 310
                aa; almost identical to RS2_STRCO 30S ribosomal protein S2
                (242 aa), E(): 0, 96.7% identity in 242 aa overlap and
                also highly similar to many others e.g. RS2_ECOLI 30S
                ribosomal protein S2 (240 aa), fasta scores; opt: 744
                z-score: 950.7 E(): 0, 50.4% identity in 224 aa overlap.
                Contains PS00962 Ribosomal protein S2 signature 1 and
                PS00211 ABC transporters family signature (probably a
                false positive). Also contains Pfam matches to entry S2
                PF00318, Ribosomal protein S2, score 304.89 and to entry
                60s_ribosomal PF00428, 60s Acidic ribosomal protein, score
                24.36. Note that this sequence is longer than RS2_STRCO
                due to a sequence difference around 235 aa. This sequence
                has a C-terminal extension not present in other rpsB. The
                M. tuberculosis protein also has a C-terminal extension
                but with a differentsequence. Our sequence has been
                checked, and is also confirmed by sequence from the
                overlapping cosmid 6A9."
                /codon_start=1
                /transl_table=11
                /product="30S ribosomal protein S2"
                /db_xref="PID:e1296661"
                /translation="MAVVTMREELLRSGVHHGHQTRRWNPKMKRFIFTERNGIYIIDLL
QSLSYIDRAYEFVKETVAHGGTVMFVGTKKQAQEAIAEEAQRVGMPYVNQRWLGGMLT
NFSTVVRLQRKLELEQIDFEDVAASGLTKKELLVLSREKAKLEKTLGGIREMSKVPS
AVWIVDTKKEHIAVGEEARKLNIPVVAILDTNCDPDEVDYKIPGNDDAIRSVTLLTRVI
ADAVAEGLIARSGAAGGAKGDKAAGEPLAAWERDLLLEGERAEKKDDAEAAAEKPAEAPA"

```
misc_feature    35963..35598
                /gene="rpsB"
                /note="PS00962 Ribosomal protein S2 signature 1"
misc_feature    35972..36625
                /gene="rpsB"
                /note="Pfam match to entry S2 PF00318, Ribosomal protein
                S2, Score 304.89"
CDS             36461..35505
                /gene="rpsB"
                /note="SC2E1.42, tsf, elongation factor Ts, len: 278.
                Almost identical to EFTS_STRCO elongation factor TS
                (EF-TS) (276 aa), fasta scores; opt: 1695 z-score: 2425.0
                E(): 0, 97.8% identity in 278 aa overlap and highly
                similar to many others e.g. EFTS_ECOLI (282 aa), fasta
                scores: opt: 321 z-score: 681.2 E(): 1e-30, 38.4% identity
                in 276 aa overlap. Contains PS01126 Elongation factor Ts
                signature 1"
                /codon_start=1
                /trans1_table=11
                /product="elongation factor Ts"
                /db_xref="PID:e1296662"
                /db_xref="PID:g3192018"
                /translation="MANYTAADVKRLRELTGAGMMDCKKALDEAEGNVEKAVEALRIK
                GQKGVAKREGRSAENGAVSIIADDNTSGVLVELKCETDFVAKGEKFQNVATAIAEHV
                AKAAPADLEALLASEIEPGKTVQAVVDEANNLGEKIVLDRFAQFSGGVTAYMHRTM
                PDLPPQIGVLVELDKPNAEIAKGVAQHIAFAPKYLSKEDVPAEVVESERVAEETTR
                AEGKPEAALPKIVEGRLNGFFKDATLLGQPYALDNKKSVQKVLEEAGVSLKRFSRIKV
                GI"
misc_feature    37008..37055
                /gene="tsf"
                /note="PS01126 Elongation factor Ts signature 1"
RBS             38004..38007
                /gene="pyrH"
                /note="possible RBS upstream of pyrH"
gene            38017..38778
                /gene="pyrH"
CDS             38017..38778
                /gene="pyrH"
                /note="SC2E1.43, pyrH, uridylate kinase, len: 253 aa;
                highly similar to many e.g. PYRH_ECOLI uridylate kinase
                (EC 2.7.4.-) (240 aa), fasta scores; opt: 668 z-score:
                968.6 E(): 0, 45.9% identity in 233 aa overlap"
                /codon_start=1
                /trans1_table=11
                /product="uridylate kinase"
                /db_xref="PID:e1296663"
                /db_xref="PID:g3192019"
                /translation="MSSTKAEKSDDGKVSGRFMLKLSGEAFSGGGLGVDPDVVHAIA
                REIAAVRDGAQIAIVIGGGNFFRGAELQVRGMDRARSDYMGMLGTVVNCLALQDFLE
                KEGVDCRVQTAITMGQVAEPYIPLRAVRHLEKGRVVIFGAGMGNPYFSTDTTAAQRAL
                EIDAEALLMGKNGVDVGVIDSDPKTNPDAVKFDALGYGEVTIRDLKVADATAVILCRDN
                SLPIVVFELLKEGNIARAVRGEKIGTLVGDQGSRD"
```

```
BASE COUNT    6233 a    13696 c    13758 g    5275 t
ORIGIN
```

```
Qy       46 GTGGCCGCCGCTGGAGCAATAATTATGCGGTGGACACTGCCCTCAACACTGTGACAGCAGTGAG 105
            ||||||   ||  |||   |  || |||||||||||||||||||||||||||||||||| ||||
Db    35657 GAGGGCGCGGCTGGTGGTGCTGTCGGCCGTGCTGTCTGGCCCGTCCTGGCCGGTCCGAC 35598
```

```
Query Match    54.7%;    Score 38.2;  DB 1;  Length 38962;
Best Local Similarity    76.0%;
Matches   76;  Conservative    0;  Mismatches   63;  Indels    0;  Gaps    0;
```

```
Qy      106 TGCAAAAGCAGCCGCCGCTGCAAGAGGACACAGTGCTCGACGACGTGTGGCTGCCGAGTG  165
            |  |||| || || |||| |||||| || ||||| |||| ||||||||||| |||||||||
Db    35597 CGCGCAGGCCGCCGGCGGCCGCCGGCGGGGGGCGGGCCGCGGACGGGCGGCCGGGCTGGGGTG  35538
Qy      166 GGCCCTGCCGCTACGGCGTG  609
            || ||||||||||| |||||
Db    35537 GGCCCTGCCGCTACGGCGTG  39519
```

```
Qy      106 SC2E1
Db    35597 Streptomyces coelicolor cosmid 2E1.

RESULT    8
SC2E1/c
LOCUS           SC2E1          38962 bp    DNA                    BCT        04-JUN-1998
DEFINITION      Streptomyces coelicolor cosmid 2E1.
ACCESSION       AL023797
NID             g3191976
KEYWORDS        30S ribosomal protein S16; 30S ribosomal protein S2; 50S ribosomal
                protein L19; cell division protein FtsH homolog; elongation factor
                Ts; ffh; ftsH; glmB; glmD; nitrogen regulatory protein PII;
                prophage; protein PII uridylyltransferase; PyrH; RNA polymerase
                sigma factor WhiG; rplS; rpsB; rpsP; signal peptidase I; signal
                recognition particle protein; sip1; sip2; sip3; sip4; trmD; tRNA
                (guanine-N1)-methyltransferase; tsf; uridylate kinase; whiG.
SOURCE          Streptomyces coelicolor.
ORGANISM        Streptomyces coelicolor
                Eubacteria; Firmicutes; Actinomycetes; Streptomyces;
                Streptomycetaceae; Streptomyces.
REFERENCE       1  (bases 1 to 38962)
AUTHORS         Redenbach,M., Kieser,H.M., Denapaite,D., Eichner,A., Cullum,J.,
                Kinashi,H. and Hopwood,D.A.
TITLE           A set of ordered cosmids and a detailed genetic and physical map
                for the 8 Mb Streptomyces coelicolor A3(2) chromosome
JOURNAL         Mol. Microbiol. 21 (1), 77-96 (1996)
MEDLINE         97000351
REFERENCE       2  (bases 1 to 38962)
AUTHORS         Murphy,L. and Harris,D.
JOURNAL         Unpublished
REFERENCE       3  (bases 1 to 38962)
AUTHORS         Parkhill,J., Barrell,B.G. and Rajandream,M.A.
TITLE           Direct Submission
JOURNAL         Submitted (03-JUN-1998) Streptomyces coelicolor sequencing project,
                Sanger Centre, Wellcome Trust Genome Campus, Hinxton, Cambridge
                CB10 1SA E-mail: barrell@sanger.ac.uk Cosmids supplied by Prof.
                David A. Hopwood, [3] John Innes Centre, Norwich Research Park,
                Colney, Norwich, Norfolk NR4 7UH, UK
COMMENT         Notes:
                Streptomyces coelicolor sequencing at The Sanger Centre is funded
                by the BBSRC.
                Details of S. coelicolor sequencing at the Sanger Centre are
                available on the World Wide Web.
                (URL; http://www.sanger.ac.uk/Projects/S_coelicolor/) CDS are
                numbered using the following system eg SC7B7.01c. SC (S.
                coelicolor), 7B7 (cosmid name), .01 (first CDS), c (complementary
                strand).
                The position of possible ribosome binding site sequences are given
                where these have been used to deduce the initiation codon.
                The more significant matches with motifs in the PROSITE database
                are also included but some of these may be fortuitous. The length
                in codons is given for each CDS.
                Usually the highest scoring match found by fasta -o is given for
                CDS which show significant similarity to other CDS in the database.
                The prediction is based on positional base preference in codons using a
                specially developed Hidden Markov Model (Krogh et al. in Nucleic
                Acids Research, 22(22):4768-4778(1994)) and the Frameplot program
                of Bibb et al., Gene 30:157-66(1984) as implemented at
                http://www.nih.go.jp/
                jun/cgi-bin/frameplot.pl. CAUTION: We may not have predicted the
                correct initiation codon. Where possible we choose an initiation
                codon (atg, gtg, ttg or (att)) which is preceded by an upstream
                ribosome binding site sequence (optimally 5-13bp before the
                initiation codon). If this cannot be identified we choose the most
                upstream initiation codon.
                IMPORTANT: This sequence MAY NOT be the entire insert of the
                sequenced clone. It may be shorter because we only sequence
```

```
FEATURES             Location/Qualifiers
     source          1..38962
                     /organism="Streptomyces coelicolor"
                     /strain="A3(2)"
                     /db_xref="taxon:1902"
                     /clone="cosmid 2E1"
```

overlapping sections once, or longer, because we arrange for a
small overlap between neighbouring submissions. Cosmid 2E1 lies
between 7A1 and 6A9 on the AseI-B genomic restriction fragment.

```
     gene            1..166
                     /gene="glnB"
     CDS             <1..166
                     /gene="glnB"
                     /note="SC2E1.01, glnB, nitrogen regulatory protein pII,
                     partial CDS, len: >54 aa; highly similar to many e.g.
                     GLNB_AZOBR (112 aa), fasta scores; opt: 198 z-score: 381.9
                     E(): 4.9e-14, 50.0% identity in 54 aa overlap"
                     /codon_start=2
                     /transl_table=11
                     /product="nitrogen regulatory protein pII"
                     /db_xref="PID:e1296621"
                     /db_xref="PID:g3191977"
                     /translation="IRIEVLVEDDDAEQLIDVVVKAARTGKIGDGKVWVAVPVDTAVRV
                     RYGERGRGDAL"

     gene            231..2738
                     /gene="glnD"
     CDS             231..2738
                     /gene="glnD"
                     /note="SC2E1.02, probable glnD, protein pII
                     uridylyltransferase, len: 835 aa; similar to many e.g.
                     GLND_ECOLI (890 aa), fasta scores; opt: 403 z-score: 540.4
                     E():7.3e-23, 26.2% identity in 851 aa overlap. Contains 7
                     degenerate repeats of the sequence PSS"
                     /codon_start=1
                     /transl_table=1
                     /product="putative protein pII uridylyltransferase"
                     /db_xref="PID:e1296622"
                     /db_xref="PID:g3191978"
                     /translation="MTDEAEDSGPGGVYAAARLRLLTEGARSGPPRRRALAELIDGWLA
                     AEARRRLLDVRDALHLATGRATDRLALCQEDQVAAELGLLDADALLRQVYEAARVISY
                     AGDVTWREVGRVLRSRSVRPRLRAMMNGRNGGKPVAERSPLAEGVVEQDGEAVLARTA
                     RPERDPALPLRAAAAAAQAGLPLSRHAVRRLARVRLAWTVDRHLIETAVRAAGFTRVH
                     PTVQVWEALEAEGLVTRLLPDWERVRCRPQRNAVHLWTVDRHLIETAVRAAGFTRVH
                     RPDLLIAALLHDIGKWPGDHSVAGETIARDVAARIGFDGADTAVLATIVRHLLLV
                     ETATRDLLDDPAIVRVAGAVGTEHTLELTHALTEAGALGPAAWSSWRGSLVADLV
                     KRVSGVLAGEPQPEAESAAPTAEQERLAVEARTGGYVLALRAQTEPPADSAPAPSSP
                     SSPSFSPSLSSPSSPSSSADGPPEPLGVELLIAYPDQGVLPAVAGVLAMHRILVTAEL
                     RSVPLPDGVEGSVLLLDWRVAAQYGSLPQAARLRADIVRALDGTLLDTAARLAERDAAH
                     PRRGVEPPPPRVTVAPAASRLATVIEVRAQDAPGLLPRIGRALEAAGVRVSRSAHVST
                     LGANAVDAFYVIRGEGTIPLPGDEAASVARGLEESLRT"

     repeat_region   2091..2153
                     /note="7 degenerate 9bp repeats"
     RBS             2719..2723
                     /gene="glnD"
                     /note="possible RBS upstream of ffh"
     gene            2735..4387
                     /gene="ffh"
     CDS             2735..4387
                     /gene="ffh"
                     /note="SC2E1.03, ffh, signal recognition particle protein,
                     len: 550 aa; highly similar to many e.g. SR54_ECOLI (453
                     aa), fasta scores; opt: 1465 z-score: 1282.8 E(): 0, 50.0%
                     identity in 458 aa overlap. Contains PS00017
                     ATP/GTP-binding site motif A (P-loop), PS00300 SRP54-type
                     proteins GTP-binding domain signature and Pfam match to
                     entry SRP54 PF00448, SRP54-type proteins, score 66.57.
                     Similarities suggest possible start site at aa 35"
                     /codon_start=1
                     /transl_table=11
                     /product="signal recognition particle protein"
                     /db_xref="PID:e1296623"
                     /db_xref="PID:g3191979"
                     /translation="MTVRSVQRAGTLCLPGRIPWRTTHTNADARTYAAVFDTLSDRLS
                     ATFKSLRGKGRLTEADIDATAREIRIALLEADVALPVVRAFIKVKERSLGAAVSKAL
                     NPAQQVLKIVNEELVGILGGETRRLRFAKQPPTVIMLAGLQGAGKTTLAGKLGHWLKE
                     QGHSPLLVACDLQRPNAVNQLSVVAERAGVAVYAPEPGNGVQPAVKKDSIEFAKAK
                     VHDLVIVDTAGRLGIDQELMQQAADIRDAVSPDEILFVVDAMIGQDAVNTAEAFRDGV
                     GFDGVVLSKLDGDARGGALSIASVTGKRPIMFASNGEKLDDFDAFHPDRMASRILDMG
                     DLILLIEQAEKTFSQEEAEKMASKLASKKGQEFTLDDLLAQMEQVVRKLIGSISKLLGML
                     PGMGQMKDQINLDERDVDRTAIIKSMTPGEROEPTIINGSRRARIAKGSGVESVAV
                     KNLVERFFEARKMMSRMAQGGMPGMPGMPGMGGGPGRQKKQKKAKGKQRSGNPMKR
                     KQQEQEEAARRAAAAQSGGALGLPQQGGQGDFELPDEFKKFMG"

     misc_feature    3155..3178
                     /gene="ffh"
                     /note="PS00017 ATP/GTP-binding site motif A (P-loop)"
     misc_feature    3566..3697
                     /gene="ffh"
                     /note="Pfam match to entry SRP54 PF00448, SRP54-type
                     proteins, score 66.57"
     misc_feature    3647..3688
                     /gene="ffh"
                     /note="PS00300 SRP54-type proteins GTP-binding domain
                     signature"
     stem_loop       4405..4453
                     /note="hairpin loop with 22/23 bp stem"
     gene            4504..6450
                     /gene="ftsH"
     CDS             4504..6450
                     /gene="ftsH"
                     /note="SC2E1.04, ftsH, cell division protein FtsH homolog
                     (zinc metalloprotease, integral membrane protein), len:
                     648 aa; similar to many e.g. FTSH_LACLA (695 aa), fasta
                     scores; opt: 1489 z-score: 1195.5 E(): 0, 41.7% identity
                     in 640 aa overlap. Contains PS00017 ATP/GTP-binding site
                     motif A (P-loop), PS00674 AAA-protein family signature and
                     Pfam matches to entry AAA PF00004, ATPases associated with
                     various cellular activities (AAA) and to entry zn-protease
                     PF00099, zinc-binding metalloprotease domain, score 22.07,
                     score 357.96. Proline-rich N-terminus is not present in
                     other ftsH homologs"
                     /codon_start=1
                     /transl_table=11
                     /product="cell division protein FtsH homolog"
                     /db_xref="PID:e1296624"
                     /db_xref="PID:g3191980"
                     /translation="MTNPSPRRAPEPPWRTECGTPDEPPKPPGGRRMRGGWWNLILA
                     ALIVYLIANLVLSFFNEGDEPTISYETEFSKQVDEGNVSKIYAKGDAIGQOLKRARDNP
                     EGDGTYKFTTERPTFADDQLWADITKNRVTVFEAEVPVVRHRSFLANLILAPMLLIV
                     VIWIFIARRMRGALGGAGGMLGRKAPPKVELEAGKRPTTFADVAGIDEVKGEALESDV
                     VDFLKNPDAYRMGAKMPRGVLLTGPPGTGKTILARAVAGEAGVPFSASASEFIEMI
                     VGVGASRVRELFAEARKVAPSIIFIDEIDIIGRARTAGRGTGHDEREQTLNQILTEM
                     DGFSGSEGVIVIAATNRADILDAALTRPGRFDVRVSSPPDRGGREATLEIHREIPL
                     APDILAQVARITPGMIGAELANLANEAALLAVRKQERVTQANLSEALEKVQLGAER
                     PLVWPEEERRRRAYHESGHALLGMLQPGADPVRKITIVPRGRALGVILSTPDADKYAY
                     TEEYLRGRTIGALGGMAAEHVVGMITTGSESDLEQVNIARGMVARWGMSERVGRLS
                     ALPGDAQQOAYGLAAAPQTLDAIDGEMRVRVVDSCYEEAVRKLRDHRGQLDALAESLLAS
                     ETLDEADAYRIAGITRLTKDDPEA"

     misc_feature    5215..5781
                     /gene="ftsH"
                     /note="Pfam match to entry AAA PF00004, ATPases associated
                     with various cellular activities (AAA), score 357.96"
     misc_feature    5230..5253
                     /gene="ftsH"
                     /note="PS00017 ATP/GTP-binding site motif A (P-loop)"
     misc_feature    5530..5586
                     /gene="ftsH"
                     /note="PS00674 AAA-protein family signature"
     misc_feature    5884..5931
                     /gene="ftsH"
                     /note="Pfam match to entry zn-protease PF00099,
                     zinc-binding metalloprotease domain, score 22.07"
     gene            complement(6468..7085)
                     /gene="SC2E1.05c"
```

CDS   complement(6468..7085)
             /gene="SC2E1.05c"
             /note="SC2E1.05c, probable lipoprotein, len: 205 aa;
             contains N-terminal signal sequence and appropriately
             positioned PS00013 Prokaryotic membrane lipoprotein lipid
             attachment site"
             /codon_start=1
             /transl_table=11
             /product="putative lipoprotein"
             /db_xref="PID:e1296625"
             /db_xref="PID:g3191981"
             /translation="MPHRTTALRLRAAPVAVALALTACGGGGDDDSGTDAKGGATTEAT
             TQASPSPSQPASGGDMAQGESASGKVAEGPGEVTVDVLAQKVEVGTEAEAAKAVADAA
             DAKGKVLATAHIKYFHQGGPALTEGSDVHDGTTVFPADGQRGGVLGAAEDAPGCEDPY
             DAESWKQGRSHVFCETYVIPAGAISVEVHWSEEDGEPYVWKFPQK"

misc_feature complement(7014..7046)
             /gene="SC2E1.05c"
             /note="PS00013 Prokaryotic membrane lipoprotein lipid
             attachment site"

RBS   complement(7092..7096)
             /gene="SC2E1.05c"
             /note="possible RBS upstream of SC2E1.05c"

gene   complement(7236..8123)
             /gene="SC2E1.06c"

CDS   complement(7236..8123)
             /gene="SC2E1.06c"
             /note="SC2E1.06c, unknown, len: 295 aa"
             /codon_start=1
             /transl_table=11
             /product="hypothetical protein SC2E1.06c"
             /db_xref="PID:e1296626"
             /db_xref="PID:g3191982"
             /translation="MIPTLVRQHSSHAQATPHVDPRARARDWSEIQERMLVPLYEAVY
             ERLDVGGDTRMLGLNCGSGLAILMAASRGAAVTGVDSRSPELDIARRRLLSGTSGDP
             GADSTVSTRRGDAPRIVQGTPGDAPAFTLVTAFEPGGCRAGDSETIGDLLAR
             ATPLAARGAAVVLAGWGPPERCATTSVLRVAAKLDDPTHGTGGWRPALRDDLEEVAQR
             AGLRPDGSGRVACPFGYADTGSSAVRGLLSTGMFDAAVAAATDRDQVDKELTEALHPYCR
             PDGTVWMPNVFRYLIARVR"

gene   8793..9389
             /gene="SC2E1.07"

CDS   8793..9389
             /gene="SC2E1.07"
             /note="SC2E1.07, unknown, len: 198 aa"
             /codon_start=1
             /transl_table=11
             /product="hypothetical protein SC2E1.07"
             /db_xref="PID:e1296627"
             /db_xref="PID:g3191983"
             /translation="MSTPPVLAAELAQAWADIQORHHTELPDLAAPESLIGESSSACG
             HELSFERLIHEAVHGIAAAARGVRDTSRAGRYHNRRFLAIAEELGLDHPEEPHPSSGFS
             LVTLTPEAKRRYRPTIERLQRALKAHTVATAITDTARSFRGPAARHGSGSGGVRVKAVC
             DCGRNVRVVPSVLAQAPIMCGGCGCKPFRIPEVVGAGMS"

RBS   9629..9633
             /gene="rpsP"
             /note="possible RBS upstream of rpsP"

gene   9645..10064
             /gene="rpsP"

CDS   9645..10064
             /gene="rpsP"
             /note="SC2E1.08, rpsP, 30S ribosomal protein S16, highly
             similar to many e.g. RS16_MYCTU (162 aa), fatsa scores;
             opt:480 z-score: 771.3 E(): 0, 56.3% identity in 144 aa
             overlap. Contains PS00732 Ribosomal protein S16 signature"
             /codon_start=1
             /transl_table=11
             /product="30S ribosomal protein S16"
             /db_xref="PID:e1296628"
             /db_xref="PID:g3191984"
             /translation="MAVKIKLRLRGKIRSPHYRIVVVADSRTRDGRAIEEIGKYHPTY
             NPSVMEVDAERVARWLGVGAQPTEPVLAILKKTGDWQKFKGEPAPAPLLQPAEKAARP
             SFEAIGGDEDGKGEAITQKKKADKKDEAAAESSASEA"

misc_feature 9651..9680
             /gene="rpsP"
             /note="PS00732 Ribosomal protein S16 signature"

RBS   (10056..10059)

gene   10067..10306
             /gene="SC2E1.09"

CDS   10067..10306
             /gene="SC2E1.09"
             /note="SC2E1.09, unknown, len: 79 aa; highly similar to
             small hypothetical proteins from several organisms, e.g.
             YX40_MYCTU MTCY274.40c (80 aa), fasta scores; opt: 356,
             z-score:628.4 E(): 9.1e-28, 71.6% identity in 74 aa
             overlap"
             /codon_start=1
             /transl_table=11
             /product="hypothetical protein SC2E1.09"
             /db_xref="PID:e1296629"
             /db_xref="PID:g3191985"
             /translation="MLEEALEHLVKGIVDNPDDVQVASRNLRRGRVRVLEVRVHPDLGK
             VIGRNGRTARALRTVVGAIGGRGVRDLVDVDHVR"

RBS   10403..10407
             /gene="SC2E1.10"
             /note="possible RBS upstream of SC2E1.10"

gene   10418..10984
             /gene="SC2E1.10"

CDS   10418..10984
             /gene="SC2E1.10"
             /note="SC2E1.10, unknown, len: 188 aa; similar to
             hypothetical proteins from many organisms e.g. YX38_MYCTU
             MTCY274.38c (176 aa), fasta scores; opt: 479 z-score:
             693.1 E(): 2.3e-31, 48.3% identity in 176 aa overlap. Also
             some similarity to RIMM_HAEIN 16S rRNA processing protein
             rimM (178 aa), fasta scores; opt: 210 z-score: 174.2 E():
             0.018, 27.6% identity in 170 aa overlap"
             /codon_start=1
             /transl_table=11
             /product="hypothetical protein SC2E1.10"
             /db_xref="PID:e1296630"
             /db_xref="PID:g3191986"
             /translation="MQLVVARIGRAHGIKGEVTVEVRTDEPELRLGPGAVLATDPAST
             GPLTIESGRVHSGRLLLRFACGVHDRRGAEALRNTLIIADVDPDERPEDEYYDHCLI
             DLDVVTEDGIEVGRITEISHLPTQDLFVVERPDGSEVYYPEVVSEIVTGIDLDAQRAVI
             DPPPGLIDDRAEIASARDAGAEDAGDEA"

RBS   10976..10979
             /gene="SC2E1.10"
             /note="possible RBS upstream of trmD"

gene   10984..11817
             /gene="trmD"

CDS   10984..11817
             /gene="trmD"
             /note="SC2E1.11, trmD, probable tRNA
             (guanine-N1)-methyltransferase, len: 277 aa; similar to
             many e.g. TRMD_ECOLI (EC2.1.1.31) (255 aa), fasta scores;
             opt: 437 z-score: 660.6E(): 1.5e-29, 41.2% identity in 238
             aa overlap"
             /codon_start=1
             /transl_table=11
             /product="tRNA (guanine-N1)-methyltransferase"
             /db_xref="PID:e1296631"
             /db_xref="PID:g3191987"
             /translation="MRLDVVIFPEYLEPLANVSLVGKARARGQLGVHDLRDWTYDR
             HNTVDDPYGGGPGMVMKTEPWGDALDSVLADGYETGCGEPALVVPTPSGRPFTQELA
             VHLSERPWLIFTPARVEGIDRRVVDEYATRMPVYEVSIGDYVLAGGEAAVIVTEAVA
             RLLPGVLGNAESHRDDSFAPGAMANLLEGPVHTKPPGWRGRGIPDVLLSGHHGKIARW
             RRDEALRRTTANRPDLIERCDPAAFDKKDREMLSILGWQPDPDGPEYGREWRRTPGME
             E"

RBS   11939..11942
             /gene="rplS"
             /note="possible RBS upstream of rplS"

gene   11954..12304
             /gene="rplS"

CDS   11954..12304
             /gene="rplS"
             /note="SC2E1.12, rplS, 50S ribosomal protein L19, len:
             116aa; highly similar to many e.g. RL19_MYCTU (113 aa),
             fastascores; opt: 571 z-score: 1138.4 E(): 0, 77.3%
             identity in110 aa overlap. Contains PS01015 Ribosomal

misc_feature
/gene="rpls"
/note="PS01015 Ribosomal protein L19 signature"
1215..1256

CDS
/gene="sip1"
12350..13129
/note="SC2E1.13, sip1, probable signal peptidase I, len:
259 aa; similar to many e.g. LEP_HAEIN signal peptidase I
(EC 3.4.21.89) (349 aa), fasta scores; opt: 162 z-score:
381.2 E(): 5.3e-14, 32.5% identity in 243 aa overlap,
though with large internal deletions. Contains PS00761
Signal peptidases I signature 3, Pfam match to entry
signal_pept_I PF00461, Signal peptidases I, score 51.12
and probable transmembrane domain. Also similar to
downstream genes sip2 (E(): 9.7e-26, 44.9% identity in 274
aa overlap), sip3 (E(): 4.8e-16, 35.6% identity in 264 aa
overlap) and sip4 (E(): 8.7e-08, 37.0% identity in 219 aa
overlap)"
/codon_start=1
/transl_table=11
/db_xref="PID:e1296633"
/product="putative signal peptidase I"
/translation="MDTETQHTERDRSRSRPSDSEQPSEPEGPEERSRSAFTGRIGDWL
PGGRITVLILLILFLLLVSTFVLQPFQIPSGSMERGLRIGDRVLVNKLAYRFDGRPR
RGDIVVFRDGVGVDYIKRVRVGVGDHDVVCCDEEGRVRVNGQPVDESAFIYPGHA
STVPFDVVPDGTLFVLGDHRSDSSRDHLGSPGGGMWPLDDVIGRADWIWPFGHA
TRLDRPDAYARVPDAEAAGAGASGAGAAAPDGRAAPDGDADG"

gene
/gene="sip1"
12350..13129

misc_feature
/gene="sip1"
13122..14462
/note="PS00761 Signal peptidases I signature 3"

misc_feature
/gene="sip1"
13122..14462
/note="Pfam match to entry signal_pept_I PF00461, Signal
peptidases I, score 51.12"

stem_loop
/gene="sip1"
12369..12455
/note="hairpin loop with 34/41 bp stem"

misc_feature
/gene="sip1"
12509..12799
/note="Pfam match to entry signal_pept_I PF00461, Signal
peptidases I, score 42.41"

misc_feature
/gene="sip2"
13235..13484
/note="Pfam match to entry signal_pept_I PF00461, Signal
peptidases I, score 42.41"

misc_feature
/gene="sip2"
13755..13796
/note="PS00761 Signal peptidases I signature 3"

RBS
/gene="sip2"
13859..15213
/note="97.8% match to EMBL:SLTK24SIP Y09474 Streptomyces
lividans sip gene, from 5 to 1359"

gene
/gene="sip3"
14095..15105
/note="possible RBS upstream of sip3"

CDS
/gene="sip3"
14095..15105
/note="SC2E1.15, sip3, probable signal peptidase I, len:
336 aa; identical to, but longer than, S. lividans sip
TR:E1228248 (EMBL:Y09474) signal peptidase I (291 aa),
fasta scores; opt: 1997 z-score: 2287.4 E(): 0, 99.7%
identity in 291 aa overlap, and similar to many others
e.g. LEP_PHOLA signal peptidase I (EC 3.4.21.89) (203 aa),
fasta scores; opt:222 z-score: 404.9 E(): 2.6e-15, 37.9%
identity in 232 aa overlap. Contains PS00761 Signal
peptidases I signature 3, 2x Pfam match to entry
signal_pept_I PF00461, Signal peptidases I, scores 48.83
and 46.79 and probable transmembrane domain. Also similar
to surrounding genes sip1 (E(): 7.6e-20, 35.6% identity in
264 aa overlap), sip2 (E(): 0, 56.3% identity in 245 aa
overlap) and sip4 (E(): 6.6e-15, 36.3% identity in 237 aa
overlap). Note that a more upstream start was chosen due
to positional base preference"
/codon_start=1
/transl_table=11
/db_xref="PID:e1296635"
/product="putative signal peptidase I"
/translation="MGDVAVGARSGHDGEENRGRPEERSGPAAVGAPDSGHGSGTEDG
RVTNGQRGDGHNGGTEDEGVGGTPPATPPAAKQRSFWKELPILVGIALVLALLIKT
FLVQAFSIPSSSMENTLQIGDRVLVDLKTPWFGSEPQRGEVVVVFHDRADWLAGEPTPD
PNALQTVLSWIGLMPSAEEKDLIKRVICAVGDIVECNKTGPLKVNGKALNEPYVYPGN
TPCSDDDQGGRFKVTVPEGKIWVMGDHRQNSRDSRIYNQSDKNGGMVPVDEVGRAIVV
AWPMNRWGTLPVPDTFDDGLQARSSAAAALSVAPQGLAVAGVVPFVWRRRRTAPAE
TR"

gene
/gene="sip4"
14809..14850
/note="PS00761 Signal peptidases I signature 3"

misc_feature
/gene="sip3"
14632..14907
/note="Pfam match to entry signal_pept_I PF00461, Signal
peptidases I, score 48.83"

misc_feature
/gene="sip3"
14302..14547
/note="Pfam match to entry signal_pept_I PF00461, Signal
peptidases I, score 46.79"

misc_feature
/gene="sip2"
14085..14089
/note="possible RBS upstream of sip2"

gene
/gene="sip2"
13755..14089

misc_feature
/gene="sip1"
12869..12910
/note="PS00761 Signal peptidases I signature 3"

misc_feature
/gene="sip1"
12509..12799
/note="Pfam match to entry signal_pept_I PF00461, Signal
peptidases I, score 51.12"

CDS
/gene="sip2"
13122..14462
/note="SC2E1.14, sip2, probable signal peptidase I, len:
446 aa; similar to many e.g. LEP_HAEIN signal peptidase I
(EC 3.4.21.89) (349 aa), fasta scores; opt: 151, z-score:
317.3 E():1.9e-10, 30.1% identity in 286 aa overlap.
Contains PS00761 Signal peptidases I signature 3, Pfam
match to entry signal_pept_I PF00461, Signal peptidases I,
score 42.41 and probable transmembrane domain. Also
similar to surrounding genes sip1 (E(): 9.7e-24, 44.9%
identity in 274 aa overlap), sip3 (E(): 1.8e-28, 56.3%
identity in 245 aa overlap), and sip4 (E(): 1.1e-09, 35.9%
identity in 223 aa overlap). Note that after aa 325 the
ORF overlaps the downstream sip3 gene SC2E1.15, and
positional base preference suggests that translation is in
the other frame. No error in the cosmid sequence can be
found to account for this"
/codon_start=1
/transl_table=11
/db_xref="PID:e1296634"
/product="putative signal peptidase I"
/translation="MGSRGKPRGAPSSPAENLLPTGSRRTAPSGGRSRAERRKLQRK

RBS
/gene="sip4"
15197..15202
/note="possible RBS upstream of sip4"

gene
/gene="sip4"
15210..15986

CDS
/gene="sip4"
15210..15986
/note="SC2E1.16, sip4, probable signal peptidase I, len:
258 aa; similar to many e.g. LEP5_BACSU signal peptidase I
(EC 3.4.21.89) (184 aa), fasta scores; opt: 258 z-score:
337.6 E():1.4e-11, 32.2% identity in 177 aa overlap.

misc_feature
/gene="rpls"
/note="protein L19 signature"
/codon_start=1
/transl_table=11
/db_xref="PID:e1296632"
/product="50S ribosomal protein L19"
/db_xref="PID:g3191988"
/translation="MSHLLDSVDAASLRSDVPAFRPGDIVNVHRVIEGNRSRVQQFK
GVVIRRQAGVRETFTVRKVSFSVGVERTFPVHTPIVEKIELVTRGDVRRAKLYLRE
LRGKAAKIKEKRDS"
13235..13484

misc_feature
 /note="Contains Pfam match to entry signal_pept_I PF00461, Signal
 peptidases I, score 49.57 and probable transmembrane
 domain. Also similar to upstream genes and probable transmembrane
 (sip1 (E(): 8.8e-10,
 36.5% identity in 219 aa overlap), sip2 (E(): 3.8e-13,
 35.9% identity in 223 aa overlap) and sip3 (E(): 8.1e-15,
 35.4% identity in 237 aa overlap)"
 /codon_start=1
 /transl_table=11

gene
 15988..16506
 /gene="sip4"
 /product="putative signal peptidase I"
 /db_xref="PID:g3191992"

CDS
 15988..16506
 /gene="SC2E1.17"
 /note="MGEStTRTVPRGGGANGPGVGSRTGQRLSGIAVALGLVLFLGG
 FAWGAVVYRPYVPTSSWTPTIDAGDRVLAQRIDGADVRRGDVVVFKDATWANAPMVK
 RVVAVGGDTVSCCQOGRKLKVNGKVIIDEPYLPAGTPAEISDFQVTTVPEGRLFLLGDER
 RNSVDSTPAHLIDAAAGTVSRGAVDARVDVAVWPMDGMLERPCGFRILGDLSSPGPLRT
 VVVLVTAGAVLLIGGAAYGPLAKRAASRARKGAEPAGGR"
 /codon_start=1
 /transl_table=11

misc_feature
 /note="Pfam match to entry signal_pept_I PF00461, Signal
 peptidases I, score 49.57"

gene
 15506..15988
 /gene="SC2E1.17"
 /db_xref="PID:e1296637"
 /product="hypothetical protein SC2E1.17"

CDS
 /gene="SC2E1.17"
 /note="SC2E1.17, unknown, len: 172 aa; similar to
 C-terminus of M. tuberculosis hypothetical protein
 TR:006205 (EMBL:Z95387) MTCY1A10.24 (351 aa), fasta
 scores: opt: 345 z-score: 375.2 E(): 1.2e-13, 44.7%
 identity in 161 aa overlap. Contains PS00893 mutT domain
 signature and Pfam match to entry mutT PF00293, Bacterial
 mutT protein, score 37.78"
 /codon_start=1
 /transl_table=11
 /translation="MTPAGQDTVEGGLRRVARVVLLDPEDRILLLHGHEPDDPADDWW
 ARFARTATFEAVGPGLTELERRSVAGARWWTCEELTRARETVPPTLRAELTLTLLDEGP
 PAGPVTLDTEIV"

misc_feature
 16069..16200
 /note="Pfam match to entry mutT PF00293, Bacterial mutT
 protein, score 37.78"

gene
 16132..16191
 /gene="SC2E1.17"
 /note="PS00893 mutT domain signature"

gene
 16563..16871
 /gene="SC2E1.18"
 /db_xref="PID:e1296638"
 /product="hypothetical protein SC2E1.18"

CDS
 16563..16871
 /gene="SC2E1.18"
 /note="SC2E1.18, unknown, len: 102 aa; highly similar to
 M. tuberculosis hypothetical protein YX32_MYCTU
 MTCY274.32c (101 aa), fasta scores; opt: 515 z-score:
 1085.2 E(): 0, 75.0% identity in 100 aa overlap"
 /codon_start=1
 /transl_table=11
 /translation="MSAEDLEKYETEMELKLYREYRDVGLFKVIETERRFYLTNDY
 EMQVHSVQGEVFFEVSMADAWWWDMYRPARFVKQVRVLTFKDVNIEELNKSDLLPGG"

gene
 16930..17322
 /gene="SC2E1.19"

CDS
 16930..17322
 /gene="SC2E1.19"
 /note="SC2E1.19, unknown, len: 130 aa; similar to M.
 tuberculosis hypothetical protein YX29_MYCTU MTCY274.29c
 (128 aa), fasta scores; opt: 253 z-score: 276.8 E():
 3.5e-08, 39.7% identity in 121 aa overlap"
 /codon_start=1
 /transl_table=11

 /product="hypothetical protein SC2E1.19"
 /db_xref="PID:e1296639"

gene
 17322..18947
 /gene="SC2E1.20"

CDS
 17322..18947
 /gene="SC2E1.20"
 /note="SC2E1.20, unknown ATP/GTP binding protein, len:
 541aa; similar to hypothetical proteins from many
 organisms e.g. YIFB_ECOLI (516 aa), fasta scores; opt: 356
 z-score: 935.9 E(): 0, 37.0% identity in 513 aa overlap.
 Contains PS00017 ATP/GTP-binding site motif A (P-loop)"
 /codon_start=1
 /transl_table=11
 /translation="MIVGAGGADMNARGAMGRYGETLAARRLTGAGMTVLERNRRCG
 RTGEIDIVARDGDVLLVVCEVKTRRGGAFEHPMAAVTPDKAERLRYLAERWIQTHGGAP
 PGGVRIDLVGVLLPQRGAPVVEHARGVA"

misc_feature
 18048..18071
 /note="PS00017 ATP/GTP-binding site motif A (P-loop)"

gene
 18944..20092
 /gene="SC2E1.21"
 /db_xref="PID:g3191996"

CDS
 18944..20092
 /gene="SC2E1.21"
 /note="SC2E1.21, unknown, len: 382 aa; N-terminus is
 Gly-rich, C-terminus is similar to the N-terminus of
 several hypothetical proteins e.g. SMF_ECOLI SMF protein
 (374 aa), fasta scores; opt: 402 z-score: 277.5 E():
 3.2e-08, 40.7% identity in 194 aa overlap. This ORF
 appears to be interrupted by the following prophage at
 around aa 360, and to continue as the last part of
 SC2E1.37. The similarity to the M. tuberculosis
 hypothetical protein YX27_MYCTU MTCY274.27c (389 aa)
 (fasta scores; opt: 603 z-score: 511.5 E(): 3e-21, 46.8%
 identity in 267 aa overlap) stops at that position and
 restarts in SC2E1.37. Alternative start site at aa 118
 suggested by positional base preference"
 /codon_start=1
 /transl_table=11
 /translation="MSGNTRFPEGAAPSGDTGPGTSGTLFPEAAVSFGGGSPAEGGAM
 TPPGACDGPDGGEARWAGPGPDGDGAVTGAGVAARGCRSAAGTCGTGGGGAGSGARGG
 GPEDRELLGRVFLARVFEPGDEAGRWVRERGAPEVVRRLREGGRALPGVSEKRWAGL
 CARAGRADPGRDLAVARSAGRFVVPGTAEWPGQLLDDLGDARPLGLWRVGPSLRMWA
 LRSVAVVGARACTEYGAHMAATLAAGLAAERGWVVVSGGAVGIDGAAHRGALGAGGAIA
 AVLACGVDRPYPPGHTALITRIAEQGLVVGELPPGDHPTPSRFILRNRVIAALTRGTV
 VVEAAHRSGSLVTARAARRLGRHVAGVPTPLSGGAALAPIRFRLATAT"

misc_feature
 2002I..32836
 /note="probable prophage: has low GC (approx 66-68%), and
 some ORF's with similarities to bacteriophage ORF's. The
 ORF SC2E1.21 appears to have been interrupted by this
 prophage and apparently continues as the last part of
 SC2E1.37"

gene
 20071..20582
 /gene="SC2E1.22"

CDS
 20071..20582
 /gene="SC2E1.22"
 /note="SC2E1.22, unknown prophage gene, len: 103 aa"

```
                     /codon_start=1
                     /transl_table=11
       gene          complement(20579..20869)
                     /gene="SC2E1.23c"
                     /db_xref="PID:e1296642"
       CDS           complement(20579..20869)
                     /gene="SC2E1.23c"
                     /note="SC2E1.23c, unknown prophage gene, len: 96 aa"
                     /codon_start=1
                     /transl_table=11
                     /product="hypothetical protein SC2E1.23c"
                     /db_xref="PID:g3191999"
                     /translation="MTTQNSNHPCACGSYAFEVLIHENVGDRVWQQKTTGCAATTQS
                     TFAPGHDAKLKSLLIAAGVGGHPVRQTTRDTVVVKDALKVAADIGWRDLVGEAIAKGS
                     S"
       gene          20912..20916
                     /gene="SC2E1.24"
                     /db_xref="PID:g3191919"
       RBS           20912..20916
                     /note="possible RBS upstream of SC2E1.23"
                     /gene="SC2E1.24"
       misc_feature  20920..21099
                     /note="Pfam match to entry gntR PF00392, Bacterial
                     regulatory proteins, gntR family, score 43.92"
       gene          20920..21114
                     /gene="SC2E1.24"
       CDS           20920..21114
                     /gene="SC2E1.24"
                     /note="SC2E1.24, possible prophage transcriptional
                     regulator, len:64 aa; similar to the N-terminus of several
                     regulatory proteins e.g. Streptomyces phaeochromogenes
                     plasmid pJV1 TR:Q54677 (EMBL:U23762) traR (245 aa), fasta
                     scores; opt:137 z-score: 268.5 E(): 1e-07, 39.3% identity
                     in 61 aa overlap. Contains Pfam match to entry gntR
                     PF00392, Bacterial regulatory proteins, gntR family, score
                     43.92"
                     /codon_start=1
                     /transl_table=11
                     /product="putative transcriptional regulator"
                     /db_xref="PID:g3192000"
                     /translation="MAEISKRIADGTYPPGTRVPGIVELSAEFGIAASTAQKALAHL
                     RGTGEVRTELGLGTFVADAK"
       RBS           21200..21204
                     /note="possible RBS upstream of SC2E1.25"
       gene          21209..21910
                     /gene="SC2E1.25"
       CDS           21209..21910
                     /gene="SC2E1.25"
                     /note="SC2E1.25, unknown prophage gene, len: 233 aa"
                     /codon_start=1
                     /transl_table=11
                     /product="hypothetical protein SC2E1.25"
                     /db_xref="PID:e1296645"
                     /db_xref="PID:g3192001"
                     /translation="MARTGDDEPPEEREFLTGDTPFVRVREALERLAALNEGPRVEOR
                     VDRVDQIQNVFIGQGQDTHGREVAERAATRLABQROKFHFDELNHALKQAEWTFRLSV
                     WFMTGALVILAGAVALVHAGNPDLSYLPLVTSLTGALIYGGALALHSKRAMANL
                     TKAAEDNENKIDIDHKLEVATTFIDRVQDSQAKDRLNSAAALKALGMDAQPETMVNRL
                     LPDPQTKEIDGEPT"
                     /codon_start=1
                     /transl_table=11
       gene          complement(21969..22166)
                     /gene="SC2E1.26c"
       CDS           complement(21969..22166)
                     /gene="SC2E1.26c"
                     /note="SC2E1.26c, unknown prophage gene, len: 65 aa; very
                     hydrophobic"
                     /codon_start=1
                     /transl_table=11
                     /product="hypothetical protein SC2E1.26c"
                     /db_xref="PID:e1296646"
                     /db_xref="PID:g3192002"
```

```
       RBS           complement(22177..22180)
                     /note="possible RBS upstream of SC2E1.26c"
       gene          complement(22505..22867)
                     /gene="SC2E1.27c"
       CDS           complement(22505..22867)
                     /gene="SC2E1.27c"
                     /note="SC2E1.27c, unknown prophage gene, len: 120 aa;
                     contains hydrophobic region near centre"
                     /codon_start=1
                     /transl_table=11
                     /product="hypothetical protein SC2E1.27c"
                     /db_xref="PID:e1296647"
                     /db_xref="PID:g3192003"
                     /translation="MSEIPAIRRRASQFDHIDCGRADECPVHEPLLGHPTRKVPSQL
                     DGAMTLAILAVAGVSIFLFALKGVLDDQVPDVIDSASRARDAWQRFKRKANEPPSPTV
                     LRELPPAEDEQPPPAAA"
       gene          23631..23846
                     /gene="SC2E1.28"
       CDS           23631..23846
                     /gene="SC2E1.28"
                     /note="SC2E1.28, possible prophage transcriptional
                     regulator, len: 71 aa; similar to the N-terminus of many
                     e.g. TR:Q37946 Salmonella typhimurium bacteriophage L
                     repressor protein C2 (220 aa), fasta scores; opt: 127
                     z-score: 227.1 E():2e-05, 45.7% identity in 46 aa overlap.
                     Contains probable helix-turn-helix motif at aa 21 to 42
                     (Score 1829, +5.42 SD)"
                     /codon_start=1
                     /transl_table=11
                     /product="putative transcriptional regulator"
                     /db_xref="PID:e1296648"
                     /db_xref="PID:g3192004"
                     /translation="MPARTFSPDALRQIRRQRGVTQYKLAASLGVHNTAISHYENGHR
                     RDPVETLATIADVLGARMDDFVTARAA"
       RBS           23996..24001
                     /note="possible RBS upstream of SC2E1.29"
       gene          24008..26278
                     /gene="SC2E1.29"
       CDS           24008..26278
                     /gene="SC2E1.29"
                     /note="SC2E1.29, unknown prophage ATP binding protein,
                     len: 756 aa; some similarity to TR:Q38030 (EMBL:X76288)
                     Streptomyces Bacteriophage phi-C31 early region ORF 9 (519
                     aa), fasta scores; opt: 360 z-score: 374.4 E(): 1.3e-13,
                     24.4% identity in 553 aa overlap, and to a putative
                     prophage ORF from M. tuberculosis TR:Q06608 (EMBL:Z95586)
                     MTCY336.22 (471 aa), fasta scores; opt: 655 z-score: 535.5
                     E(): 1.4e-22, 29.8% identity in 416 aa overlap. Contains
                     2x PS00017 ATP/GTP-binding site motif A (P-loop)"
                     /codon_start=1
                     /transl_table=11
                     /product="putative ATP binding protein"
                     /db_xref="PID:e1296649"
                     /db_xref="PID:g3192005"
                     /translation="MSYTTSEARDLAATQSGLDVPEHDTDRAAYFARLGFGVFPMPTN
                     KKMPRAKGWPDLAMTVEEVEEMRSFTPSGWQNIALFLDGWTVDVDDVKDNGGTASLE
                     KLFAEYELPVTRIHHTASGPDSLHFIYRADPDRPIKSGPLSSRYPGIDIKTGRGSLIV
                     APGSVINGRYEVYVSAAEPAVAPSWLSEIRGDAQYPVVPSARSRTPSRASAGHSRAAT
                     LAELRALPFDPGPCRGNGWLTQVAGHLARNHTDHDIALRAIDSESEVPHDKDRFMK
                     TADSIWEREQAKERPKAAAPDRPKSILWHHEHTDLGNRRLRDLGEDMRHAPGWGWL
                     TWDGRRWARGDGOARRRMHSVADAISEAIESMEEKQRSDDLMRWFGRSCSGPGISAAL
                     NEASVMLPIETHISDFDRKLYGGSVDDLPIETGELLPVDRRYLLIRGTTVEYDPNA
                     DCPMWMDFLGWAPGQGDIEMIEIYIQRMFGMCLLGNNAHQVAFLYGPCRSGKTTLTRVL
                     SRLLGDYATSADLSVFNESSGCHNEPLARLAGARLVFVSEFERQGORINEAQFKKFIGE
                     DYLTASYKNKSWFEFLPAFTPVMPRAAQPSIAFDSGVERRMVIPMRAQISDGQKNPK
                     LVEQMMLNEGPAIMAWAVEGARLTAAAESFVPDPPQVAQAVKEYKRENDHIGDFIEECL
                     VFDEGATVASDVVWGRYSKWIEAGGVDFVKRADDRAGKSLLVRMLKTWSIENGTPIES
                     FKSSNTRKLRGVALND"
       misc_feature  25490..25513
                     /gene="SC2E1.29"
                     /note="PS00017 ATP/GTP-binding site motif A (P-loop)"
```

```
misc_feature   26147..26170
               /gene="SC2E1.29"
               /note="PS00017 ATP/GTP-binding site motif A (P-loop)"

RBS            26551..26554
               /gene="SC2E1.30"
               /note="possible RBS upstream of SC2E1.30"

gene           26562..27113
               /gene="SC2E1.30"

CDS            26562..27113
               /gene="SC2E1.30"
               /note="SC2E1.30, unknown prophage gene, len: 183 aa"
               /codon_start=1
               /transl_table=11
               /product="hypothetical protein SC2E1.30"
               /db_xref="PID:e1296650"
               /db_xref="PID:g3192006"
               /translation="MNDLDRRGRIFGRVDGEVDWPSGVDSPYRLMKLRDPEKYEREV
               ARQVDAQRVIVEWAEWYIGLKRAKMACCPRWLTHKVSRRCNSRCTAFGGGATDHRWLEH
               GVGWWLDGQPVALTSASYGISDEYRARFEWWVNEDPRLAVALGGOGWYGYGSTQVLVW
               RTDVIEVMEPAPESVRALGTYPQY"

gene           27578..27769
               /gene="SC2E1.31"

CDS            27578..27769
               /gene="SC2E1.31"
               /note="SC2E1.31, possible prophage transcriptional
               regulator, len: 63 aa; similar to the N-terminus of many
               e.g. TR:E264367 (EMBL:X87420) Salmonella typhimurium
               bacteriophage ES18 gene C2 (216 aa), fasta scores; opt:
               133 z-score: 207.9E(): 0.00024, 35.8% identity in 53 aa
               overlap. Contains probable helix-turn-helix motif at aa 17
               to 38 (Score 1786, +5.27 SD)"
               /codon_start=1
               /transl_table=11
               /product="putative transcriptional regulator"
               /db_xref="PID:e1296651"
               /db_xref="PID:g3192007"
               /translation="MFSGRKLKEARNKRGMSQOAAVAARMGLSGLIYSYWENGRYAPNG
               VNMVLLRALGCELEEVTE"

RBS            27754..27759
               /gene="SC2E1.31"
               /note="possible RBS upstream of SC2E1.32"

gene           27766..28116
               /gene="SC2E1.32"

CDS            27766..28116
               /gene="SC2E1.32"
               /note="SC2E1.32, unknown prophage gene, len: 116 aa"
               /codon_start=1
               /transl_table=11
               /product="hypothetical protein SC2E1.32"
               /db_xref="PID:e1296652"
               /db_xref="PID:g3192008"
               /translation="MNAPETEFADAGWAVAITRDEGGRGVGVPVRMFELTGEGVTALTK
               NADGLMVPDPHAVEIINTDPLHARKLAWLHKLVGVAERCTTDEARADLRRIAEWLIDW
               EPGDPGLRLADAEA"

gene           28184..28672
               /gene="SC2E1.33"

CDS            28184..28672
               /gene="SC2E1.33"
               /note="SC2E1.33, unknown prophage gene, len: 162 aa;
               contains probable helix-turn-helix motif at aa 11 to 32
               (Score 1192, +3.25 SD)"
               /codon_start=1
               /transl_table=11
               /product="hypothetical protein SC2E1.33"
               /db_xref="PID:e1296653"
               /db_xref="PID:g3192009"
               /translation="MVVLAOQGIGRNEISRRTGISTASVSRIAAAHGIEFDGSQTEV
               ALKARIAELKARQAGIALGLVEDITSARGLIRMATHRDFAFAAKAISDLIQSAQRMT
               PEITNEEELEEAKEGLRDLYFQMGLIMREGFEAKYGVPLDSDEGRELWDKARQEDMENE
               OP"

RBS            28644..28649
               /gene="SC2E1.33"
               /note="possible RBS upstream of SC2E1.34"

gene           28659..29075
               /gene="SC2E1.34"

CDS            28659..29075
               /gene="SC2E1.34"
               /note="SC2E1.34, unknown prophage gene, len: 138 aa"
               /codon_start=1
               /transl_table=11
               /product="hypothetical protein SC2E1.34"
               /db_xref="PID:e1296654"
               /db_xref="PID:g3192010"
               /translation="MSNRDFSEDVQGPRSTDGPSVDDLRAEMVGGQVAGRFHYRESRT
               ERDSAVIQGTPVLGDGTMTDQAAEIRKSFGIGADLRHAAQAAESYMDRDPTSGHTI
               RTYGNGRVDLDAEPTQTGSDRVEIPRVWYGDDPGA"

RBS            29481..29484
               /gene="SC2E1.35"
               /note="possible RBS upstream of SC2E1.35"

gene           29493..29936
               /gene="SC2E1.35"

CDS            29493..29936
               /gene="SC2E1.35"
               /note="SC2E1.35, unknown prophage gene, len: 147 aa"
               /codon_start=1
               /transl_table=11
               /product="hypothetical protein SC2E1.35"
               /db_xref="PID:e1296655"
               /db_xref="PID:g3192011"
               /translation="MAAITKVFRPEFKTRDGRKVSFGANTYHDTKAKRRAGLTTAGRPK
               VETVGAGTVVRSPRRWLPWAVFGTNSAVLGGTWAVELGGPAVGLVGVALWAGYRIA
               RWTAGEWAYFATIKSROIRGGROVAEFASEGLPPOAHIPGEKVTRP"

RBS            30237..30240
               /gene="SC2E1.36"
               /note="possible RBS upstream of SC2E1.36"

gene           30248..30754
               /gene="SC2E1.36"

CDS            30248..30754
               /gene="SC2E1.36"
               /note="SC2E1.36, unknown prophage gene, len: 168 aa"
               /codon_start=1
               /transl_table=11
               /product="hypothetical protein SC2E1.36"
               /db_xref="PID:e1296656"
               /db_xref="PID:g3192012"
               /translation="MAAKKTETAEATPCECSMYDALPADLIEEQVASGDFEVLTTGCT
               ATTKRQFAPGHDAKLKSALIRWGALGLEIRRNEGGVATSASPAKHAARYAFAHMVTAG
               VRRAEAKAAEKAEERAAARAAKKAAPAPEVIKAKVGRVTIYQGRMDGDHFVYEVKGQERR
               TLKFQPAA"

gene           30824..33214
               /gene="SC2E1.37"

CDS            30824..33214
               /gene="SC2E1.37"
               /note="SC2E1.37, unknown prophage gene, len: 796 aa; shows
               very limited similarity to Rhodococcus opacus TR:G2935035
               (EMBL:AF003948) putative transposase homolog (242 aa),
               fasta scores; opt: 215 z-score: 280.3 E(): 2.2e-08, 33.3%
               identity in 105 aa overlap. Contains PS00397 Site-specific
               recombinases active site and Pfam match to entry
               recombinase PF00239, Site-specific recombinases, score
               36.16. The last part of this ORF (aa 672 onwards) appears
               to be a continuation of SC2E1.21, which was interrupted by
               the prophage; the similarities to YX27_MYCTU MTCY274.27c
               (389 aa) (fasta scores; opt: 246 z-score: 225.9 E():
               2.4e-05, 38.8% identity in 116 aa overlap) continue after
               aa 672. Contains probable coiled-coil from aa 449 to 505"
               /codon_start=1
               /transl_table=11
               /product="hypothetical protein SC2E1.37"
               /db_xref="PID:e1296657"
               /db_xref="PID:g3192013"
               /translation="MQRNTDALDVAMGVVERAVQPVRLRAVAVARVSTEEQAKGYGV
               QAALKKLRYIGRKDWDHIVGIYVSVVEDDYDNSTPEGRKKMRDADYAETEWET
               SEGRAIGRVGRAFWRWNWALEDIGIYVSVVEDDYDNSTPEGRKKMRDADYAETEWET
               IRRTOGGLQEEKAEDGGWPGGGOPPYGIEIACQOGKGKSHLVQCAAEVKTLRMAWAMVV
               EEKLNTREVAARLNALNRFTRSGVPWSHSNIRAKLLSESTINARVIFRNPNRAHAGHG
               AKFGEDGKPLHGETVILIKLKPIFEPGEVAALGVTLAQTSKGAGRPKPKPYPLSKRLFN
               EHTGCNSHHVGMARTSREGRWWRCTGILAAKYPGDPTCTCKMVDADAMESAVNGEVVSL
               LGDPDRLRAMAAEWVGMAAGDQVQHADRIADFDKQIANLDRAIASMATECVRAGLPAA"
```

AIAQASAALLEERRQLADLRDEAAANWLEETEAAAEQRARDLEALATAARTRLADMDPAE
QGEVLALLDVKVTIIGPVPVKPKLGLLTCSLAEWFKVAGRLVPSELTDDMWAAAEPVVRA
WEPSNHKLRPGRLMLDAMFYKARTCGCRWDDLPERGPWRVLHSRYKTWRNCGVWDEIM
AALPVDGPGYRPVPELNLVPPFRVEGRVDRPVLAGPDIQEEVVRPETGVPGPAISALS
AGVHEMLRGDAVLVGDAAEVVELVGAMGELPPERGPVLPFDLLESRTRQVLAGLPGR
GTATAGEVALRAQTTODDAVARLIELRALGVEERHGDGWLTRQAMISVRGGRSPC"

misc_feature   30905..31387
/gene="SC2E1.37"
/note="Pfam match to entry recombinase PF00239,
Site-specific recombinases, score 36.16"

gene   30911..30937
/gene="SC2E1.37"

CDS   complement(30911..30937)
/gene="SC2E1.37"
/note="PS00397 Site-specific recombinases active site"
/codon_start=1
/transl_table=1

misc_feature
/gene="whiG"
/note="PS00715 Sigma-70 factors signature 1 and 2, Pfam match to entry sigma70 PF00140, Sigma-70 factors, score 342.03 and probable helix-turn-helix motif at aa 245 to 266 (Score 1657, +4.83 SD)"

misc_feature   33626..34315
/gene="whiG"
/note="possible helix-turn-helix motif at aa 245 to 266"
/note="Pfam match to entry sigma70 PF00140, Sigma-70 factors, score 342.03"

gene   33725..33766
/gene="whiG"

misc_feature   34229..34309
/gene="whiG"
/note="PS00716 Sigma-70 factors family signature 2"

RBS   33449..33453
/gene="whiG"
/note="possible RBS upstream of SC2E1.39"

gene   34468..35025
/gene="SC2E1.39"

CDS   34468..35025
/gene="SC2E1.39"
/note="SC2E1.39, possible transcriptional regulator, len:
185 aa; equivalent to Streptomyces roseosporus TR:P72569
(EMBL:U58281) tetR homologue whiR (179 aa) (86.6% identity
in 179 aa overlap) and similar to several putative
transcriptional regulators of the tetR family e.g.
TR:E1247678 putative transcriptional regulator SC10A5.11
(S.coelicolor) (198 aa), fasta scores; opt: 434 z-score:
720.5 E(): 6.8e-33, 41.5% identity in 171 aa overlap.
Contains probable helix-turn-helix motif at aa 29 to 50
(Score 1618, +4.70 SD) and Pfam match to entry tetR family, score
29.18"
/codon_start=1
/transl_table=11
/product="putative transcriptional regulator"
/db_xref="PID:e1296659"
/db_xref="PID:g3192015"

— (whiG RNA polymerase sigma factor block) —

/gene="whiG"
/note="SC2E1.38, whiG, RNA polymerase sigma factor whiG,
len: 280 aa; identical to RPSW_STRCO RNA polymerase sigma
factor whiG (280 aa). Also highly similar to RPSD_BACSU RNA
polymerase sigma-D factor (sigma-28) (254 aa)(E(): 0,
43.0% identity in 242 aa overlap) and FLIA_ECOLI RNA
polymerase sigma factor for flagellar operon (sigma F)
(239 aa)(E(): 0, 42.8% identity in 229 aa overlap).
Contains PS00715 Sigma-70 factors signature 1 and 2, Pfam
match to entry sigma70 PF00140,
Sigma-70 factors, score 342.03 and probable
helix-turn-helix motif at aa 245 to 266 (Score 1657, +4.83
SD)"
/codon_start=1
/transl_table=11
/product="RNA polymerase sigma factor whiG"
/db_xref="PID:e1296658"
/db_xref="PID:g3192014"
/translation="MPQHTSGSDRAAIPPAARDGGSVRPPAPSTLDELWRSYKTTGDE
RLREQLIHIYSPLVKVYAGRVSVGLPPNVEQADFVSSVFGLLIDAIEKFDVDREIKFE
TYAITRIRGAMIDELRALDWIPRSVRQKARNVEBAYATLEARLRRTPSESEVAVEMGI
AVEDLHAVFSQLSLANVVALEELLHAGGEGGRLSLMDTLEDTPAADNPVEVAEDRELR
RLIARAINTLPEREKTVVTLIYYEGLITLAEIGNVLGVTESRVSQIHTKSVLIRAKLA
GFGR"

misc_feature   33497..34339
/gene="whiG"
/note="Pfam match to entry sigma70 PF00140, Sigma-70
factors, score 342.03"

RBS
/gene="whiG"
/note="possible RBS upstream of SC2E1.39"

gene   33497..34339
/gene="whiG"

CDS   33497..34339
/gene="whiG"
/note="PS00716 Sigma-70 factors family signature 1"
/codon_start=1
/transl_table=11
/product="possible transcriptional regulator"
/db_xref="PID:e1296655"
/db_xref="PID:g3192016"

— Right column —

/translation="MAEHRSMQRAALLDAARSLLSDGGTEALTFPALAERRGLARSSV
YEYFRSRAAVVEELCAVDFPVWAAEVEAAMERETAPDAKVEAYVRTQLDLVGDRRIRA
VVAISASELDAGAREKIRAAHGGLIAMIVEALGEMGHGQPRLAAMLLQGVDAAAVRRI
ELGAAEEPGAITEAAVSMALRGVRG"

misc_feature   34501..34641
/gene="SC2E1.39"
/note="Pfam match to entry tetR PF00440, Bacterial
regulatory proteins, tetR family, score 29.18"

complement(34979..35659)
/gene="SC2E1.40c"

gene   complement(34979..35659)
/gene="SC2E1.40c"

CDS   complement(34979..35659)
/gene="SC2E1.40c"
/note="SC2E1.40c, probable secreted protein, len: 226 aa;
some similarity to two putative secreted M. tuberculosis
proteins YX22_MYCTU MTCY274.22 (249 aa), fasta scores;
opt: 315 z-score: 268.8 E(): 9.7e-08, 40.7% identity in
145 aa overlap (also upstream of rpsB) and YQGK_MYCTU
MTCY13D12.20 (407 aa), fasta scores; opt: 218 z-score:
176.1 E(): 0.014, 34.1% identity in 164 aa overlap.
Contains probable N-terminal signal sequence."
/codon_start=1
/transl_table=11
/product="hypothetical protein SC2E1.40c"
/db_xref="PID:e1296660"
/db_xref="PID:g3192016"
/translation="MRARARAVVVLSAVLAVLAVPAQAGRAAGPPPATAAAAGWALP
YAVGPWGRVDPAVPPAVARHWPVGTRPAVLRGWDPPANPYGPGHRGVDLAAGGGAPVRA
VAAGRVSFAGPVGPVGRGVVSVVELTGTGEPLRTTFAPVDAAAVRKDEVAAGEPLGTVQP
TGSHCTACLLHWGLLRGEVLINPLLSLLPPNILDAGPSRLLPVAGVPVGRGGISPVRRA
TPWRPPPP"

misc_feature   35757..37919
/note="97.4% match to AF034101 AF034101 Streptomyces
coelicolor ribosomal protein S2 (rpsB) and elongation
factor Ts (tsf) genes from 1 to 2154"

RBS   35934..35939
/note="possible RBS upstream of rpsB"

misc_feature   complement(35666..35669)
/note="overlap with cosmid 6A9 (unfinished)"

gene   35948..36880
/gene="rpsB"

CDS   35948..36880
/gene="rpsB"
/note="SC2E1.41, rpsB, 30S ribosomal protein S2, len: 310
aa; almost identical to RS2_STRCO 30S ribosomal protein S2
(242 aa), E(): 0, 96.7% identity in 242 aa overlap and
also highly similar to many others e.g. RS2_ECOLI 30S
ribosomal protein S2 (240 aa), fasta scores; opt: 744
z-score: 950.7 E(): 0, 50.4% identity in 224 aa overlap.
Contains PS00962 Ribosomal protein S2 signature 1 and
PS00211 ABC transporters family signature (probably a
false positive). Also contains Pfam matches to entry
PF00318, Ribosomal protein S2, score 304.89 and to entry
60S_ribosomal PF00428, 60S Acidic ribosomal protein, score
24.36. Note that this sequence is longer than RS2_STRCO
due to a sequence difference around 235 aa. This sequence
has a C-terminal extension not present in other rpsB. The
M. tuberculosis protein also has a C-terminal extension
but with a different sequence. Our sequence has been
checked, and is also confirmed by sequence from the
overlapping cosmid 6A9."
/codon_start=1
/transl_table=11
/product="30S ribosomal protein S2"
/db_xref="PID:e1296661"
/db_xref="PID:g3192017"
/translation="MAVVTMRELLESGVHFGHQTRRWNPKMKRFIFTERNGIYIIDLL
QSLSYIDRAYEFVKETVAHGGTVMFVGTKKQAQEAIAEQATRVGMPYVNQRWLGGMLT
NFSTVKRLQRLKELEQIDFEDVAAGSLTVKELLVLSREKAKLEKTLGGIREMSKVPS
AWIVVDPKEHAVGEARKLNIPVAILTDTNCDPDVIDYIAPGNDDAIRSVTLLTRVI
ADAVAEGLIARSGAAGKDKAAGEPLAAWERDLLEGEKAEKKDDAEEAAEKPAEAPA
AEAPAAEAAEAPAAEEAPAAEAPAAEPPAAEEAPAADAEQA"

```
misc_feature   35963..35998
               /gene="rpsB"
               /note="PS00962 Ribosomal protein S2 signature 1"
misc_feature   35972..36625
               /gene="rpsB"
               /note="Pfam match to entry S2 PF00318, Ribosomal protein
               S2, score 304.89"
misc_feature   36461..36505
               /gene="rpsB"
               /note="PS00211 ABC transporters family signature"
gene           36740..36856
               /gene="rpsB"
CDS            36975..37811
               /gene="tsf"
               /note="Pfam match to entry 60s_ribosomal protein PF00428, 60s
               Acidic ribosomal protein, score 24.36"
misc_feature   36975..37811
               /gene="tsf"
               /note="SC2E1.42, tsf, elongation factor Ts, len: 278.
               Almost identical to EFTS_STRCO elongation factor Ts
               (EF-TS) (276 aa), fasta scores; opt: 1695 z-score: 2425.0
               E(): 0, 97.8% identity in 278 aa overlap and highly
               similar to many others e.g. EFTS_ECOLI (282 aa), fasta
               scores; opt: 321 z-score: 681.2 E(): 1e-30, 38.4% identity
               in 276 aa overlap. Contains PS01126 Elongation factor Ts
               signature 1"
               /codon_start=1
               /transl_table=11
               /product="elongation factor Ts"
               /db_xref="PID:e1296662"
               /db_xref="PID:g3192018"
               /translation="MANYTAADVKKLRELTGAGMMDCKKALDEAEGNVEKAVEALRIK
               AKAAPADLEALLASEIEPGKTVQAVDVDEANANLGEKIVLDRFAQFSGGFVTAYNHRTM
               PDLPQIGVLVELDKPNAEITAKGVAQHIAAFAPKYLSKEDVPAEVVESERRVAEETTR
               AEGKPEAALPKIVEGRLNGFFKDATLLGQPYALDNKKSVQKVLEEAGVSLKRFSRIKV
               GI"
misc_feature   37008..37055
               /gene="tsf"
               /note="PS01126 Elongation factor Ts signature 1"
gene           38004..38007
               /gene="pyrH"
RBS            38017..38778
               /note="possible RBS upstream of pyrH"
CDS            38017..38778
               /gene="pyrH"
               /note="SC2E1.43, PYRH, uridylate kinase, len: 253 aa;
               highly similar to many e.g. PYRH_ECOLI uridylate kinase
               (EC 2.7.4.-) (240 aa), fasta scores; opt: 668 z-score:
               968.6 E(): 0, 45.9% identity in 233 aa overlap"
               /codon_start=1
               /transl_table=11
               /product="uridylate kinase"
               /db_xref="PID:e1296663"
               /db_xref="PID:g3192019"
               /translation="MSSTKAEKSDDGKVSGRFMLKLSGEAFSGGGGLGVPDVVHAIA
               RETAAVVRDGAQIAIVIGGGNFFRGAELGVRGMDRARSDYMGMLGTVWNCLALQDFLE
               KEGVDCRVQTAITMGQVAEPYIPLRAVRHLEKGRVVIFGAGMGMPFFSTDTAQRAL
               EIDAEALLMGKNGVDGVVSDSDPKINPDAVKFDALGVGEVITRDLKVADATAVILCRDN
               SLPIVVFELLKEGNIARAVKGEKIGTLVGDQGSRD"

BASE COUNT    6233 a  13696 c  13758 g  5275 t
ORIGIN
```

Query Match
Best Local Similarity 54.7%;   Score 38.2;   DB 36;   Length 38962;
Matches 76;   Conservative 0;   Mismatches 63;   Indels 0;   Gaps 0;
Pred. No. 0.52;

```
Qy     46 GTGGCGCCCTGAGCAAATAATTATGCGGTGGACTGCCCCTCAACACTGTTGACAGCAGTGAG 105
             ||||  |||||||| ||  ||| |||||||||||| |||  |||||||||
Db  35557 GAGGGCGCCGGCTGCCCGCGAGTGGTCGTCGGCGTCCTGGCCGTCCTGGGCGGGTCCGAC 35598

Qy    106 TGCAAAAGCAGCCCGGCCGCCTGCAAGAGGACAGTGCTCGACGACTGTGGCGTGCCGAGTG 165
```

```
Db  35597 CGGCGCAGGCGCGGCCGCCGGGGGGGAG... 35538
Qy    166 TGCGGCTGCAGGGGGGGAG 184
Db  35537 GGCCCTGCCCTACGCGGTG 35519
```

RESULT 9
AC004840/c

```
LOCUS       AC004840   162485 bp   DNA                 HTG   12-JUN-1998
DEFINITION  *** SEQUENCING IN PROGRESS *** Homo sapiens clone DJ0607J02; HTGS
            phase 1, 12 unordered pieces.
ACCESSION   AC004840
NID         g3213157
KEYWORDS    HTG; HTGS_PHASE1.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
            Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 162485)
  AUTHORS   Waterston,R.H.
  TITLE     The sequence of Homo sapiens clone
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 162485)
  AUTHORS   Waterston,R.H.
  TITLE     Direct Submission
  JOURNAL   Submitted (12-JUN-1998) Genome Sequencing Center, Washington
            University School of Medicine, 4444 Forest Park Parkway, St. Louis,
            MO 63108, USA
COMMENT     *** WARNING: Phase 1 High Throughput Genome Sequence ***
            *
            * This sequence is unfinished.  It consists of 12 contigs for
            * which the order is not known; their order in this record is
            * arbitrary. In some cases, the exact lengths of the gaps
            * between the contigs are also unknown; these gaps are presented
            * as runs of N as a convenience only. When sequencing is complete,
            * the sequence data presented in this record will be replaced
            * by a single finished sequence with the same accession number.
            *
FEATURES             Location/Qualifiers
     source          1..162485
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone="DJ0607J02"
                     1..1548: contig of 1548 bp in length
         1549     1566: gap of unknown length
         1567     3038: contig of 1472 bp in length
         3039     3056: gap of unknown length
         3057     4512: contig of 1456 bp in length
         4513     4530: gap of unknown length
         4531     5985: contig of 1455 bp in length
         5986     6003: gap of unknown length
         6004    11153: contig of 5150 bp in length
        11154    11171: gap of unknown length
        11172    17312: contig of 6141 bp in length
        17313    17330: gap of unknown length
        17331    28043: contig of 10713 bp in length
        28044    28061: gap of unknown length
        28062    41728: contig of 13667 bp in length
        41729    41746: gap of unknown length
        41747    64066: contig of 22320 bp in length
        64067    64084: gap of unknown length
        64085    97366: contig of 33282 bp in length
        97367    97384: gap of unknown length
        97385   128426: contig of 31042 bp in length
       128427   128444: gap of unknown length
       128445   162485: contig of 34041 bp in length

BASE COUNT   36267 a  42581 c  44937 g  38502 t
ORIGIN
```

Query Match   6.8%;   Score 37.4;   DB 18;   Length 162485;

RESULT 10

```
Best Local Similarity  53.0%;  Pred. No. 1.1;
Matches   80;  Conservative  0;  Mismatches  71;  Indels  0;  Gaps  0;

Qy   180 GGGAGAAACTTGCTACCGGACAGTCTCAGGCATGGATGGCATGGAAGTGTGTGGGCCCCGGGGCT 239
         ||  ||| |  |  | ||||||||  | |||    | |||     ||| |||  |||||||||||
Db 90953 GGTGGGCACTGGGACGGGCCGCCAATCTCCCACAGGGACCGGCAGGAGTGTGAGGCGCCGGGGCT 90894

Qy   240 GAGGTGTCAGCCTTCTAATGGAGGAGGATCATCTTTTGGTGAAGAGTTTGGTATCTGCAAGA 299
         |||||||||  || ||  ||  |||  |  | || ||| |||| || |||| |||  |||
Db 90893 GCACCACTCACCACCCACGGGGTTGATCTTGTTACCAGGAACTTTTTCTGTTCGATCATGT 90834

Qy   300 CTGTGCCCTACGGACACTTTCGGGATGGAATTGC 330
         |||  ||| |||||  |||| |||||||||||||
Db 90833 CCTTGCACTCTGTCCCTTGGTGTGGGGGGATTC 90803
```

LOCUS   MUSFISP12B   2267 bp   mRNA   ROD   09-JUL-1991
DEFINITION   Mouse FISP-12 protein (fisp-12) mRNA, complete cds.
ACCESSION   M70642
NID   g193315
KEYWORDS   cysteine-rich protein; growth factor-inducible gene.
SOURCE   Mus musculus (sub_species domesticus) liver/kidney cDNA to mRNA.
  ORGANISM   Mus musculus
             Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
             Vertebrata; Eutheria; Rodentia; Sciurognathi; Myomorpha; Muridae;
             Murinae; Mus.
REFERENCE   1 (bases 1 to 2267)
  AUTHORS   Ryseck,R.-P., Macdonald-Bravo,H., Mattei,M.-G. and Bravo,R.
  TITLE   Structure, mapping and expression of fisp-12, a growth factor
             inducible gene encoding a secreted cysteine-rich protein
  JOURNAL   Cell Growth Differ. 2, 225-233 (1991)
  MEDLINE   91363290
FEATURES   Location/Qualifiers
     source   1..2267
                     /organism="Mus musculus"
                     /sub_species="domesticus"
                     /db_xref="taxon:10090"
                     /tissue_type="liver/kidney"
                     /map="A3-B1"
     gene   138..2230
                     /gene="fisp-12"
     CDS   138..1184
                     /gene="fisp-12"
                     /codon_start=1
                     /product="FISP-12 protein"
                     /db_xref="PID:g193316"
                     /translation="MLASVAGPISLAIVLLALCTRPATGQDCSAQCQCAAEAAPHCPA
                     GVSLVLDGCGCCRVCAKQLGELCTERDPCDPHKGLFCDFGSPANRKIGVCTAKDGAPC
                     VFGGSVYRSGESFQSSCKYQCTCLDGAVGCVPLCSMDVRLPSPDCPFPRRVKLPGKCC
                     KEWVCDEPKDRTAVGPALAAYRLEDTFGPDPTMMRANCLVQTTEWSACSKTCGMGIST
                     RVTNDNTFCRLEKQSRLCMVRPCEADLEENIKKGKKCIRTPKIAKPVKFELSGCTSVK
                     TYRAKFCGVCTDGRCCTPHRTTLPVEFKCPDGEIMKKNMMFIKTCACHYNCPGDNDI
                     FESLIYRKMYGDMA"
     polyA_signal   2224..2230
                     /gene="fisp-12"
BASE COUNT   570 a   569 c   582 g   546 t
ORIGIN   chromosome 10.
```

Query Match       6.68%;   Score 36.4;  DB 13;  Length 2267;
Best Local Similarity  66.7%;   Pred. No. 1.3;
Matches   52;  Conservative  0;  Mismatches  26;  Indels  0;  Gaps  0;

```
Qy   114 CAGCCCCGCGGCTGCAAGAGGACAAGTGCTCGACCACTGTTGGGCTGCCTGCCGAGTGTGCCGTGC 173
         |||||  | ||||  ||| |  | ||| |||| |||||| ||||||||||||| |||| ||| ||
Db   260 CTGCCCCGCCGGCGTGAGCCTGGTGGCGTGTGCTGGGGCTGCCTGCTGGGCTGGCTGCCGAGTGTGCCGTGC 319

Qy   174 AGGGGCGGGGAGAAACTTG 191
         || ||||||||||| ||
Db   320 GCAGCTGGGAGAACTGTG 337
```

Thu May 6 16:44:38 1999   us-09-037-460-1_copy_61_609.rge   Page 22

RESULT 11

LOCUS   MUSTGFB   2330 bp   mRNA   ROD   01-NOV-1991
DEFINITION   Mouse mRNA sequence.
ACCESSION   M80263
NID   g201945
KEYWORDS   transforming growth factor-beta.
SOURCE   Mus musculus cDNA to mRNA.
  ORGANISM   Mus musculus
             Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
             Vertebrata; Eutheria; Rodentia; Sciurognathi; Myomorpha; Muridae;
             Murinae; Mus.
REFERENCE   1 (bases 1 to 2330)
  AUTHORS   Brunner,A., Chinn,J., Neubauer,M.G. and Purchio,A.F.
  TITLE   Identification of a gene family regulated by transforming growth
             factor-beta
  JOURNAL   DNA Cell Biol. 10, 293-300 (1991)
  MEDLINE   91229699
FEATURES   Location/Qualifiers
     source   1..2330
                     /organism="Mus musculus"
                     /db_xref="taxon:10090"
                     /cell_line="AKR-2B"
     mRNA   1..2330
     CDS   204..1250
                     /codon_start=1
                     /db_xref="PID:g201946"
                     /translation="MLASVAGPISLAIVLLALCTRPATGQDCSAQCQCAAEAAPHCPA
                     GVSLVLDGCGCCRVCAKQLGELCTERDPCDPHKGLFCDFGSPANRKIGVCTAKDGAPC
                     VFGGSVYRSGESFQSSCKYQCTCLDGAVGCVPLCSMDVRLPSPDCPFPRRVKLPGKCC
                     KEWVCDEPKDRTAVGPALAAYRLEDTFGPDPTMMRANCLVQTTEWSACSKTCGMGIST
                     RVTNDNTFCRLEKQSRLCMVRPCEADLEENIKKGKKCIRTPKIAKPVKFELSGCTSVK
                     TYRAKFCGVCTDGRCCTPHRTTLPVEFKCPDGEIMKKNMMFIKTCACHYNCPGDNDI
                     FESLIYRKMYGDMA"
     sig_peptide   204..278
     mat_peptide   279..1247
     polyA_signal   2291..2296
     polyA_site   2318
BASE COUNT   589 a   598 c   595 g   548 t
ORIGIN

Query Match   6.68%;   Score 36.4; DB 13; Length 2330;
Best Local Similarity 66.7%;   Pred. No. 1.3;
Matches   52; Conservative 0; Mismatches 26; Indels 0; Gaps 0;

```
Qy   114 CAGCCCCGCGGCTGCAAGAGGACAAGTGCTCGACCACTGTTGGGCTGCCTGCCGAGTGTGCCGTGC 173
         |||||  | ||||  ||| |  | ||| |||| |||||| ||||||||||||| |||| ||| ||
Db   326 CTGCCCCGCCGGCGTGAGCCTGGTGGCGTGTGCTGGGGCTGCCTGCTGGGCTGGCTGCCGAGTGTGCCGTGC 385

Qy   174 AGGGGCGGGGAGAAACTTG 191
         || ||||||||||| ||
Db   386 GCAGCTGGGAGAACTGTG 403
```

RESULT 12

LOCUS   MUSFISP12A   4128 bp   DNA   ROD   09-JUL-1991
DEFINITION   Mouse FISP-12 protein (fisp-12) gene, complete cds.
ACCESSION   M70641
NID   g193313
KEYWORDS   cysteine-rich protein; growth factor-inducible gene.
SOURCE   Mus musculus (sub_species domesticus) liver/kidney DNA.
  ORGANISM   Mus musculus
             Eukaryotae; mitochondrial eukaryotes; Metazoa; Chordata;
             Vertebrata; Eutheria; Rodentia; Sciurognathi; Myomorpha; Muridae;
             Murinae; Mus.
REFERENCE   1 (bases 1 to 4128)
  AUTHORS   Ryseck,R.-P., MacDonald-Bravo,H., Mattei,M.-G. and Bravo,R.
  TITLE   Structure, mapping and expression of fisp-12, a growth factor
             inducible gene encoding a secreted cysteine-rich protein
  JOURNAL   Cell Growth Differ. 2, 225-233 (1991)

```
MEDLINE    91363290
FEATURES            Location/Qualifiers
   source           1..4128
                    /organism="Mus musculus"
                    /sub_species="domesticus"
                    /db_xref="taxon:10090"
                    /map="A3-B1"
                    /tissue_type="liver/kidney"
   TATA_signal      798..804
                    /gene="fisp-12"
   exon             833..1114
                    /gene="fisp-12"
                    /number=1
   mRNA             join(833..1114,1202..1424,1675..1926,2059..2270,
                    /gene="fisp-12"
                    2642..4006)
   gene             join(1052..1114,1202..1424,1675..1926,2059..2270,
                    /gene="fisp-12"
                    2642..2938)
   CDS              join(1052..1114,1202..1424,1675..1926,2059..2270,
                    /gene="fisp-12"
                    2642..2938)
                    /gene="fisp-12"
                    /codon_start=1
                    /product="FISP-12 protein"
                    /db_xref="PID:g193314"
                    /translation="MLASVAGPISLALVLLALCTRPATGQDCSAQCQCAAEAAPHCPA
                    GVSLVLDGCGCCRVCAKQLGELCTERDPCDPHKGLFCDFGSPANRKIGVCTAKDGAPC
                    VFGGSVYRSGESFQSSCKYQCTCLDGAVGVPTLCSMDVRLPSPDCPFPRRVKLPGKCC
                    KEWVCDEPKDRTAVGPALAAYRLEDTFGPDPTMMRANCLVQTTEWSACSKTCGMGIST
                    RVTNDNTFCRLEKQSRLCMVRPCEADLENIKKGKKCIRTPKIAKPVKFELSGCTSVK
                    TYRAKPFCGVCTDGRCCTPHRTTLPVEFKCPDGEIMKKNMMFIKTCACHYNCPGDNDI
                    FESLYYRKMYGDMA"
   intron           1115..1201
                    /gene="fisp-12"
                    /number=1
   exon             1202..1424
                    /gene="fisp-12"
                    /number=2
   intron           1425..1674
                    /gene="fisp-12"
                    /number=2
   exon             1675..1926
                    /gene="fisp-12"
                    /number=3
   intron           1927..2058
                    /gene="fisp-12"
                    /number=3
   exon             2059..2270
                    /gene="fisp-12"
                    /number=4
   intron           2271..2641
                    /gene="fisp-12"
                    /number=4
   exon             2642..4006
                    /gene="fisp-12"
                    /number=5
BASE COUNT   1061 a   1039 c   984 g   1044 t
ORIGIN       chromosome 10.

Query Match         6.6%;  Score 36.4;  DB 13;  Length 4128;
Best Local Similarity   66.7%;  Pred. No. 1.4;
Matches   52;  Conservative   0;  Mismatches   26;  Indels   0;  Gaps   0;

Qy    114 CAGCCCGCGCCGCCGCTGCAAGGAGGACAGTGCTTCGACGACTGTGGCGTGCCGAGTGTTGCGCTGC 173
          ||||| |||||| ||||||| ||||| | ||||| ||||||||||| |||||||||||| |||||
Db   1261 CTGCCCCCCGCGCGCGGTCGAGCCTGGTGCTGTGGACGCGGCGTGCGGCGTCCCGCGCGCTGCGCCAA 1320

Qy    174 AGGGGCGGGGAGAAACTTG 191
          ||| |||||||| ||||||
Db   1321 GCACCTGGGAGAACTGTG 1338
```

```
RESULT  13
LOCUS       CJU13063     1927 bp    mRNA             VRT    28-AUG-1994
DEFINITION  Coturnix japonica cellular proto-oncogene protein Nov (nov) mRNA,
            complete cds.
ACCESSION   U13063
NID         g532696
KEYWORDS    .
SOURCE      Coturnix japonica.
  ORGANISM  Coturnix japonica
            Eukaryota; mitochondrial eukaryotes; Metazoa; Chordata;
            Vertebrata; Archosauria; Aves; Neognathae; Galliformes;
            Phasianidae; Phasianinae; Coturnix.
REFERENCE   1  (bases 1 to 1927)
  AUTHORS   Weiskirchen,R. and Bister,K.
  TITLE     Suppression in transformed avian fibroblasts of the nov
            protooncogene
  JOURNAL   Unpublished
REFERENCE   2  (bases 1 to 1927)
  AUTHORS   Bister,K.
  TITLE     Direct Submission
  JOURNAL   Submitted (08-AUG-1994) Bister K., University of Innsbruck,
            Institute of Biochemistry, Peter-Mayr-Strasse 1a, Innsbruck,
            Austria, A-6020
FEATURES            Location/Qualifiers
   source           1..1927
                    /organism="Coturnix japonica"
                    /db_xref="taxon:9094"
                    /clone="w23o"
                    /clone_lib="QEF cDNA library of R. Weiskirchen and K.
                    Bister."
                    /cell_type="fibroblast"
                    /dev_stage="embryo"
   gene             14..1075
                    /gene="nov"
   CDS              14..1075
                    /gene="nov"
                    /codon_start=1
                    /product="cellular proto-oncogene protein Nov"
                    /db_xref="PID:g532697"
                    /translation="MEPGGGHSLPVLLLLLLLLRPSEVNGREAPCRPCGGRCPAE
                    PPRCAPGVPAVLDGCGCCLVCARQRGESCSPLLPCDESSGGLICDRGPEDGGPGICMV
                    LEGDNCVFDGMIYRNGENFQPSCKYQCTCRDGQIGCLPRCNLGLLLPGDCFPRKIE
                    VPGECCEKWVCEPRDEVTLGGFAMAAYRQEATLGIDVSDSSANCIEQTTEWSACSRSC
                    GMGFSTRVTNRNQQCEMVKQTRLCMMRPCENEEPSDKKGKKCIRTKKSMKAVRFEYKN
                    CTSVQTYKPRYCGLCNDGRCCTPHNTKTIQVEFRCPQGKFLKPMMLINTCVCHGNCP
                    QSNNAFFQPLDPMSSEAKI"
BASE COUNT    473 a    450 c    489 g    515 t
ORIGIN

Query Match         6.6%;  Score 36;  DB 5;  Length 1927;
Best Local Similarity   64.3%;  Pred. No. 1.7;
Matches   54;  Conservative   0;  Mismatches   30;  Indels   0;  Gaps   0;

Qy    113 GCAGCCCGCGCCGCTGCAAGGAGGACAGTGCTTCGACGACTGTGGCGTGCCGAGTGTTGCGCTG 172
          |||| || ||| ||||||||||||||||| ||||||||||||| |||||  |||||||||||
Db    153 GCTGCGCGCCCCGGGGTGCCCCGCAGTGCTGTGGACGCGGCGTGCGGCGTCCCGCGCGCTGCGCCC 212

Qy    173 CAGGGCGGGGAGAAACTTGCTACC 196
          ||| ||| |||| |||||| |||
Db    213 GGCACGCGCGGGAGAGCTGCTCCC 236
```

```
RESULT  14
LOCUS       A28405     1975 bp    DNA                PAT    23-JUN-1995
DEFINITION  Sequence 1 that hybridises under stringent conditions to g.gallus
            nov gene.
ACCESSION   A28405
NID         g1248684
KEYWORDS    .
SOURCE      unidentified.
```

ORGANISM unidentified
unclassified.
REFERENCE 1 (bases 1 to 1975)
AUTHORS
TITLE NUCLEOTIDE SEQUENCES HYBRIDIZABLE WITH THE NOV GENE OF CHICKENS
JOURNAL Patent: WO 9300430-A 1 07-JAN-1993;
FEATURES Location/Qualifiers
source 1. .1975
/organism="unidentified"
/db_xref="taxon:32644"
1. .1975
/organism="artificial sequence"
/db_xref="taxon:29278"
BASE COUNT 522 a 451 c 486 g 516 t
ORIGIN

```
Qy      6 CGTCTTGCTGCTGACCACGCTCCTCGTCGCCTGCACACCTGGTGCCGCGCTGGACAATAA  65
          ||||||||||||||    -||||||||| -|||||||||| ||    |||||||| ||  ||
Db     53 CGTCCTGCTGCTCCTCCCTGCTCCTCCGGCGCTGCCGAGGTGAGCGGCGGGGAGGCGGCC 112

Qy     66 TTATGCGGTGGACTGCCCTCAACACTGTGACACGCAGTGAGTGCAAAAGCACCCGCGCTG 125
          ||||    -|||||  -||||||    ||-||-  -  ||| ||    ||  || ||  ||
Db    113 GTGCCCCCGGCCCTTGCCGCGGGGGCCTG---CCCCGCGCGAGCCCGCGTCGCGCCCCGG 169

Qy    126 CAAGAGGACAGTGCTCGACGACTGTGTGCCTGCCGAGTGTGCCGCTGAGGGGCGGGGAGA 185
          |  -||||| ||||| |||||||  |||||| |||||| ||| ||||||||  |||||||
Db    170 AGTGCCCGCGCCGTGCGTGGACGGCTGGCGGCTGCCGCTCGGCTGGTGTGCCCGCCGCCA 229

Qy    186 AACTTGCTACC 196
          | ||||  ||
Db    230 GAGCTGCTCCC 240
```

RESULT 15
LOCUS A28444 1975 bp DNA PAT 23-JUN-1995
A28444
DEFINITION nov mRNA sequence.
ACCESSION A28444
NID g1248709
KEYWORDS
SOURCE unidentified.
ORGANISM unidentified
unclassified.
REFERENCE 1 (bases 1 to 1975)
AUTHORS
TITLE NUCLEOTIDE SEQUENCES HYBRIDIZABLE WITH THE NOV GENE OF CHICKENS
JOURNAL Patent: WO 9300430-A 40 07-JAN-1993;
FEATURES Location/Qualifiers
source 1. .1975
/organism="unidentified"
/db_xref="taxon:32644"
1. .1975
/organism="artificial sequence"
/db_xref="taxon:29278"
BASE COUNT 522 a 451 c 486 g 516 t
ORIGIN

Query Match 6.5%; Score 35.8; DB 6; Length 1975;
Best Local Similarity 52.98%; Pred. No. 1.9;
Matches 101; Conservative 0; Mismatches 87; Indels 3; Gaps 1;

Query Match 6.5%; Score 35.8; DB 6; Length 1975;
Best Local Similarity 52.98%; Pred. No. 1.9;
Matches 101; Conservative 0; Mismatches 87; Indels 3; Gaps 1;

```
Qy      6 CGTCTTGCTGCTGACCACGCTCCTCGTCGCCTGCACACCTGGTGCCGCGCTGGACAATAA  65
          ||||||||||||||    -||||||||| -|||||||||| ||    |||||||| ||  ||
Db     53 CGTCCTGCTGCTCCTCCCTGCTCCTCCGGCGCTGCCGAGGTGAGCGGCGGGGAGGCGGCC 112

Qy     66 TTATGCGGTGGACTGCCCTCAACACTGTGACACGCAGTGAGTGCAAAAGCACCCGCGCTG 125
          ||||    -|||||  -||||||    ||-||-  -  ||| ||    ||  || ||  ||
Db    113 GTGCCCCCGGCCCTTGCCGCGGGGGCCTG---CCCCGCGCGAGCCCGCGTCGCGCCCCGG 169

Qy    126 CAAGAGGACAGTGCTCGACGACTGTGTGCCTGCCGAGTGTGCCGCTGAGGGGCGGGGAGA 185
          |  -||||| ||||| |||||||  |||||| |||||| ||| ||||||||  |||||||
Db    170 AGTGCCCGCGCCGTGCGTGGACGGCTGGCGGCTGCCGCTCGGCTGGTGTGCCCGCCGCCA 229

Qy    186 AACTTGCTACC 196
          | ||||  ||
Db    230 GAGCTGCTCCC 240
```

Search completed: May 3, 1999, 16:12:45
Job time: 4404 sec